Cranston, Rhode Island

Proposed Industrial Development

September 2021

TRAFFIC IMPACT STUDY



Proposed Industrial Development Cranston, Rhode Island

TRAFFIC IMPACT STUDY

Prepared by: BETA GROUP, INC.

Prepared for: Mr. John Walsh

Comstock Industrial, LLC 36 Sherwood Place Greenwich, CT 06830

September 2021



September 30, 2021

Mr. John Walsh Comstock Industrial, LLC 36 Sherwood Place Greenwich, CT 06830

Re: Proposed Land Development

Industrial/Warehouse Facility

Comstock Parkway Cranston, Rhode Island

Dear Mr. Walsh:

BETA Group, Inc., in accordance with our scope of services, has completed a traffic impact study for a proposed industrial development project in the City of Cranston, Rhode Island. The project is located on the easterly side of Comstock Parkway in the vicinity of Western Industrial Drive. The parcel is defined by Assessor's Plat 36/4, Lot 46, which contains approximately 17.3 acres of undeveloped, wooded land.

Based upon information provided by your office, and a review of the current site plan prepared by *DiPrete Engineering*, it is our understanding that the property will be developed to contain two different size industrial buildings with an office space within the smaller building situated along the roadway frontage. Access/egress to the site is proposed at the unsignalized intersection of Comstock Parkway with Western Industrial Drive that will be modified to create a four-way junction.

The study included herein, was conducted to determine the adequacy of the existing servicing roadways to accommodate anticipated traffic to be generated by the commercial development project. An analysis of potential impacts to the roadway capacity and safety has been completed and is discussed in the following report.

Very truly yours,

BETA Group, Inc.

Paul J. Bannon Associate

TABLE OF CONTENTS

1.0 Introduction	1
2.0 Project Area	3
3.0 Existing Conditions	3
3.1 Roadways	3
3.2 Intersections	6
3.3 Traffic Flow Data	7
4.0 Safety Analysis	8
5.0 Impact Analysis	11
5.1 Trip Generation	11
5.2 Future Traffic Volumes	13
5.3 Operational Analysis	15
6.0 Conclusions and Recommendations	18
APPENDICES Appendix A: Traffic Volume Data Appendix B: Traffic Crash Data Appendix C: Trip Generation Appendix D: Operational Analysis Appendix E: Off-Site Improvement Plan	
LIST OF TABLES	
TABLE 1 – Trip Generation Estimate TABLE 2 – Highway Capacity Manual Criteria TABLE 3 – Level of Service Summary (Existing Conditions) TABLE 4 – Level of Service Summary (Future Build Conditions)	15 16
LIST OF FIGURES FIGURE 1 – Project Vicinity Map	9 12



İ

1.0 Introduction

The objective of the following study is to assess the potential traffic impacts associated with a proposed industrial development project in the City of Cranston, Rhode Island. The subject property is situated on a parcel of land on the easterly side of Comstock Parkway between Plainfield Pike (Route 14) to the north and Scituate Avenue (Route 12) to the south. Refer to the Figure 1, Project Vicinity Map, on the following page for the project location within the city.


The development proposal consists of the construction of a 70,000 square foot building for industrial (64,000 SF) and office (6,000 SF) uses along the property frontage and a 199,180 square foot building for industrial use at the rear of the lot. Parking for the industrial/office building (67 employee/visitor parking and 13 loading) and the industrial building (150 employee parking, 56 loading, 42 trailer storage) will be situated adjacent to each building. Access/egress will be provided at the unsignalized intersection of Comstock Parkway with Western Industrial Drive that will be modified to create a fourway junction.

The study summarized herein focused on both traffic flow efficiency and safety along Comstock Parkway in the immediate vicinity of the subject property, and at the proposed driveway. The impacts associated with the site related traffic have been defined and evaluated in accordance with standard traffic engineering guidelines and procedures.

The traffic engineering study completed for this project included the following:

- A traffic counting program to define the existing traffic patterns and operational characteristics
 along the servicing roadways including Comstock Parkway, Plainfield Pike, and Western
 Industrial Drive. The data collection included an automatic traffic recorder (ATR) count on
 Comstock Parkway and manual turning movement counts (TMCs) at the intersections of
 Comstock Parkway with Western Industrial Drive and with Plainfield Pike.
- An inventory of the physical roadway characteristics of Comstock Parkway in the project area to determine the adequacy of the existing roadway geometric features in reference to safety and operations.
- An analysis of crash records obtained from the Cranston Police Department to determine if there are any safety concerns relative to the frequency, severity, or pattern of crashes in the project area.
- An estimate of future traffic volumes for the proposed commercial development was calculated using data from the "Trip Generation" Manual, an informational report published by the Institute of Transportation Engineers (ITE).
- Evaluation and analysis of the traffic safety and operational issues for existing and future traffic conditions.





• Development of recommendations where necessary, that would be required to maintain safe and efficient traffic flow in the project area.

2.0 PROJECT AREA

As noted in the previous section, the subject property is situated on the easterly side of Comstock Parkway opposite of Western Industrial Drive. The parcel contains approximately 17.3 acres of undeveloped and wooded land zoned for industrial use. Figure 2 on the following page depicts the general project area, and the boundary lines of the subject property.

Land use in the immediate area can be described as predominantly commercial and industrial along Comstock Parkway including off intersecting side streets of West Industrial Drive, Amflex and Stamp Farm Road. Two bank branches including a day care center and the Cranston Fire Department Station 6 is located south of the site along Comstock Parkway where the road transitions to high density residential uses off of intersecting side streets. Immediately abutting the property to the north, east, and west across Comstock Parkway are multiple commercial and industrial businesses. To the south is a bank branch and a residential neighborhood. Further north along Plainfield Pike in the vicinity of the interchange with Interstate 295 (I-295) are a mixture of industrial and commercial properties that includes gas stations, banks, retail stores, restaurants, and a pharmacy that service this area. Further to the south along Scituate Avenue properties are predominantly medium-density residential heading into western Cranston, including subdivisions off intersecting side streets.

With the use proposed, Interstate 295, Plainfield Pike (Route 14) and Comstock Parkway will serve as the primary access route to the site, with Comstock Parkway providing immediate local access. Based upon the good operating characteristics along these servicing roadways, and the estimated volume and type of traffic associated with the industrial development, a study impact area was defined for the project. The limits of our analysis included Comstock Parkway between Scituate Avenue and Plainfield Pike with focus on the Comstock Parkway intersections with Western Industrial Drive and with Plainfield Pike.


3.0 Existing Conditions

3.1 Roadways

Plainfield Pike (Route 14)

Plainfield Pike (Route 14) is classified as a principal arterial road between East Road (Route 116) in Scituate to the west to Atwood Avenue (Route 5) the east. Plainfield Pike is the community border between the City of Cranston and Town of Johnston, which is centered along the roadway with the City of Cranston to the south and the Town of Johnston on the north. It provides immediate local access to abutting properties but also links to higher order facilities including I-295 to the east. The roadway varies in section but typically provides one lane in each direction.





In the project area, Plainfield Pike is approximately 44 feet wide consisting of a 12-foot travel lane and 10-foot shoulder in each direction. To the east of Comstock Parkway extending to I-295, cement

concrete curbing is provided on both sides with sporadic cement concrete sidewalk only on the north side. The adjacent photo depicts these features of Plainfield Pike looking east from Comstock Parkway. To the west where the roadway becomes more rural in nature, there is no curbing or sidewalks

The pavement condition can be classified as being in fair condition with visible crack sealing. Sporadic



Cobra-head light fixtures on utility pole are located along the corridor for nighttime illumination. The speed limit is posted at 40 mph in the project area.

Comstock Parkway

Comstock Parkway is a primary north/south urban minor arterial running from its northerly terminus at Plainfield Pike through its junction with Scituate Avenue, extending further south where it transitions to

a local roadway. In the project area, Comstock Parkway is approximately 30 feet wide consisting of a 15-foot travel lane in each direction separated by double yellow centerline.

The pavement condition can be classified as being in good condition. Cement concrete curbing is provided on both sides with cement concrete sidewalk on the westerly side only. Sporadic



Cobra-head light fixtures on utility pole are located along the corridor for nighttime illumination. The speed limit is posted at 25 mph in the vicinity of the site. The above photograph depicts the typical characteristics of Comstock Parkway looking north along the property frontage.

Western Industrial Drive

Western Industrial Drive is a short local street that extends from Comstock Parkway to the west to a culde-sac to the northwest. The roadway runs westerly from Comstock Parkway for approximately 1,500



feet then turns northerly for approximately 1,000 feet to a dead-end. It provides access, as its name suggests, to industrial businesses and links to Stamp Farm Road extending the industrial park to the

north where it also intersects Comstock Parkway in a loop configuration.

In the vicinity of the intersection with Comstock Parkway, Western Industrial Driveway is approximately 40 feet wide consisting of a 20-foot travel lane in each direction separated by a faded double yellow centerline. Cement concrete curbing is provided on both sides of the road with no



sidewalks within the industrial park limits as defined. The pavement can be classified as being in good condition though a visible trench patch is present in the center of the roadway as seen in the adjacent photograph looking west. The speed limit is posted at 25 mph within the industrial park.

3.2 Intersections

Plainfield Pike at Comstock Parkway

Plainfield Pike (Route 14) intersects Comstock Parkway and a commercial driveway to form a signalized, four-way junction as depicted on the adjacent image. The Plainfield Pike eastbound and westbound approaches each provide a separate left turn lane and a shared thru/right turn lane. The Comstock

Parkway northbound approach provides a shared left turn/thru lane and a separate right turn lane. The commercial driveway southbound approach from the CVS Pharmacy provides a single multiuse lane. Marked crosswalks with curb ramps, though not ADA-compliant, are available across the northbound and eastbound approaches to the intersection.



The traffic signal system appears to

be in good working condition as some of the older equipment has been upgraded as part of regular maintenance projects. The layout of the equipment consists of mast arm mounted signal heads with in road vehicle loop detectors. In addition, pedestrian signal heads with pushbuttons, which were determined not to be ADA-compliant, are provided for both existing marked crosswalks.



The intersection was determined to operate in a fully actuated mode with three phases. The Plainfield Pike eastbound and westbound movements are serviced in two phases including an advanced protected/permitted left turns with a Comstock Parkway northbound right turn overlap, followed by through/right turn concurrent movements. The Comstock Parkway northbound and commercial driveway southbound approaches are serviced under a single permitted phase.

Comstock Parkway at Western Industrial Drive

Western Industrial Drive intersects Comstock Parkway to form an unsignalized, three-way "T"-type junction with stop control on the minor Western Industrial Drive westbound approach. A *Stop* sign is provided on the Western Industrial Drive eastbound approach to the intersection with no stop line. It is recommended that a *Stop* line should be provided along with an upgrade of the existing *Stop* sign to meet current MUTCD design standards for mounting height and visibility.

The Comstock Parkway northbound and southbound approaches provide a single shared left turn/thru lane and a shared thru/right turn lane, respectively. The Western Industrial Drive westbound approach provides a single lane, though due to the 20-foot wide lane as previously described, was observed to

operate as a two-lane approach for left and right turning vehicles, allowing for two eastbound vehicles to stack side by side at the intersection.

Curb ramps are provided on both corners of the eastbound approach, though they are not ADA-compliant and are not linked with a marked crosswalk. Due to the crossing width, along with the recommended *Stop* line, it is also recommended that the city install a



cross-walk to delinate the crossing and potential for pedestrian crossings. A Cobra-head light fixture on a utility pole is provided for nighttime illumination of the intersection. The above photograph depicts the physical characteristics of the intersection looking south along Comstock Parkway with Western Industrial Way to the right.

3.3 Traffic Flow Data

Existing traffic flow characteristics for this area were developed from a traffic counting program conducted by BETA and review of historical data available from previous studies completed in the immediate area. The data collection included Manual Turning Movement Counts (TMC) at the Comstock Parkway intersections with Plainfield Pike and Western Industrial Drive and an Automatic Traffic Recorder (ATR) count on Comstock Parkway in September 2021. In addition, record TMC at both study intersections were obtained from a previous study completed in the project area in October 2011.



It is important to note that COVID-19-related restrictions have been lifted in Rhode Island since the end of May 2021 with businesses and schools generally running under normal conditions. Rhode Island, for the most part, specifically along Plainfield Pike and Comstock Parkway, has seen traffic volumes return to typical conditions. Therefore, the traffic data collected in September 2021 specifically for this study was not adjusted for COVID, though it was adjusted seasonally per the RIDOT Season Adjustment Factors and has been utilized as a basis of analysis.

Based upon the ATR data obtained, Comstock Parkway in the project area was found to service an Average Daily Traffic (ADT) volume of approximately 14,900 vehicles per day. On a typical weekday along Comstock Parkway, traffic volumes begin to increase at 4:00 AM with the morning peak hour occurring between 7:00 and 8:00 AM. During this hour, an average of approximately 1,400 vehicles was recorded. After 9:00 AM, volumes decrease and remained consistent between 850 and 1,000 vehicles per hour until the late afternoon peak of approximately 1,500 vehicles serviced between 4:00 and 5:00 PM.

In addition to the ATR, manual turning movement counts were conducted at the Comstock Parkway intersections with Plainfield Pike and Western Industrial Drive. Data was collected during the weekday morning and afternoon peak periods between 7:00 to 9:00 AM and 4:00 to 6:00 PM, respectively. Based upon review of the September 2021 TMC data, which was seasonally adjusted, Comstock Parkway along the property frontage services approximately 1,375 vehicles during the weekday morning peak hour between 7:30 and 8:30 AM with approximately 980 vehicles northbound and 395 vehicles southbound. During this same period, Western Industrial Drive services approximately 195 vehicles with approximately 55 vehicles eastbound and 140 vehicles westbound into the industrial park. During the weekday afternoon peak hour between 4:30 and 5:30 PM, Comstock Parkway was found to service 1,460 vehicles with approximately 750 vehicles northbound and 710 vehicles southbound. During this same period, Western Industrial Drive services approximately 185 vehicles with approximately 150 vehicles eastbound and 35 vehicles westbound. Figure 3 on the following page depicts the daily peak hour turning movement volumes at the study intersections. Complete count information can be found in the Appendix.

4.0 SAFETY ANALYSIS

In order to determine if there are any limiting factors affecting safety relating to access to the proposed industrial project, the physical characteristics of Comstock Parkway in the immediate site vicinity were investigated. These limiting factors would potentially include horizontal or vertical alignment changes or roadside obstructions that limit sight distances for vehicles traveling along the road or entering the road from a side street or driveway location. In this instance, the sight distance standard is necessary to permit turning vehicles to safely enter and exit the site driveway.

The vertical and horizontal alignment of Comstock Parkway in the project area can be described as relatively level and straight, respectively along the subject property frontage, with a gradual horizontal curve south of the site as it approaches Scituate Avenue. Based upon the existing roadway geometry as described, the available sight distance at the proposed site driveway location on Comstock Parkway,








Proposed Industrial Development

CRANSTON, RHODE ISLAND

Figure 3 - Existing Traffic Volumes









LEGEND:

TURN LANE

XXX AM PEAK VOLUMES (7:30 TO 8:30)

(XXX) PM PEAK VOLUMES (4:30 TO 5:30)

STUDY INTERSECTION

TRAFFIC SIGNA

opposite Western Industrial Drive, was determined to be greater than 500 feet to the north and south. These values are in excess of AASHTO's recommended minimum sight distance of 155 feet based on the posted speed limit of 25 mph and greater than 305 feet based on the measured 85th percentile vehicle speed of 38 mph.

As a result of the preliminary evaluation of the existing roadway geometry and physical features, it does not appear that any significant physical roadway safety deficiencies exist within the defined study area. Also, as part of our analysis, a review of crash statistics was completed. Data was reviewed from the City of Cranston Police Department for the latest three-year period available from January 2017 to December 2019 to determine if any location in the project area experienced a high frequency or pattern of crashes.

A total of 37 crashes (avg. 12 per year) occurred in the project area over the three-year study period, with six involving injuries. Summarizing the data, twenty-four of the crashes with four involving injuries occurred at the signalized intersection of Comstock Parkway with Plainfield Pike; four of the crashes with one involving injuries occurred at the unsignalized intersection of Comstock Parkway with Western Industrial Way; and nine of the crashes with one involving injuries occurred along the segment of Comstock Parkway between Plainfield Pike and Western Industrial Way.

The predominant crash type at the signalized intersection of Comstock Parkway with Plainfield Pike were rear end collisions, which is typical of signalized junctions due to the numerous starting and stopping movements required for the signal change intervals; eight were angle crashes that can be attributed to a few factors, including drivers not yielding the right of away during the permitted left turn phase along Plainfield Pike (5), not yielding the right of way (2), and running a red light; and two were sideswipe collisions on the northbound approach that has two lanes.

All four crashes, with one involving an injury, at the unsignalized intersection of Comstock Parkway at Western Industrial Drive were rear end collisions that can be attributed to slow and/or stopping traffic that are turning in and/or out of Western Industrial Drive. In addition, five of the crashes that occurred along Comstock Parkway between Plainfield Pike and Western Industrial Drive were angle crashes, two were single vehicle crashes, and one was a rear end collision. All of the angle crashes occurred at an intersecting side street that can be attributed to motorists not yielding the right of way. One of the single vehicle crashes involved a vehicle striking a tree to avoid collision with another vehicle and the other involved a motorcycle losing control due to an illegal maneuver.

Based upon the historical crash data obtained from the local police, and a review of existing roadway geometry and operations, roadway or traffic related safety enhancements could be investigated to improve safety within the immediate project area. The RIDOT could review the following safety enhancements at the signalized intersection of Comstock Parkway with Plainfield Pike:

- 1. The clearance intervals to determine if they require adjustment in an effort to reduce the number of rear-end collisions.
- 2. Addition of reflectorized yellow strips around the edge of the existing signal head backplates to enhance traffic signal visibility.



3. Addition of a flashing yellow arrow signal for the Plainfield Pike eastbound and westbound permitted left turn phases to potentially reduce the number of angle crashes during the permitted phases.

In addition, the city could review the following safety enhancements along Comstock Parkway including at side street intersections:

- 1. Installation of a stop line and upgrading and/or installation of a stop sign to meet current MUTCD standards to emphasize the traffic control for the Western Industrial Drive, Amflex Drive, and Stamp Farm Road approaches to Comstock Parkway.
- 2. Installation and/or upgrading the speed limit signs along Comstock Parkway to emphasize the speed regulations.
- 3. Installation of a crosswalk on Western Industrial Drive.

5.0 IMPACT ANALYSIS

5.1 Trip Generation

To determine the traffic impact of a proposed development, estimates of anticipated traffic to be generated by a particular land use must be calculated. As previously discussed, the development proposal consists of the construction of two separate buildings with one fronting Comstock Parkway; a 70,000 square foot building for industrial/office use; and a second 199,180 square foot building for industrial use situated at the rear of the property. It anticipated that both buildings will accommodate tenants (i.e., manufactures, wholesalers) that require interiors with shelving to allow storage of goods and/or materials. Access to the site will be provided at the unsignalized intersection of Comstock Parkway with Western Industrial Drive that will be modified to create a four-way junction. Figure 4 on the following page depicts the site layout and access plan provided by *DiPrete Engineering*.

For this site, projected traffic volumes for the commercial project were based on use of trip generation factors. These factors are taken from the "Trip Generation" manual, an informational report published by the Institute of Transportation Engineers (ITE), a national professional organization for traffic and transportation engineers. The data provided in the ITE report are based on extensive traffic studies for various types of land uses (residential, commercial, industrial, etc.). This data has been found to be very reliable and provides a sound basis for estimating future trips to new developments.

For the proposed industrial development project that includes two warehouse type buildings, Land Use Code 150 Warehousing was reviewed for applicability in developing an estimate of site related vehicle trips. The appropriate worksheets from the manual are included in the Appendix along with the trip estimate calculations. Table 1 summarizes the estimate of peak hour site trip volumes calculated for this project.






Proposed Industrial Development

CRANSTON, RHODE ISLAND

Figure 4 - Site Layout



Site Plan provided by DiPrete Engineering



TABLE 1 – Trip Generation Estimate

	Description	Enter	Exit	Total
AM Peak Hour				
ITE Land Use Code 150	Warehousing	35	11	46
PM Peak Hour				
ITE Land Use Code 150	Warehousing	15	37	52

5.2 FUTURE TRAFFIC VOLUMES

In order to properly assess the impacts of a development, future traffic conditions of area roadways should be estimated for the period when the development is constructed and fully occupied. Typically, the expansion of base traffic is calculated when a project is to be constructed over an extended period (+3 to 5 years). In all instances, area growth that may affect capacity results should be considered. It is anticipated that this project would be constructed and occupied within a 24 month period so for this project, a conservative annual growth rate 1.0 percent was utilized for the future background traffic growth. It should be noted that Comstock Parkway has seen little to no growth in traffic volumes over the last decade and the city has seen an annual population growth rate of less than 0.25% during this period. The one percent rate was applied to the existing volumes to establish a Future 2024 Build traffic condition on the servicing roadways. The Future 2024 Build condition included traffic generated by the proposed industrial project. Figure 5 on the following page depicts the estimated future traffic volumes at the study intersections. Site distribution figures are also provided in the Appendix for reference.

In developing the intersection volumes to be analyzed under build conditions, a directional distribution of the site traffic was estimated. The distribution was based on current traffic patterns along Comstock Parkway including consideration of the site's land use and proximity to Interstate 295. It is important to note that warehouse type land uses are estimated to have higher percentage of cars generated during the AM and PM peak hours compared to trucks, which is associated with employee work shifts. Much of the truck related traffic for this land use occurs during off-peak traffic conditions of the adjacent servicing roadways. As a result, cars as percentage of total site trips during the morning and afternoon peak hours are estimated to be 70% and 80%, respectively.

It is estimated that 100% of site related truck trips will arrive and depart to the north via I-295 during both the morning and afternoon peak hours. For employee traffic, it is estimated that 80% of car related site trips will arrive from and depart to the north and 20% will arrive from and depart to the south.







Proposed Industrial Development

CRANSTON, RHODE ISLAND

Figure 5 - Future Traffic Volumes







SBETA www.BETA-Inc.com

LEGEND:

TURN LANE

XXX AM PEAK VOLUMES (7:30 TO 8:30)

(XXX) PM PEAK VOLUMES (4:30 TO 5:30)

STUDY INTERSECTION

TRAFFIC SIGNA

5.3 OPERATIONAL ANALYSIS

The key to any traffic impact analysis is the evaluation of roadway operations during peak traffic periods on the servicing roadway system. This situation would occur when the site-generated traffic, combined with the traffic volumes on the main roadway, result in the highest one-hour volume serviced along a roadway segment, or through an intersection. Review of record traffic data found that the weekday AM and PM peak hours would represent this worst-case combination of site-generated traffic with the servicing roadway peak traffic period. The Highway Capacity Manual methodology provides the most accurate means of evaluating traffic capacity and delays for roadways and intersections. The results of this procedure are expressed in terms of Level of Service (LOS). Level of Service is a qualitative measure of traffic flow efficiency based on anticipated vehicle delays. For example, LOS "A" represents the best condition with little or no delay, while LOS "F" indicates that the roadway/intersection is at full capacity resulting in extended vehicle delays and potential queuing. Table 2 outlines the Level of Service delay criteria presented in the Highway Capacity Manual for signalized and unsignalized intersections.

TABLE 2 – Highway Capacity Manual Criteria

Level of Service	Unsignalized Delay Per Vehicle (sec)	Signalized Delay Per Vehicle (sec)
А	<10	<10
В	>10 and <15	>10 and <20
С	>15 and <25	>20 and <35
D	>25 and <35	>35 and <55
Ε	>35 and <50	>55 and <80
F	>50	>80

The Comstock Parkway intersections with Plainfield Pike and with Western Industrial Drive were studied for the existing and future weekday morning and afternoon peak hours. The capacity analysis worksheets are included in the Appendix and Tables 3 and 4 summarize the results of the analyses. Table 3 depicts the current conditions at the study intersections. As can be seen in the table, the signalized intersection of Plainfield Pike (Route 14) with Comstock Parkway/Commercial Driveway was determined to operate overall at an acceptable LOS C during both the AM and PM peak hours, with critical movements experiencing LOS D or better with the exception of the Comstock Parkway northbound left turn/through movement during both the morning and afternoon peak hours where it operates with greater delays at LOS E with a maximum queue of 8 vehicles observed, which is consistent with the analysis. This queueing can extend approximately 200 feet to the south for short periods during the daily morning and afternoon peak traffic conditions.

In addition, at the unsignalized intersection of Comstock Parkway with Western Industrial Drive, the Comstock Parkway northbound left turn traffic onto Western Industrial Drive and the Western Industrial Drive eastbound right turn traffic onto Comstock Parkway both operate in an acceptable manner with



TABLE 3 – Level of Service Summary (Existing Conditions)

			2021 E	XISTING	COND	ITIONS						
		AM	Peak Hour			PM	Peak Hour					
Location / Movement			95 th %				95 th %					
	LOS	Delay	Queue	v/c	LOS	Delay	Queue	v/c				
			Length (veh.)				Length (veh.)					
Plainfield Pike (Route 14) at Co	omstoc	k Parkw	ay / Commerc	ial Drive	eway (S	5)						
Plainfield Pike EB Left	Α											
Plainfield Pike EB Thru/Right	D	37.5	17	0.86	С	33.6	13	0.81				
Plainfield Pike WB Left	В	15.2	8	0.73	В	19.0	10	0.81				
Plainfield Pike WB Thru/Right	Α	6.5	6	0.36	Α	6.3	6	0.34				
Comstock Pkwy NB Left/Thru	E	56.5	7	0.75	E	67.3	8	0.84				
Comstock Pkwy NB Right	Α	8.9	6	0.54	Α	6.9	5	0.51				
Commercial Dr SB	С	22.8	2	0.14	С	24.8	2	0.25				
OVERALL	С	20.8	1	ı	С	20.8	-	-				
Comstock Parkway at Westerr	n Indusi	trial Driv	/e (U)									
Comstock Pkwy NB Left	A 8.3 1 0.03 A 9.9 1 0.02											
Western Industrial Dr EB Left	F	57.4	2	0.43	F	138.2	7	0.98				
Western Industrial Dr EB Right	В	10.6	1	0.02	С	15.2	1	0.11				

⁽S) – Signalized

the critical movements experiencing minor delays of under 16 seconds, representing Levels of Service (LOS) C or better during both the weekday morning and afternoon peak hours. The movement that experiences greater delays is the minor Western Industrial Drive westbound left turn movement where average delays are estimated to be greater than 50 seconds during both the weekday morning and afternoon peak periods.

One condition that does have a positive impact on the available gaps in traffic are the adjacent signalized intersections at Plainfield Pike (Route 14) to the north and Scituate Avenue to the south. The traffic signals help create gaps in Comstock Parkway traffic during the through traffic phases on the arterials and the change intervals that driveway and side street traffic can utilize to access the main road. The positive effect of the adjacent signals cannot be adequately modeled into the HCS analysis. As a result, to define actual delay conditions on West Industrial Drive, an intersection stop delay study was completed during the afternoon peak hour between 4:30 and 5:30 PM, which is the worst-case peak condition, to verify the estimated analysis delays.

Based upon the delay study completed for the Western Industrial Drive eastbound approach during the afternoon peak hour, it was determined that left turning traffic experienced an average delay of approximately 44 seconds and not the 138.2 seconds that the HCS Analysis estimated. Greater delays for left turns were consistent for a short period of time between 5:03 and 5:06 PM, which is consistent



⁽U) - Unsignalized

with employees leaving immediately at the end of the work day. Average vehicle queue for this movement were 1 to 2 vehicles with a maximum queue of 9 vehicles that occurred during the rush at around 5:00 PM. In addition, right turning traffic experienced less delay of approximately 17 seconds, which is consistent with the analysis, with an average vehicle queue of 1 vehicle.

Table 4 presents the future design period analysis taking into consideration base traffic growth along with the site development as noted earlier along the servicing roadways. The results of the analysis found that the Plainfield Pike (Route 14) signalized intersection with Comstock Parkway with optimization will continue to operate overall in an acceptable manner at LOS C during both the morning and afternoon peak hours of traffic with critical movements experiencing LOS D or better. The signal timing optimization if determined necessary will be coordinated with the Rhode Island Department of Transportation (RIDOT) through the Physical Alteration Permit process if future traffic conditions are realized and warrant the modification. This type of adjustment is typically made by the RIDOT as part of their general signal maintenance and optimization program.

TABLE 4 – Level of Service Summary (Future Build Conditions)

			FUTURE 2	2024 BU	ILD COI	NDITION	IS	
		AM	Peak Hour			PM	Peak Hour	
Location / Movement			95 th %				95 th %	
	LOS	Delay	Queue	v/c	LOS	Delay	Queue	v/c
			Length (veh.)			L	Length (veh.)	
Plainfield Pike (Route 14) at Co	omstoc	k Parkw	ay / Commerc	ial Drive	eway (S	5) 1		
Plainfield Pike EB Left	Α	7.2	1	0.01	Α	7.3	1	0.02
Plainfield Pike EB Thru/Right	D	49.7	19	0.93	D	41.9	15	0.87
Plainfield Pike WB Left	С	21.9	10	0.80	С	24.2	14	0.84
Plainfield Pike WB Thru/Right	Α	7.2	7	0.37	Α	6.9	7	0.35
Comstock Pkwy NB Left/Thru	D	52.9	7	0.75	D	51.9	7	0.76
Comstock Pkwy NB Right	Α	9.6	7	0.56	Α	8.3	7	0.55
Commercial Dr SB	С	21.7	2	0.14	С	24.0	2	0.24
OVERALL	С	25.5	-	-	С	23.0	-	-
Comstock Parkway at Westerr	Indus	trial Driv	/e (U)					
Comstock Pkwy NB Left	Α	8.3	1	0.03	Α	10.0	1	0.02
Comstock Pkwy SB Left	В	10.9	1	0.05	Α	9.2	1	0.02
Western Industrial Dr EB Left	F	*	4	0.77	F	*	15	1.87
Western Industrial Dr EB Right	В	10.7	1	0.02	С	15.6	1	0.12
Site Driveway WB Left	D	30.6	1	0.08	С	21.9	1	0.16

⁽S) – Signalized



⁽U) - Unsignalized

Optimized Timings

^{*} Delay > 50 Seconds

Under the future build condition, the unsignalized intersection of Comstock Parkway with Western Industrial Drive will be modified to include a new westbound approach from the site, which will be *Stop* controlled. All critical movements at the unsignalized intersection, were estimated to operate in an acceptable manner at LOS D or better except for the Western Industrial Drive left turn movement during both the morning and afternoon peak hours where it will continue to experience greater delays as defined under existing conditions.

The unsignalized capacity analysis results indicating prolonged minor approach delays is consistent with most unsignalized driveways or side street intersections along Comstock Parkway due to the high main street volumes and limitations of the unsignalized analysis as previously discussed. The stop delay study demonstrates the conservative delay calculation in the analysis which does not factor in the signalization benefits of the adjacent intersections, which provide additional sufficient gaps in main street traffic. It should also be noted that a secondary outlet (Stamp Farm Road) is available for the industrial park that vehicles can utilize to access Comstock Parkway in the future to balance minor approach delays from the industrial park during the short afternoon peak traffic condition.

6.0 Conclusions and Recommendations

In summary, the study has shown that the proposed industrial project access and circulation has been designed to provide a level of traffic safety and efficiency on the servicing roadway system. The safety of the proposed site driveway intersection on Comstock Parkway was reviewed for geometry and sight distances. The proposed driveway intersection was determined to provide sufficient sight distances in accordance with AASHTO criteria for visibility and decision making of drivers attempting to enter/exit main street traffic from the proposed driveway.

In reference to safety, as previously noted, The RIDOT could review the following safety enhancements at the signalized intersection of Comstock Parkway with Plainfield Pike as part of their general signal maintenance and optimization program:

- 1. The clearance intervals to determine if they require adjustment in an effort to reduce the number of rear-end collisions.
- 2. Addition of reflectorized yellow strips around the perimeter of the existing signal head backplates to enhance traffic signal visibility.
- 3. Addition of a flashing yellow arrow signal for the Plainfield Pike eastbound and westbound permitted left turn phases to potentially reduce the number of angle crashes.

In addition, the city could review the following safety enhancements along Comstock Parkway including at side street intersections:

 Installation of a stop line and crosswalk and upgrading and/or installation of a Stop sign to meet current MUTCD standards to emphasize the traffic control for the Western Industrial Drive, Amflex Drive, and Stamp Farm Road approaches to Comstock Parkway.



2. Installation and/or upgrading the speed limit signs along Comstock Parkway to emphasize the speed regulations.

The results of the operational analysis determined that the estimated increase in traffic during the peak periods resulting from the proposed industrial project will have a minor impact on overall traffic operations along Comstock Parkway in the project area, particularly during the weekday morning and afternoon peak hours when the site would service its greatest daily volumes.

Therefore, based upon the data collected on the servicing roadways, the analysis completed as part of this study, along with the access design and other recommendations proposed, the industrial development project was determined to have adequate and safe access to a public street, and will not have an adverse impact on public safety and welfare in the study area.



APPENDIX

- A. Traffic Volume Data
- Stop Sign Delay Study B.
- C. Traffic Crash Data
- **Trip Generation** D.
- **Operational Analysis** E.



Cranston, Rhode Island

APPENDIX A - Traffic Volume Data

Automatic Traffic Recorder Count

Comstock Parkway

Intersection Turning Movement Count

Plainfield Pike (Route 14) at Comstock Parkway

Comstock Parkway at Western Industrial Drive



Proposed	Industrial	Devel	onment
11000300	muusma	DEVE	Opinent

Appendix

Cranston, Rhode Island

A

Automatic Traffic Recorder Count

Comstock Parkway



Comstock Parkway



Traffic Volumes



Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive

Location: North of	of Western Indus	trial Drive						
	9/6/21	9/7/21	9/8/21	9/9/21	9/10/21	Weekday	9/11/21	9/12/21
Time	Mon	Tue	Wed	Thu	Fri	Average	Sat	Sun
12:00 AM	*	*	*	*	*	*	112	105
01:00	*	*	*	*	*	*	59	76
02:00	*	*	*	*	*	*	60	54
03:00	*	*	*	*	*	*	38	26
04:00	*	*	*	*	*	*	65	30
05:00	*	*	*	*	*	*	115	60
06:00	*	*	*	*	*	*	296	175
07:00	*	*	*	*	*	*	578	390
08:00	*	*	*	*	*	*	836	591
09:00	*	*	*	*	*	*	976	833
10:00	*	*	*	*	*	*	1062	995
11:00	*	*	*	*	*	*	1145	1035
12:00 PM	*	*	*	*	*	*	1119	1101
01:00	*	*	*	*	270	270	1077	947
02:00	*	*	*	*	1109	1109	980	851
03:00	*	*	*	*	1349	1349	937	808
04:00	*	*	*	*	1375	1375	934	769
05:00	*	*	*	*	1309	1309	860	702
06:00	*	*	*	*	963	963	688	574
07:00	*	*	*	*	749	749	638	623
08:00	*	*	*	*	564	564	454	461
09:00	*	*	*	*	427	427	389	290
10:00	*	*	*	*	334	334	301	158
11:00	*	*	*	*	208	208	201	87
Total	0	0	0	0	8657	8657	13920	11741
Percent	0.0%	0.0%	0.0%	0.0%	100.0%		160.8%	135.6%
AM Peak							11:00	11:00
Volume							1145	1035
PM Peak					04:00	04:00	12:00 PM	12:00 PM
Volume					1375	1375	1119	1101

BETA Group, Inc.

701 George Washington Highway Lincoln, Rhode Island 02865 401.333.2382

Project Name: Proposed Industrial Development

Town/City: Cranston, RI Roadway: Comstock Parkway

Location: North of Western Industrial Drive

9/13/21 9/14/21 9/15/21 9/16/21 9/17/21 Weekday 9/18/21 9/19/21 Time Mon Tue Wed Thu Fri Average Sat Sun 12:00 AM 01:00 02:00 03:00 04:00 05:00 06:00 07:00 08:00 09:00 10:00 11:00 12:00 PM 01:00 02:00 03:00 04:00 05:00 06:00 * * 07:00 08:00 09:00 10:00 11:00 Total 96.3% 99.5% 103.4% 99.7% 59.9% 0.0% 0.0% Percent AM Peak 07:00 07:00 07:00 07:00 07:00 07:00 Volume PM Peak 04:00 04:00 04:00 04:00 12:00 PM 04:00 Volume

Start Date: 9/10/2021

End Date: 9/17/2021

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive

9/6/2021	Monda		Tuesday Wednesday			ay	Thursd	ay	Friday		Weekday Average Sa			rday	Sund	Sunday	
Time	NB	SB	NB	SB		ŚB	NB	SB	NB	SB	NB	SB	NB	SB	NB	SB	
12:00 AM	*	*	*	*	*	*	*	*	*	*	*	*	34	78	37	68	
1:00	*	*	*	*	*	*	*	*	*	*	*	*	21	38	29	47	
2:00	*	*	*	*	*	*	*	*	*	*	*	*	16	44	17	37	
3:00	*	*	*	*	*	*	*	*	*	*	*	*	16	22	10	16	
4:00	*	*	*	*	*	*	*	*	*	*	*	*	47	18	22	8	
5:00	*	*	*	*	*	*	*	*	*	*	*	*	88	27	44	16	
6:00	*	*	*	*	*	*	*	*	*	*	*	*	194	102	121	54	
7:00	*	*	*	*	*	*	*	*	*	*	*	*	378	200	246	144	
8:00	*	*	*	*	*	*	*	*	*	*	*	*	528	308	353	238	
9:00	*	*	*	*	*	*	*	*	*	*	*	*	566	410	512	321	
10:00	*	*	*	*	*	*	*	*	*	*	*	*	633	429	549	446	
11:00	*	*	*	*	*	*	*	*	*	*	*	*	636	509	569	466	
12:00 PM	*	*	*	*	*	*	*	*	*	*	*	*	588	531	598	503	
1:00	*	*	*	*	*	*	*	*	148	122	148	122	560	517	473	474	
2:00	*	*	*	*	*	*	*	*	532	577	532	577	490	490	453	398	
3:00	*	*	*	*	*	*	*	*	695	654	695	654	446	491	415	393	
4:00	*	*	*	*	*	*	*	*	714	661	714	661	474	460	366	403	
5:00	*	*	*	*	*	*	*	*	652	657	652	657	427	433	320	382	
6:00	*	*	*	*	*	*	*	*	470	493	470	493	357	331	265	309	
7:00	*	*	*	*	*	*	*	*	324	425	324	425	281	357	330	293	
8:00	*	*	*	*	*	*	*	*	234	330	234	330	197	257	190	271	
9:00	*	*	*	*	*	*	*	*	184	243	184	243	170	219	114	176	
10:00	*	*	*	*	*	*	*	*	123	211	123	211	107	194	63	95	
11:00	*	*	*	*	*	*	*	*	76	132	76	132	76	125	32	55	
Total	0	0	0	0	0	0	0	0	4152	4505	4152	4505	7330	6590	6128	5613	
Day	0		0		0		0		8657		8657		139		117		
AM Peak													11:00	11:00	11:00	11:00	
Volume													636	509	569	466	
PM Peak									4:00	4:00	4:00	4:00	12:00 PM	12:00 PM		12:00 PM	
Volume									714	661	714	661	588	531	598	503	

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive

Location: North							Friday Waakday Ayaraga									
9/13/2021	Monda	•	Tuesda		Wednes		Thursda		Friday		Weekday A		Saturday		Sunday	
Time	NB	SB	NB	SB	NB	SB	NB	SB	NB	SB	NB	SB		SB	NB	SB
12:00 AM	14	37	15	40	18	35	37	62	24	57	22	46	*	*	*	*
1:00	11	18	14	22	18	32	18	22	22	34	17	26	*	*	*	*
2:00	13	31	13	33	15	34	17	39	13	39	14	35	*	*	*	*
3:00	17	10	19	8	21	10	22	13	21	10	20	10	*	*	*	*
4:00	87	18	83	18	93	20	82	34	89	24	87	23	*	*	*	*
5:00	243	44	239	52	247	52	231	48	241	56	240	50	*	*	*	*
6:00	568	235	616	235	573	241	548	247	543	260	570	244	*	*	*	*
7:00	971	365	991	388	954	361	891	336	948	382	951	366	*	*	*	*
8:00	795	366	831	429	819	418	779	403	830	416	811	406	*	*	*	*
9:00	511	333	596	403	622	400	596	337	575	356	580	366	*	*	*	*
10:00	522	379	474	347	519	362	496	354	468	355	496	359	*	*	*	*
11:00	495	369	450	350	521	419	510	392	545	436	504	393	*	*	*	*
12:00 PM	488	423	484	389	525	481	533	494	562	482	518	454	*	*	*	*
1:00	491	429	414	419	530	439	528	422	504	462	493	434	*	*	*	*
2:00	460	515	464	534	498	506	504	547	482	497	482	520	*	*	*	*
3:00	614	597	640	683	637	644	602	648	*	*	623	643	*	*	*	*
4:00	687	732	700	769	748	690	651	720	*	*	696	728	*	*	*	*
5:00	542	702	588	698	701	699	589	676	*	*	605	694	*	*	*	*
6:00	413	516	401	523	447	552	459	513	*	*	430	526	*	*	*	*
7:00	227	368	299	392	323	465	313	394	*	*	290	405	*	*	*	*
8:00	150	280	170	289	207	295	183	311	*	*	178	294	*	*	*	*
9:00	101	191	125	194	93	195	107	172	*	*	106	188	*	*	*	*
10:00	61	109	74	139	71	126	57	135	*	*	66	127	*	*	*	*
11:00	38	60	50	60	48	79	52	70	*	*	47	67	*	*	*	*
Total	8519	7127	8750	7414	9248	7555	8805	7389	5867	3866	8846	7404	0	0	0	0
Day	15646	6	16164	1	1680		16194		9733	,	16250		0	·	0	
AM Peak	7:00	10:00	7:00	8:00	7:00	11:00	7:00	8:00	7:00	11:00	7:00	8:00				
Volume	971	379	991	429	954	419	891	403	948	436	951	406				
PM Peak	4:00	4:00	4:00	4:00	4:00	5:00	4:00	4:00	12:00 PM	2:00	4:00	4:00				
Volume	687	732	700	769	748	699	651	720	562	497	696	728				
Comb Total	15646		16164		1680		16194		18390		24907		13920		11741	
ADT	ADT	: 14,298	AADT	: 14,298												

Speed Data



Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

Direction, NB														
9/10/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
2:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
12:00 PM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	1	1	5	39	61	40	1	0	0	0	0	0	0	148
2:00	1	9	30	147	207	121	15	2	0	0	0	0	0	532
3:00	0	1	15	193	343	117	24	1	1	0	0	0	0	695
4:00	0	0	37	155	315	170	28	7	2	0	0	0	0	714
5:00	0	0	17	113	310	167	40	4	0	1	0	0	0	652
6:00	0	0	24		184	157	37	5	0	0	0	0	0	470
7:00	1	1	14	51	134	104	16	2	1	0	0	0	0	324
8:00	1	0	9	33	90	81	19	1	0	0	0	0	0	234
9:00	0	5	10	19	57	65	18	9	1	0	0	0	0	184
10:00	0	1	1	19	33	44	15	5	1	2	0	0	2	123
11:00	0	2	5	6	23	27	12	1	0	0	0	0	0	76
Total	4	- 20	167	838	1757	1093	225	37	6	3	0	0	2	4152

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

9/11/2021	Dii	ection: NB														
12:00 AM		9/11/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
1:00 0 0 2 5 5 8 1 0		Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
2:00 0 0 1 1 1 3 4 5 1 1 1 0 0 0 0 0 16 3:00 0 0 0 2 4 3 3 4 1 1 1 0 0 1 0 0 0 16 4:00 0 0 2 7 12 10 12 3 1 0 0 0 0 0 47 5:00 0 1 1 1 10 30 25 16 4 1 0 0 0 0 0 0 88 6:00 0 0 2 12 42 86 44 5 3 0 0 0 0 0 194 7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 0 528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 636 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 0 588 1:00 0 0 2 3 78 227 199 40 7 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 560 3:00 0 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 0 4474 5:00 1 1 1 1 29 169 171 52 3 0 0 0 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 0 0 281 8:00 0 0 1 2 6 49 123 76 22 1 2 0 0 0 0 0 0 281 8:00 0 0 0 1 29 78 63 17 7 7 2 0 0 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 0 0 177 10:00 0 0 1 0 7 45 41 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		12:00 AM	0	0	1	4	10	11	5	1	0	2	0	0	0	34
3:00 0 0 0 0 2 4 3 4 3 4 1 1 0 0 1 0 0 16 4:00 0 0 0 2 7 12 10 12 3 1 0 0 0 0 0 0 47 5:00 0 1 1 1 10 30 25 16 4 1 0 0 0 0 0 0 88 6:00 0 0 2 12 42 86 44 5 3 0 0 0 0 0 0 194 7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 0 528 9:00 0 1 7 7 8 253 186 37 4 0 0 0 0 0 0 528 9:00 0 1 7 7 8 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 633 11:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 636 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 588 1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 588 1:00 0 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 446 4:00 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 0 0 281 8:00 0 0 1 2 6 49 123 76 22 1 2 0 0 0 0 0 281 8:00 0 0 1 2 6 49 123 76 22 1 2 0 0 0 0 0 281 8:00 0 0 1 2 6 49 123 76 22 1 2 0 0 0 0 0 0 197 9:00 0 0 5 2 4 21 32 13 3 0 0 0 1 0 0 0 0 0 0 170 10:00 0 0 1 0 7 45 41 11 1 1 1 1 0 0 0 0 0 0 170 11:00 0 0 0 2 4 21 11 11 11 1 1 1 1 0 0 0 0 0 0 107 11:00 0 0 0 2 4 21 1 11 1 1 1 1 1 1 1 1 0 0 0 0 0 0 170		1:00	0	0	2	5	5	8	1	0	0	0	0	0	0	21
4:00 0 0 2 7 12 10 12 3 1 0 0 0 0 47 5:00 0 1 1 10 30 25 16 4 1 0 0 0 0 0 88 6:00 0 0 2 12 42 86 44 5 3 0 0 0 0 194 7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 2528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 528 9:00 0 1 17 78 253 186 37 4 0 0 0 0 0 0 0 0 0		2:00	0	0	1	1	3	4	5	1	1	0	0	0	0	16
5:00 0 1 1 10 30 25 16 4 1 0 0 0 0 0 194 7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 378 8:00 0 1 7 78 253 186 37 4 0 0 0 0 528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 528 9:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169		3:00	0	0	0	2	4	3	4	1	1	0	1	0	0	16
6:00 0 0 0 2 12 42 86 44 5 3 0 0 0 0 0 194 7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 0 528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 0 636 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 588 1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 0 588 1:00 0 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 446 4:00 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 0 0 281 8:00 0 0 0 1 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0 0 5 5 22 64 58 20 1 0 0 0 0 0 170 10:00 0 0 1 0 7 45 41 11 1 1 1 0 0 0 0 0 170 11:00 0 0 0 1 0 7 45 41 11 1 1 1 0 0 0 0 0 170 11:00 0 0 1 0 7 45 41 11 1 1 1 0 0 0 0 0 170		4:00	0	0	2	7	12	10	12	3	1	0	0	0	0	47
7:00 0 2 5 25 119 158 64 4 0 1 0 0 0 378 8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 633 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 588 12:00 PM 0 0 0 3 77 199 <t< td=""><td></td><td>5:00</td><td>0</td><td>1</td><td>1</td><td>10</td><td>30</td><td>25</td><td>16</td><td>4</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>88</td></t<>		5:00	0	1	1	10	30	25	16	4	1	0	0	0	0	88
8:00 0 2 11 58 210 207 37 3 0 0 0 0 0 0 528 9:00 0 1 7 78 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 636 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 0 588 1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 0 588 1:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 490 3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 357 7:00 0 0 2 6 49 123 76 22 1 2 0 0 0 0 0 281 8:00 0 0 0 1 29 78 63 17 7 2 0 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 0 107 11:00 0 0 0 2 4 21 32 13 3 0 0 0 1 0 0 0		6:00	0	0	2	12	42	86	44	5	3	0	0	0	0	194
9:00 0 1 7 78 253 186 37 4 0 0 0 0 0 0 566 10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 636 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 0 588 1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 0 588 1:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 490 3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 0 281 8:00 0 0 0 1 29 78 63 17 7 2 2 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 1 0 0 0 0 177 11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 76		7:00	0	2	5	25	119	158	64	4	0	1	0	0	0	378
10:00 0 2 11 106 298 183 27 5 0 1 0 0 0 0 633 11:00 0 2 11 119 306 169 26 3 0 <t< td=""><td></td><td>8:00</td><td>0</td><td>2</td><td>11</td><td>58</td><td>210</td><td>207</td><td>37</td><td>3</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>528</td></t<>		8:00	0	2	11	58	210	207	37	3	0	0	0	0	0	528
11:00 0 2 11 119 306 169 26 3 0 0 0 0 0 0 0 588 12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 0 588 1:00 0 0 0 9 78 227 199 40 7 0 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 0 0 0 490 3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 0 0 474 5:00 1 1 1 1 29 169 171 52 3 0 0 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 0 0 281 8:00 0 0 1 29 78 63 17 7 2 2 0 0 0 0 0 197 9:00 0 0 1 2 4 21 32 13 3 0 0 0 1 0 0 0 76		9:00	0	1	7	78	253	186	37	4	0	0	0	0	0	566
12:00 PM 0 1 3 70 277 203 33 1 0 0 0 0 0 588 1:00 0 0 0 9 78 227 199 40 7 0		10:00	0	2	11	106	298	183	27	5	0	1	0	0	0	633
1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 490 3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0		11:00	0	2	11	119	306	169	26	3	0	0	0	0	0	636
1:00 0 0 9 78 227 199 40 7 0 0 0 0 0 560 2:00 0 0 13 72 196 155 45 8 0 1 0 0 0 490 3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 427 6:00 0 0 8 26 142 148 29 4 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0		12:00 PM	0	1	3	70	277	203	33	1	0	0	0	0	0	588
3:00 0 0 2 39 177 170 50 6 2 0 0 0 0 446 4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 427 6:00 0 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 0 5 22 64 58 20 1 0 0 0 0 0 107			0	0	9	78	227	199	40	7	0	0	0	0	0	560
4:00 0 2 3 78 190 163 32 3 2 1 0 0 0 474 5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 0 427 6:00 0 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 5 22 64 58 20 1 0 0 0 0 170 10:00 0 0 1 0 7 45 41 11 1 1 0 0 0 0 0 <		2:00	0	0	13	72	196	155	45	8	0	1	0	0	0	490
5:00 1 1 1 29 169 171 52 3 0 0 0 0 0 427 6:00 0 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 5 22 64 58 20 1 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 0 2 4 21 32 13 3 0 0 1 0 0 76		3:00	0	0	2	39	177	170	50	6	2	0	0	0	0	446
6:00 0 0 8 26 142 148 29 4 0 0 0 0 0 357 7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 281 8:00 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 5 22 64 58 20 1 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 76		4:00	0	2	3	78	190	163	32	3	2	1	0	0	0	474
7:00 0 2 6 49 123 76 22 1 2 0 0 0 0 0 281 8:00 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 0 5 22 64 58 20 1 0 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 76		5:00	1	1	1	29	169	171	52	3	0	0	0	0	0	427
8:00 0 0 1 29 78 63 17 7 2 0 0 0 0 197 9:00 0 0 5 22 64 58 20 1 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 7		6:00	0	0	8	26	142	148	29	4	0	0	0	0	0	357
9:00 0 0 5 22 64 58 20 1 0 0 0 0 170 10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 2 4 21 32 13 3 0 0 1 0 7		7:00	0	2	6	49	123	76	22	1	2	0	0	0	0	281
10:00 0 1 0 7 45 41 11 1 1 0 0 0 0 107 11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 76		8:00	0	0	1	29	78	63	17	7	2	0	0	0	0	197
<u>11:00 0 0 2 4 21 32 13 3 0 0 1 0 0 76</u>		9:00	0	0	5	22	64	58	20	1	0	0	0	0	0	170
		10:00	0	1	0	7	45	41	11	1	1	0	0	0	0	107
Total 1 17 107 930 3001 2529 642 79 16 6 2 0 0 7330		11:00	0	0	2	4		32	13	3	0	0	1	0	0	76
		Total	1	17	107	930	3001	2529	642	79	16	6	2	0	0	7330

	_				Lind		ode Islai		5					_ ,, _ ,
Project Name: Town/City: Cra			al Develop	oment		401.	333.238	2					art Date: 9	9/10/2021 9/17/2021
Roadway: Con												_	nu Date.	9/17/2021
Location: North			trial Drive											
Direction: NB														
9/12/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	0	0	3	9	21	3	0	0	1	0	0	0	37
1:00	0	0	2	6	9	5	6	0	0	1	0	0	0	29
2:00	0	0	1	2	2	5	4	2	1	0	0	0	0	17
3:00	0	0	0	0	1	3	2	2	1	1	0	0	0	10
4:00	0	0	0	1	4	6	11	0	0	0	0	0	0	22
5:00	0	0	0	3	15	14	8	2	1	0	0	0	1	44
6:00	0	0	-	3	_	53	23	4	1	0	0	0	0	121
7:00	0	0	2	12	69	113	42	6	1	1	0	0	0	246
8:00	0	_	_	13	_	157	50	4	0	0	0	0	0	353
9:00	0	Ū		44		213	_	4	3	0	0	0	0	512
10:00	0	0	0	60	221	229	32	6	1	0	0	0	0	549
11:00	0	0	2	42	244	235	42	3	1	0	0	0	0	569
12:00 PM	0	0	1	34		262		4	1	0	0	0	0	598
1:00	0	0	0	53	198	181	37	4	0	0	0	0	0	473
2:00	0	0	0	28		202		4	0	0	0	0	0	453
3:00	0	4	4	27	132	191	54	3	0	0	0	0	0	415
4:00	0	0	0	21	107	167	67	3	0	1	0	0	0	366
5:00	0	0	2	13			49	2	3	1	0	0	0	320
6:00	0	0	0	20	77	122	37	9	0	0	0	0	0	265
7:00	0	0	1	64	130	112	20	2	0	1	0	0	0	330
8:00	0	0	1	16	78	69	18	5	2	0	1	0	0	190
9:00	0	-	-	8		42		2	0	0	0	0	0	114
10:00	0	0	0	3	16	24		4	0	2	0	0	0	63
11:00	0			2		10	10	1	0	1	0	0	0	32
Total	0	10	20	478	2235	2573	708	76	16	10	1	0	1	6128

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

Direction, ND														
9/13/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	0	0	0	2	4	6	1	0	1	0	0	0	14
1:00	0	0	1	0	1	3	4	2	0	0	0	0	0	11
2:00	0	0	0	1	2	6	3	1	0	0	0	0	0	13
3:00	0	0	0	3	2	6	4	1	1	0	0	0	0	17
4:00	0	2	4	8	17	31	21	4	0	0	0	0	0	87
5:00	0	1	5	24	67	106	32	7	1	0	0	0	0	243
6:00	0	0	11	125	265	146	20	1	0	0	0	0	0	568
7:00	0	7	43	242	489	168	20	1	0	1	0	0	0	971
8:00	1	8	35	156	431	147	14	2	1	0	0	0	0	795
9:00	0	7	22	81	229	144	25	3	0	0	0	0	0	511
10:00	1	5	56	121	206	114	16	3	0	0	0	0	0	522
11:00	0	8	23	98	194	141	30	0	1	0	0	0	0	495
12:00 PM	0	10	28	93	216	119	18	4	0	0	0	0	0	488
1:00	0	1	20	110	216	125	16	2	1	0	0	0	0	491
2:00	0	3	18	93	179	139	26	1	0	0	0	1	0	460
3:00	1	7	42	193	250	104	17	0	0	0	0	0	0	614
4:00	1	7	35	161	278	177	25	3	0	0	0	0	0	687
5:00	1	5	11	91	218	172	39	4	1	0	0	0	0	542
6:00	0	0	8	57	166	137	39	5	0	1	0	0	0	413
7:00	0	2	2	45	86	73	18	1	0	0	0	0	0	227
8:00	1	2	12	14	49	58	10	4	0	0	0	0	0	150
9:00	1	4	5	16	31	33	10	1	0	0	0	0	0	101
10:00	0	0	2	11	13	24	9	1	1	0	0	0	0	61
11:00	0	0	2	1	11	19	4	1	0	0	0	0	0	38
Total	7	79	385	1744	3618	2196	426	53	7	3	0	1	0	8519

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

וט	rection: NB														
	9/14/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	0	0	2	5	7	1	0	0	0	0	0	0	15
	1:00	0	0	3	3	4	1	2	1	0	0	0	0	0	14
	2:00	0	0	3	4	2	3	1	0	0	0	0	0	0	13
	3:00	0	0	2	1	4	4	6	1	1	0	0	0	0	19
	4:00	0	0	3	4	16	32	20	6	2	0	0	0	0	83
	5:00	0	0	4	24	71	107	26	7	0	0	0	0	0	239
	6:00	0	1	5	90	293	203	23	1	0	0	0	0	0	616
	7:00	1	6	46	262	473	181	17	4	1	0	0	0	0	991
	8:00	0	0	24	196	409	174	26	1	0	1	0	0	0	831
	9:00	0	0	14	97	259	190	33	2	1	0	0	0	0	596
	10:00	0	4	26	101	200	120	21	2	0	0	0	0	0	474
	11:00	2	3	21	74	191	137	17	3	2	0	0	0	0	450
	12:00 PM	0	0	21	108	208	120	21	6	0	0	0	0	0	484
	1:00	0	0	10	67	193	99	40	0	3	1	1	0	0	414
	2:00	0	10	29	78	196	132	17	2	0	0	0	0	0	464
	3:00	7	16	54	162	256	118	24	3	0	0	0	0	0	640
	4:00	0	3	39	195	314	132	16	0	1	0	0	0	0	700
	5:00	0	0	11	99	270	179	27	2	0	0	0	0	0	588
	6:00	0	0	8	58	163	137	32	3	0	0	0	0	0	401
	7:00	0	4	6	59	125	90	14	1	0	0	0	0	0	299
	8:00	0	1	5	18	60	69	16	1	0	0	0	0	0	170
	9:00	0	3	7	15	39	44	15	0	2	0	0	0	0	125
	10:00	0	0	2	4	17	32	16	2	1	0	0	0	0	74
	11:00	0	0	2	8	11	19	6	4	0	0	0	0	0	50
	Total	10	51	345	1729	3779	2330	437	52	14	2	1	0	0	8750

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

9/15/2021 0 - 15	Direc	ction: NB														
12:00 AM	9	9/15/2021	-	> 15 -											> 70	
1:00		Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
2:00 0 1 2 4 3 4 3 4 1 0 0 0 0 0 0 0 0 0 15 3:00 0 0 0 0 1 4 8 5 3 0 0 0 0 0 0 0 0 21 4:00 0 2 4 10 15 34 22 5 1 0 0 0 0 0 0 0 247 6:00 0 0 3 12 78 105 41 8 0 0 0 0 0 0 0 247 6:00 4 5 16 63 300 163 21 1 0 0 0 0 0 0 247 6:00 0 1 43 262 462 176 10 0 0 0 0 0 0 0 0 954 8:00 0 1 26 199 408 165 16 4 0 0 0 0 0 0 0 0 954 8:00 0 1 26 199 408 165 16 4 0 0 0 0 0 0 0 819 9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 0 519 11:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 530 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	12:00 AM	0	0	0	5	5	3	4	1	0	0	0	0	0	18
3:00 0 0 0 1 4 8 5 3 0 0 0 0 0 0 21 4:00 0 2 4 10 15 34 22 5 1 0 0 0 0 0 0 93 5:00 0 0 0 3 12 78 105 41 8 0 0 0 0 0 0 0 247 6:00 4 5 16 63 300 163 21 1 0 0 0 0 0 0 573 7:00 0 1 43 262 462 176 10 0 0 0 0 0 0 0 0 954 8:00 0 1 26 199 408 165 16 4 0 0 0 0 0 0 0 819 9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 819 9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 622 10:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 521 11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 521 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 1 0 0 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 0 498 3:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 744 6:00 0 0 1 9 67 127 94 21 4 0 0 0 0 0 0 0 323 8:00 0 1 9 67 127 94 21 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1:00	0	0	1	4	3	5	4	1	0	0	0	0	0	18
4:00 0 2 4 10 15 34 22 5 1 0 0 0 0 93 5:00 0 0 0 3 12 78 105 41 8 0 0 0 0 0 247 6:00 4 5 16 63 300 163 21 1 0		2:00	0	1	2	4	3	4	1	0	0	0	0	0	0	15
5:00 0 0 3 12 78 105 41 8 0 0 0 0 0 247 6:00 4 5 16 63 300 163 21 1 0		3:00	0	0	0	1	4	8	5	3	0	0	0	0	0	21
6:00		4:00	0	2	4	10	15	34	22	5	1	0	0	0	0	93
7:00 0 1 43 262 462 176 10 0 0 0 0 0 0 0 0 954 8:00 0 1 26 199 408 165 16 4 0 0 0 0 0 0 0 819 9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 622 10:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 519 11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 0 525 1:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		5:00	0	0	3	12	78	105	41	8	0	0	0	0	0	247
8:00 0 1 26 199 408 165 16 4 0 0 0 0 0 0 0 819 9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 622 10:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 519 11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 0 525 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 701 6:00 0 0 1 9 67 127 94 21 4 0 0 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 0 207 9:00 0 0 4 7 6 35 29 10 2 0 0 0 0 0 0 0 93 10:00 0 0 2 2 6 18 31 11 2 11 0 0 0 0 0 0 0 488		6:00	4	5	16	63	300	163	21	1	0	0	0	0	0	573
9:00 7 8 42 140 267 131 25 2 0 0 0 0 0 0 0 622 10:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 519 11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 525 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 70 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 0 93 10:00 0 0 2 2 6 18 31 11 2 11 0 0 0 0 0 0 488		7:00	0	1	43	262	462	176	10	0	0	0	0	0	0	954
10:00 0 10 52 108 191 138 19 1 0 0 0 0 0 0 519 11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 0 525 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 0 701 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		8:00	0	1	26	199	408	165	16	4	0	0	0	0	0	819
11:00 0 4 16 107 243 134 14 1 1 1 1 0 0 0 0 521 12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 0 0 525 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 701 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 0 0 701 6:00 0 1 9 67 127 94 21 4 0 0 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 0 0 0 10:00 0 0 48		9:00	7	8	42	140	267	131	25	2	0	0	0	0	0	622
12:00 PM 0 8 21 81 245 141 25 4 0 0 0 0 0 525 1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 498 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 701 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0		10:00	0	10	52	108	191	138	19	1	0	0	0	0	0	519
1:00 0 4 14 102 234 145 25 3 3 0 0 0 0 530 2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 771 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 207 9:00			0	4	16	107	243	134	14	1	1	1	0	0	0	521
2:00 0 7 26 108 205 127 22 2 1 0 0 0 0 498 3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 771 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 93	1	12:00 PM	0	8	21	81	245	141	25	4	0	0	0	0	0	525
3:00 1 4 35 148 250 158 32 8 1 0 0 0 0 637 4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 701 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 93 10:00 <td< td=""><td></td><td>1:00</td><td>0</td><td>4</td><td>14</td><td>102</td><td>234</td><td>145</td><td>25</td><td>3</td><td>3</td><td>0</td><td>0</td><td>0</td><td>0</td><td>530</td></td<>		1:00	0	4	14	102	234	145	25	3	3	0	0	0	0	530
4:00 6 7 29 165 338 179 20 4 0 0 0 0 0 748 5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 701 6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 93 10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 0 0 0 0		2:00	0	7	26	108	205	127	22	2	1	0	0	0	0	498
5:00 1 19 29 111 329 181 28 3 0 0 0 0 0 701 6:00 0 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 93 10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 0 0 0 <td< td=""><td></td><td>3:00</td><td>1</td><td>4</td><td>35</td><td>148</td><td>250</td><td>158</td><td>32</td><td>8</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>637</td></td<>		3:00	1	4	35	148	250	158	32	8	1	0	0	0	0	637
6:00 0 0 4 71 190 136 43 2 1 0 0 0 0 447 7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 0 0 93 10:00 0 0 2 2 6 18 31 11 2 1 0 0 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 48		4:00	6	7	29	165	338	179	20	4	0	0	0	0	0	748
7:00 0 1 9 67 127 94 21 4 0 0 0 0 0 0 323 8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 0 93 10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 48		5:00	1	19	29	111	329	181	28	3	0	0	0	0	0	701
8:00 0 1 5 48 83 52 16 2 0 0 0 0 0 207 9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 93 10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 48		6:00	0	0	4	71	190	136	43	2	1	0	0	0	0	447
9:00 0 4 7 6 35 29 10 2 0 0 0 0 0 93 10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 48		7:00	0	1	9	67	127	94	21	4	0	0	0	0	0	323
10:00 0 0 2 6 18 31 11 2 1 0 0 0 0 71 11:00 0 2 2 6 15 12 11 0 0 0 0 0 48		8:00	0	1	5	48	83	52	16	2	0	0	0	0	0	207
11:00 0 2 2 6 15 12 11 0 0 0 0 0 0 48		9:00	0	4	7	6	35	29	10	2	0	0	0	0	0	93
		10:00	0	0	2	6	18	31	11	2	1	0	0	0	0	71
Total 19 89 388 1834 4048 2351 446 63 9 1 0 0 0 9248		11:00	0	2	2		15	12	11	0	0	0	0	0	0	
		Total	19	89	388	1834	4048	2351	446	63	9	1	0	0	0	9248

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: NB

ווט	ection, IND														
	9/16/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	0	0	4	9	12	11	1	0	0	0	0	0	37
	1:00	0	0	0	9	4	4	1	0	0	0	0	0	0	18
	2:00	0	3	4	0	5	1	3	0	1	0	0	0	0	17
	3:00	0	0	2	0	3	8	4	3	0	2	0	0	0	22
	4:00	0	2	4	6	11	29	22	7	1	0	0	0	0	82
	5:00	0	0	1	24	60	102	36	8	0	0	0	0	0	231
	6:00	0	0	8	85	330	115	10	0	0	0	0	0	0	548
	7:00	0	8	31	253	430	151	13	3	2	0	0	0	0	891
	8:00	0	0	31	195	381	159	12	1	0	0	0	0	0	779
	9:00	0	7	46	105	300	117	18	0	1	2	0	0	0	596
	10:00	0	3	37	111	212	114	18	1	0	0	0	0	0	496
	11:00	5	6	56	117	184	116	23	2	1	0	0	0	0	510
	12:00 PM	0	3	15	119	244	133	18	1	0	0	0	0	0	533
	1:00	13	9	22	99	246	129	10	0	0	0	0	0	0	528
	2:00	0	5	24	88	234	134	19	0	0	0	0	0	0	504
	3:00	0	4	37	149	242	143	23	3	1	0	0	0	0	602
	4:00	0	0	31	162	276	169	11	2	0	0	0	0	0	651
	5:00	0	0	8	104	274	168	34	1	0	0	0	0	0	589
	6:00	0	0	10	65	224	130	25	3	2	0	0	0	0	459
	7:00	0	1	9	71	149	62	17	4	0	0	0	0	0	313
	8:00	0	6	8	16	75	61	16	0	1	0	0	0	0	183
	9:00	0	5	7	9	41	35	8	2	0	0	0	0	0	107
	10:00	0	0	6	5	16	17	9	2	2	0	0	0	0	57
	11:00	0	0	1	5	21	13	11	1	0	0	0	0	0	52
	Total	18	62	398	1801	3971	2122	372	45	12	4	0	0	0	8805

Project Name: Proposed Industrial Development

Stats

Town/City: Cranston, RI
Roadway: Comstock Parkway
Location: North of Western Industrial Drive

Direction: NB

Biroodon: 11B														
9/17/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	0	1	1	8	9	5	0	0	0	0	0	0	24
1:00	0	0	1	5	5	4	5	2	0	0	0	0	0	22
2:00	0	0	2	1	1	5	2	2	0	0	0	0	0	13
3:00	0	0	0	1	11	4	4	0	0	1	0	0	0	21
4:00	0	0	4	5	15	29	27	7	2	0	0	0	0	89
5:00	0	1	1	16	78	111	30	3	1	0	0	0	0	241
6:00	0	4	19	90	253	152	25	0	0	0	0	0	0	543
7:00	0	2	43	220	518	148	13	2	0	1	1	0	0	948
8:00	8	6	35	293	355	115	17	1	0	0	0	0	0	830
9:00	1	7	37	140	226	147	17	0	0	0	0	0	0	575
10:00	0	1	28	99	195	115	25	5	0	0	0	0	0	468
11:00	1	9	31	122	240	121	17	4	0	0	0	0	0	545
12:00 PM	1	7	17	154	259	107	12	5	0	0	0	0	0	562
1:00	0	3	21	121	224	115	13	6	1	0	0	0	0	504
2:00	1	2	18	95	203	137	19	7	0	0	0	0	0	482
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
Total	12	42	258	1363	2591	1319	231	44	4	2	1	0	0	5867
Grand Total	71	370	2068	10717	25000	16513	3487	449	84	31	5	1	3	58799

15th Percentile 50th 85th 95th Speed 28.5 33.5 37.8 40.9

Mean Speed (Average) 33.3 10 MPH Pace Speed Number in Pace 30-39 41397 Percent in Pace 70.4% Number > 25 MPH 56290 Percent > 25 MPH 95.7%

Start Date: 9/10/2021

End Date: 9/17/2021

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Direction: SB														
9/10/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
2:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
12:00 PM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	0	1	11	43	50	15	1	1	0	0	0	0	0	122
2:00	0	4	39	182	242	100	9	1	0	0	0	0	0	577
3:00	1	4	43	195	293	101	16	0	0	0	0	0	1	654
4:00	2	15	47	171	314	104	6	2	0	0	0	0	0	661
5:00	3	11	26	176	293	128	18	2	0	0	0	0	0	657
6:00	0	18	41	108			12	1	0	0	0	0	0	493
7:00	12	9	21	100	185	84	12	2	0	0	0	0	0	425
8:00	4	1	30	79	132	65	16	3	0	0	0	0	0	330
9:00	0	1	8	34			20	2	0	0	0	0	0	243
10:00	0	1	6	36	88	62			0	0	0	0	0	211
11:00	0	0	1	10	59	45			0	0	0	0	0	132
Total	22	65	273			859		18	0	0	0	0	1	4505

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Dii	rection: SB														
	9/11/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	0	0	13	35	14	11	3	1	0	1	0	0	78
	1:00	0	0	2	1	8	14	11	2	0	0	0	0	0	38
	2:00	0	1	0	6	19	13	4	0	1	0	0	0	0	44
	3:00	0	0	3	2	8	4	2	3	0	0	0	0	0	22
	4:00	0	0	0	3	6	3	5	0	0	1	0	0	0	18
	5:00	0	0	4	5	14	4	0	0	0	0	0	0	0	27
	6:00	0	0	5	13	37	29	14	4	0	0	0	0	0	102
	7:00	0	4	3	38	73	64	16	2	0	0	0	0	0	200
	8:00	1	3	14	36	159	73	20	2	0	0	0	0	0	308
	9:00	1	0	5	86	182	121	10	5	0	0	0	0	0	410
	10:00	0	2	2	54	209	134	25	2	0	1	0	0	0	429
	11:00	0	0	19	102	255	111	20	2	0	0	0	0	0	509
	12:00 PM	0	2	21	119	239	131	17	2	0	0	0	0	0	531
	1:00	0	3	8	110	259	120	14	2	1	0	0	0	0	517
	2:00	0	0	6	86	219	160	18	1	0	0	0	0	0	490
	3:00	0	0	6	65	229	156	27	7	1	0	0	0	0	491
	4:00	0	0	1	68	209	149	30	3	0	0	0	0	0	460
	5:00	0	0	5	88	187	136	15	2	0	0	0	0	0	433
	6:00	0	0	4	36	177	95	16	3	0	0	0	0	0	331
	7:00	0	0	9	115	165	49	15	3	1	0	0	0	0	357
	8:00	0	1	4	57	136	53	4	2	0	0	0	0	0	257
	9:00	0	0	11	43	105	55	5	0	0	0	0	0	0	219
	10:00	0	0	4	20	91	57	18	4	0	0	0	0	0	194
	11:00	0	0	2	23	42	40	15	2	1	0	0	0	0	125
	Total	2	16	138	1189	3063	1785	332	56	6	2	1	0	0	6590

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Dire	ection: SB														
	9/12/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	1	1	9	21	20	12	2	1	0	1	0	0	68
	1:00	0	0	0	6	10	22	7	2	0	0	0	0	0	47
	2:00	0	0	0	3	10	16	6	2	0	0	0	0	0	37
	3:00	0	0	0	1	6	4	4	1	0	0	0	0	0	16
	4:00	0	0	0	2	1	2	2	1	0	0	0	0	0	8
	5:00	0	0	0	3	6	3	2	0	2	0	0	0	0	16
	6:00	0	0	1	9	14	22	6	2	0	0	0	0	0	54
	7:00	0	0	4	16	47	48	24	3	2	0	0	0	0	144
	8:00	0	3	0	45	91	76	15	5	3	0	0	0	0	238
	9:00	1	2	6	38	143	107	17	6	1	0	0	0	0	321
	10:00	0	0	5	76	203	131	28	3	0	0	0	0	0	446
	11:00	0	0	8	85	216	126	26	4	1	0	0	0	0	466
	12:00 PM	0	0	6	100	239	125	30	1	2	0	0	0	0	503
	1:00	0	0	0	82	223	151	15	3	0	0	0	0	0	474
	2:00	6	3	6	56	164	130	31	0	2	0	0	0	0	398
	3:00	0	0	6	54	175	129	27	2	0	0	0	0	0	393
	4:00	0	0	11	42	160	153	33	3	0	1	0	0	0	403
	5:00	0	0	0	26	183	133	38	2	0	0	0	0	0	382
	6:00	0	0	0	27	137	116	25	3	1	0	0	0	0	309
	7:00	0	0	6	48	146	74	19	0	0	0	0	0	0	293
	8:00	0	0	3	44	125	81	15	3	0	0	0	0	0	271
	9:00	0	0	4	22	76	60	10	4	0	0	0	0	0	176
	10:00	0	2	1	12	31	37	7	5	0	0	0	0	0	95
	11:00	0	0	0	8	16	19	6	6	0	0	0	0	0	55
	Total	7	11	68	814	2443	1785	405	63	15	1	1	0	0	5613

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Direction: SB														
9/13/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	0	0	3	10	17	6	1	0	0	0	0	0	37
1:00	0	0	1	3	5	6	2	1	0	0	0	0	0	18
2:00	0	2	0	7	11	7	3	1	0	0	0	0	0	31
3:00	0	1	0	0	1	8	0	0	0	0	0	0	0	10
4:00	0	0	0	3	5	5	3	1	0	1	0	0	0	18
5:00	0	0	3	14	14	11	2	0	0	0	0	0	0	44
6:00	0	0	16	75	102	34	6	1	1	0	0	0	0	235
7:00	0	1	22	115	150	67	10	0	0	0	0	0	0	365
8:00	0	4	30	132	138	55	5	0	1	0	0	0	1	366
9:00	2	1	22	83	144	67	12	1	1	0	0	0	0	333
10:00	8	9	34	96	164	59	8	1	0	0	0	0	0	379
11:00	2	6	31	98	153	59	14	3	2	0	1	0	0	369
12:00 PM	9	5	22	114	177	83	11	2	0	0	0	0	0	423
1:00	2	6	38	116	185	71	8	2	1	0	0	0	0	429
2:00	0	3	26	127	247	94	16	0	0	0	0	0	2	515
3:00	3	5	64	143	283	90	5	2	0	0	1	0	1	597
4:00	14	1	55	276	292	82	6	6	0	0	0	0	0	732
5:00	6	14	37	179	321	137	7	1	0	0	0	0	0	702
6:00	0	7	31	118	267	80	10	3	0	0	0	0	0	516
7:00	0	2	18	101	160	79	7	1	0	0	0	0	0	368
8:00	0	2	17	55	114	78	14	0	0	0	0	0	0	280
9:00	0	0	11	25	89	51	10	4	1	0	0	0	0	191
10:00	0	0	2	18	40	35	10	1	2	1	0	0	0	109
11:00	0	0	1	5	23	16	11	4	0	0	0	0	0	60
Total	46	69	481	1906	3095	1291	186	36	9	2	2	0	4	7127

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Dii	rection: SB														
	9/14/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	1	3	4	12	10	9	1	0	0	0	0	0	40
	1:00	0	0	0	1	9	6	5	1	0	0	0	0	0	22
	2:00	0	0	1	10	10	10	1	0	1	0	0	0	0	33
	3:00	0	0	0	1	1	4	1	1	0	0	0	0	0	8
	4:00	0	0	0	3	7	1	4	2	1	0	0	0	0	18
	5:00	0	0	3	20	13	8	7	1	0	0	0	0	0	52
	6:00	0	2	20	65	97	40	9	2	0	0	0	0	0	235
	7:00	1	8	39	108	167	47	16	1	0	0	0	1	0	388
	8:00	1	5	41	131	178	64	9	0	0	0	0	0	0	429
	9:00	0	0	38	120	177	62	6	0	0	0	0	0	0	403
	10:00	0	2	40	113	118	66	7	1	0	0	0	0	0	347
	11:00	0	0	11	89	152	81	16	0	1	0	0	0	0	350
	12:00 PM	1	12	18	125	156	65	9	3	0	0	0	0	0	389
	1:00	3	5	11	156	156	76	11	1	0	0	0	0	0	419
	2:00	4	1	17	111	303	79	17	2	0	0	0	0	0	534
	3:00	4	16	44	254	308	50	7	0	0	0	0	0	0	683
	4:00	11	39	55	308	300	50	6	0	0	0	0	0	0	769
	5:00	0	13	47	208	291	123	15	1	0	0	0	0	0	698
	6:00	0	16	8	120	247	116	11	5	0	0	0	0	0	523
	7:00	1	4	20	100	175	81	7	2	1	1	0	0	0	392
	8:00	1	1	9	50	143	73	11	1	0	0	0	0	0	289
	9:00	0	1	8	29	86	53	15	2	0	0	0	0	0	194
	10:00	0	0	3	19	39	54	21	3	0	0	0	0	0	139
	11:00	0	1	1	7	20	17	11	3	0	0	0	0	0	60
	Total	27	127	437	2152	3165	1236	231	33	4	1	0	1	0	7414

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Direction: SE	<u> </u>													
9/15/202	1 0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Tim	e MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AN	Л O) 1	0	4	11	14	4	1	0	0	0	0	0	35
1:0	0 0	0	1	1	14	10	5	1	0	0	0	0	0	32
2:0	0 0) 1	1	9	10	8	4	0	1	0	0	0	0	34
3:0	0 0	0	0	1	3	4	1	0	1	0	0	0	0	10
4:0	0 0	0	3	5	6	2	3	0	1	0	0	0	0	20
5:0	0 0	0	12	10	18	4	6	2	0	0	0	0	0	52
6:0	0 1	1	23	59	99	50	8	0	0	0	0	0	0	241
7:0	0 0	7	15	108	162	57	10	1	0	0	0	1	0	361
8:0	0 0	15	29	164	154	46	8	1	1	0	0	0	0	418
9:0	0 0	8	34	132	165	58	3	0	0	0	0	0	0	400
10:0	0 0	13	43	104	134	57	10	1	0	0	0	0	0	362
11:0	0 5	5 7	27	138	173	58	9	1	0	0	1	0	0	419
12:00 PN	<i>l</i> 1	1	43	141	187	98	9	1	0	0	0	0	0	481
1:0	0 3	3 2	23	120	218	65	7	1	0	0	0	0	0	439
2:0	0 0	10	35	155	221	70	12	2	0	0	0	1	0	506
3:0	0 4	7	40	195	281	104	13	0	0	0	0	0	0	644
4:0	0 12	. 18	57	184	339	70	7	0	3	0	0	0	0	690
5:0	0 1	21	32	149	348	141	6	0	0	0	1	0	0	699
6:0	0 0	21	45	94	241	131	18	1	1	0	0	0	0	552
7:0	0 0	5	11	130	230	80	9	0	0	0	0	0	0	465
8:0	0 4	2	7	62	145	68	7	0	0	0	0	0	0	295
9:0	0 0) 1	3	23	94	59	13	0	2	0	0	0	0	195
10:0	0 0	0	2	18	41	56	5	4	0	0	0	0	0	126
11:0	0 0	0	8	10	23	23	11	4	0	0	0	0	0	79
Tota	al 31	141	494	2016	3317	1333	188	21	10	0	2	2	0	7555

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: SB

Directio)II. OD														
9/16	6/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:	00 AM	0	0	0	5	27	22	6	1	1	0	0	0	0	62
	1:00	0	0	0	0	13	5	1	2	1	0	0	0	0	22
	2:00	0	1	5	4	16	9	2	1	0	1	0	0	0	39
	3:00	0	0	0	0	4	3	4	1	1	0	0	0	0	13
	4:00	0	3	4	4	8	7	4	3	1	0	0	0	0	34
	5:00	1	0	7	11	12	9	8	0	0	0	0	0	0	48
	6:00	0	2	26	96	82	33	8	0	0	0	0	0	0	247
	7:00	0	5	14	137	139	34	6	1	0	0	0	0	0	336
	8:00	0	3	34	144	161	55	6	0	0	0	0	0	0	403
	9:00	0	0	34	113	150	31	6	0	1	1	0	0	1	337
	10:00	0	0	21	103	148	70	9	2	0	0	0	0	1	354
	11:00	7	6	47	119	120	79	14	0	0	0	0	0	0	392
12:	00 PM	0	2	28	149	207	96	11	1	0	0	0	0	0	494
	1:00	1	0	46	138	160	65	10	1	1	0	0	0	0	422
	2:00	0	2	50	170	243	63	16	2	1	0	0	0	0	547
	3:00	0	10	58	212	275	77	16	0	0	0	0	0	0	648
	4:00	6	17	47	283	248	109	9	1	0	0	0	0	0	720
	5:00	2	3	35	195	308	114	16	3	0	0	0	0	0	676
	6:00	1	3	16	117	252	99	24	1	0	0	0	0	0	513
	7:00	3	1	22	114	191	57	6	0	0	0	0	0	0	394
	8:00	0	0	12	60	139	89	9	1	0	1	0	0	0	311
	9:00	0	0	5	25	72	53	13	4	0	0	0	0	0	172
	10:00	0	0	17	14	51	43	7	1	0	2	0	0	0	135
	11:00	0	0	0	8	33	14	15	0	0	0	0	0	0	70
	Total	21	58	528	2221	3059	1236	226	26	7	5	0	0	2	7389

Project Name: Proposed Industrial Development

Town/City: Cranston, RI
Roadway: Comstock Parkway
Location: North of Western Industrial Drive

Direction: SB

DII CCIIOII. OD														
9/17/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	1	2	10	11	14	12	7	0	0	0	0	0	57
1:00	0	0	2	4	12	10	3	3	0	0	0	0	0	34
2:00	2	0	3	9	13	7	3	0	1	1	0	0	0	39
3:00	0	0	0	1	2	6	0	1	0	0	0	0	0	10
4:00	0	1	2	7	3	5	2	3	0	1	0	0	0	24
5:00	0	0	5	13	19	11	6	1	1	0	0	0	0	56
6:00	0	7	31	95	86	32	7	2	0	0	0	0	0	260
7:00	0	4	17	126	170	53	10	1	1	0	0	0	0	382
8:00	4	6	70	114	147	69	5	0	0	0	0	0	1	416
9:00	0	5	21	92	160	65	13	0	0	0	0	0	0	356
10:00	2	3	16	125	131	59	13	5	0	0	0	0	1	355
11:00	0	11	72	134	155	59	3	1	0	0	0	0	1	436
12:00 PM	4	8	35	166	206	55	7	0	0	0	0	0	1	482
1:00	1	5	43	128	181	81	19	4	0	0	0	0	0	462
2:00	0	0	20	151	221	96	6	1	0	0	0	0	2	497
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
Total	13	51	339	1175	1517	622	109	29	3	2	0	0	6	3866
Grand Total	169		2758	12607	21651	10147	1818	282	54	13	6	3	13	50059
Stats		F	Percentile	15th	50th	85th	95th							

Percentile 15th 50th 85th 95th Speed 27.2 32.2 36.6 39.7

Mean Speed (Average) 32.0 10 MPH Pace Speed Number in Pace 25-34 33880 Percent in Pace 67.7% Number > 25 MPH 46594 Percent > 25 MPH 93.1%

Start Date: 9/10/2021

End Date: 9/17/2021

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: Combined

Direction: Com	binea													
9/10/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
2:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
12:00 PM	*	*	*	*	*	*	*	*	*	*	*	*	*	0
1:00	1	2	16	82	111	55	2	1	0	0	0	0	0	270
2:00	1	13	69	329	449	221	24	3	0	0	0	0	0	1109
3:00	1	5	58	388	636	218	40	1	1	0	0	0	1	1349
4:00	2	15	84	326			34	9	2	0	0	0	0	1375
5:00	3	11	43	289	603	295	58	6	0	1	0	0	0	1309
6:00	0		65	171	402		49	6	0	0	0	0	0	963
7:00	13	10	35	151	319	188	28	4	1	0	0	0	0	749
8:00	5	1	39	112	222	146	35	4	0	0	0	0	0	564
9:00	0		18	53	175			11	1	0	0	0	0	427
10:00	0			55	121	106		5	1	2	0	0	2	334
11:00	0			16	82	72	25	5	0	0	0	0	0	208
Total	26	85	440	1972	3749		366	55	6	3	0	0	3	8657

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive

Direction: Combined

Direction. Com														
9/11/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH			40 MPH		50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	0	1	17	45	25	16	4	1	2	1	0	0	112
1:00	0	0	4	6	13	22	12	2	0	0	0	0	0	59
2:00	0	1	1	7	22	17	9	1	2	0	0	0	0	60
3:00	0	0	3	4	12	7	6	4	1	0	1	0	0	38
4:00	0	0	2	10	18	13	17	3	1	1	0	0	0	65
5:00	0	1	5	15	44	29	16	4	1	0	0	0	0	115
6:00	0	0	7	25	79	115	58	9	3	0	0	0	0	296
7:00	0	6	8	63	192	222	80	6	0	1	0	0	0	578
8:00	1	5	25	94	369	280	57	5	0	0	0	0	0	836
9:00	1	1	12	164	435	307	47	9	0	0	0	0	0	976
10:00	0	4	13	160	507	317	52	7	0	2	0	0	0	1062
11:00	0	2	30	221	561	280	46	5	0	0	0	0	0	1145
12:00 PM	0	3	24	189	516	334	50	3	0	0	0	0	0	1119
1:00	0	3	17	188	486	319	54	9	1	0	0	0	0	1077
2:00	0	0	19	158	415	315	63	9	0	1	0	0	0	980
3:00	0	0	8	104	406	326	77	13	3	0	0	0	0	937
4:00	0	2	4	146	399	312	62	6	2	1	0	0	0	934
5:00	1	1	6	117	356	307	67	5	0	0	0	0	0	860
6:00	0	0	12	62	319	243	45	7	0	0	0	0	0	688
7:00	0	2	15	164	288	125	37	4	3	0	0	0	0	638
8:00	0	1	5	86	214	116	21	9	2	0	0	0	0	454
9:00	0	0	16	65	169	113	25	1	0	0	0	0	0	389
10:00	0	1	4	27	136	98	29	5	1	0	0	0	0	301
11:00	0	0	4	27	63	72	28	5	1	0	1	0	0	201
Total	3	33	245	2119	6064	4314	974	135	22	8	3	0	0	13920

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive

Direction: Combined

Direction. Com														
9/12/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH			40 MPH				60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	1	1	12	30	41	15	2	1	1	1	0	0	105
1:00	0	0	2	12	19	27	13	2	0	1	0	0	0	76
2:00	0	0	1	5	12	21	10	4	1	0	0	0	0	54
3:00	0	0	0	1	7	7	6	3	1	1	0	0	0	26
4:00	0	0	0	3	5	8	13	1	0	0	0	0	0	30
5:00	0	0	0	6	21	17	10	2	3	0	0	0	1	60
6:00	0	0	1	12	51	75	29	6	1	0	0	0	0	175
7:00	0	0	6	28	116	161	66	9	3	1	0	0	0	390
8:00	0	6	0	58	217	233	65	9	3	0	0	0	0	591
9:00	1	5	8	82	341	320	62	10	4	0	0	0	0	833
10:00	0	0	5	136	424	360	60	9	1	0	0	0	0	995
11:00	0	0	10	127	460	361	68	7	2	0	0	0	0	1035
12:00 PM	0	0	7	134	480	387	85	5	3	0	0	0	0	1101
1:00	0	0	0	135	421	332	52	7	0	0	0	0	0	947
2:00	6	3	6	84	318	332	96	4	2	0	0	0	0	851
3:00	0	4	10	81	307	320	81	5	0	0	0	0	0	808
4:00	0	0	11	63	267	320	100	6	0	2	0	0	0	769
5:00	0	0	2	39	296	270	87	4	3	1	0	0	0	702
6:00	0	0	0	47	214	238	62	12	1	0	0	0	0	574
7:00	0	0	7	112	276	186	39	2	0	1	0	0	0	623
8:00	0	0	4	60	203	150	33	8	2	0	1	0	0	461
9:00	0	0	5	30	123	102	24	6	0	0	0	0	0	290
10:00	0	2	1	15	47	61	21	9	0	2	0	0	0	158
11:00	0	0	1	10	23	29	16	7	0	1	0	0	0	87
Total	7	21	88	1292	4678	4358	1113	139	31	11	2	0	1	11741

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: Combined

<u> </u>	rection: Com	binea													
	9/13/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	-
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	0	0	3	12	21	12	2	0	1	0	0	0	51
	1:00	0	0	2	3	6	9	6	3	0	0	0	0	0	29
	2:00	0	2	0	8	13	13	6	2	0	0	0	0	0	44
	3:00	0	1	0	3	3	14	4	1	1	0	0	0	0	27
	4:00	0	2	4	11	22	36	24	5	0	1	0	0	0	105
	5:00	0	1	8	38	81	117	34	7	1	0	0	0	0	287
	6:00	0	0	27	200	367	180	26	2	1	0	0	0	0	803
	7:00	0	8	65	357	639	235	30	1	0	1	0	0	0	1336
	8:00	1	12	65	288	569	202	19	2	2	0	0	0	1	1161
	9:00	2	8	44	164	373	211	37	4	1	0	0	0	0	844
	10:00	9	14	90	217	370	173	24	4	0	0	0	0	0	901
	11:00	2	14	54	196	347	200	44	3	3	0	1	0	0	864
	12:00 PM	9	15	50	207	393	202	29	6	0	0	0	0	0	911
	1:00	2	7	58	226	401	196	24	4	2	0	0	0	0	920
	2:00	0	6	44	220	426	233	42	1	0	0	0	1	2	975
	3:00	4	12	106	336	533	194	22	2	0	0	1	0	1	1211
	4:00	15	8	90	437	570	259	31	9	0	0	0	0	0	1419
	5:00	7	19	48	270	539	309	46	5	1	0	0	0	0	1244
	6:00	0	7	39	175	433	217	49	8	0	1	0	0	0	929
	7:00	0	4	20	146	246	152	25	2	0	0	0	0	0	595
	8:00	1	4	29	69	163	136	24	4	0	0	0	0	0	430
	9:00	1	4	16	41	120	84	20	5	1	0	0	0	0	292
	10:00	0	0	4	29	53	59	19	2	3	1	0	0	0	170
	11:00	0	0	3	6	34	35	15	5	0	0	0	0	0	98
	Total	53	148	866	3650	6713	3487	612	89	16	5	2	1	4	15646

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: Combined

Direction, Com	binea													
9/14/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	1	3	6	17	17	10	1	0	0	0	0	0	55
1:00	0	0	3	4	13	7	7	2	0	0	0	0	0	36
2:00	0	0	4	14	12	13	2	0	1	0	0	0	0	46
3:00	0	0	2	2	5	8	7	2	1	0	0	0	0	27
4:00	0	0	3	7	23	33	24	8	3	0	0	0	0	101
5:00	0	0	7	44	84	115	33	8	0	0	0	0	0	291
6:00	0	3	25	155	390	243	32	3	0	0	0	0	0	851
7:00	2	14	85	370	640	228	33	5	1	0	0	1	0	1379
8:00	1	5	65	327	587	238	35	1	0	1	0	0	0	1260
9:00	0	0	52	217	436	252	39	2	1	0	0	0	0	999
10:00	0	6	66	214	318	186	28	3	0	0	0	0	0	821
11:00	2	3	32	163	343	218	33	3	3	0	0	0	0	800
12:00 PM	1	12	39	233	364	185	30	9	0	0	0	0	0	873
1:00	3	5	21	223	349	175	51	1	3	1	1	0	0	833
2:00	4	. 11	46	189	499	211	34	4	0	0	0	0	0	998
3:00	11	32	98	416	564	168	31	3	0	0	0	0	0	1323
4:00	11	42	94	503	614	182	22	0	1	0	0	0	0	1469
5:00	0	13	58	307	561	302	42	3	0	0	0	0	0	1286
6:00	0	16	16	178	410	253	43	8	0	0	0	0	0	924
7:00	1	8	26	159	300	171	21	3	1	1	0	0	0	691
8:00	1	2	14	68	203	142	27	2	0	0	0	0	0	459
9:00	0	4	15	44	125	97	30	2	2	0	0	0	0	319
10:00	0	0	5	23	56	86	37	5	1	0	0	0	0	213
11:00	0	1	3	15	31	36	17	7	0	0	0	0	0	110
Total	37	178	782	3881	6944	3566	668	85	18	3	1	1	0	16164

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: Combined

Direction: Com	bined													
9/15/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	1	0	9	16	17	8	2	0	0	0	0	0	53
1:00	0	0	2	5	17	15	9	2	0	0	0	0	0	50
2:00	0	2	3	13	13	12	5	0	1	0	0	0	0	49
3:00	0	0	0	2	7	12	6	3	1	0	0	0	0	31
4:00	0	2	7	15	21	36	25	5	2	0	0	0	0	113
5:00	0	0	15	22	96	109	47	10	0	0	0	0	0	299
6:00	5	6	39	122	399	213	29	1	0	0	0	0	0	814
7:00	0	8	58	370	624	233	20	1	0	0	0	1	0	1315
8:00	0	16	55	363	562	211	24	5	1	0	0	0	0	1237
9:00	7	16	76	272	432	189	28	2	0	0	0	0	0	1022
10:00	0	23	95	212	325	195	29	2	0	0	0	0	0	881
11:00	5	11	43	245	416	192	23	2	1	1	1	0	0	940
12:00 PM	1	9	64	222	432	239	34	5	0	0	0	0	0	1006
1:00	3	6	37	222	452	210	32	4	3	0	0	0	0	969
2:00	0	17	61	263	426	197	34	4	1	0	0	1	0	1004
3:00	5	11	75	343	531	262	45	8	1	0	0	0	0	1281
4:00	18	25	86	349	677	249	27	4	3	0	0	0	0	1438
5:00	2	40	61	260	677	322	34	3	0	0	1	0	0	1400
6:00	0	21	49	165	431	267	61	3	2	0	0	0	0	999
7:00	0	6	20	197	357	174	30	4	0	0	0	0	0	788
8:00	4	3	12	110	228	120	23	2	0	0	0	0	0	502
9:00	0	5	10	29	129	88	23	2	2	0	0	0	0	288
10:00	0	0	4	24	59	87	16	6	1	0	0	0	0	197
11:00	0	2	10	16	38	35	22	4	0	0	0	0	0	127
Total	50	230	882	3850	7365	3684	634	84	19	1	2	2	0	16803

Project Name: Proposed Industrial Development Town/City: Cranston, RI Roadway: Comstock Parkway Location: North of Western Industrial Drive Direction: Combined

יווט	ection. Com	binea													
	9/16/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
	Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
	12:00 AM	0	0	0	9		34	17	2	1	0	0	0	0	99
	1:00	0	0	0	9	17	9	2	2	1	0	0	0	0	40
	2:00	0	4	9	4	21	10	5	1	1	1	0	0	0	56
	3:00	0	0	2	0	7	11	8	4	1	2	0	0	0	35
	4:00	0	5	8	10	19	36	26	10	2	0	0	0	0	116
	5:00	1	0	8	35	72	111	44	8	0	0	0	0	0	279
	6:00	0	2	34	181	412	148	18	0	0	0	0	0	0	795
	7:00	0	13	45	390	569	185	19	4	2	0	0	0	0	1227
	8:00	0	3	65	339	542	214	18	1	0	0	0	0	0	1182
	9:00	0	7	80	218	450	148	24	0	2	3	0	0	1	933
	10:00	0	3	58	214	360	184	27	3	0	0	0	0	1	850
	11:00	12	12	103	236	304	195	37	2	1	0	0	0	0	902
	12:00 PM	0	5	43	268	451	229	29	2	0	0	0	0	0	1027
	1:00	14	9	68	237	406	194	20	1	1	0	0	0	0	950
	2:00	0	7	74	258	477	197	35	2	1	0	0	0	0	1051
	3:00	0	14	95	361	517	220	39	3	1	0	0	0	0	1250
	4:00	6	17	78	445	524	278	20	3	0	0	0	0	0	1371
	5:00	2	3	43	299	582	282	50	4	0	0	0	0	0	1265
	6:00	1	3	26	182	476	229	49	4	2	0	0	0	0	972
	7:00	3	2	31	185	340	119	23	4	0	0	0	0	0	707
	8:00	0	6	20	76	214	150	25	1	1	1	0	0	0	494
	9:00	0	5	12	34	113	88	21	6	0	0	0	0	0	279
	10:00	0	0	23	19	67	60	16	3	2	2	0	0	0	192
	11:00	0	0	1	13	54	27	26	1	0	0	0	0	0	122
	Total	39	120	926	4022	7030	3358	598	71	19	9	0	0	2	16194

Project Name: Proposed Industrial Development

Town/City: Cranston, RI
Roadway: Comstock Parkway
Location: North of Western Industrial Drive

Direction: Combined

Stats

21100010111. 00111	DIIIOG													
9/17/2021	0 - 15	> 15 -	> 20 -	> 25 -	> 30 -	> 35 -	> 40 -	> 45 -	> 50 -	> 55 -	> 60 -	> 65 -	> 70	
Time	MPH	20 MPH	25 MPH	30 MPH	35 MPH	40 MPH	45 MPH	50 MPH	55 MPH	60 MPH	65 MPH	70 MPH	MPH	Total
12:00 AM	0	1	3	11	19	23	17	7	0	0	0	0	0	81
1:00	0	0	3	9	17	14	8	5	0	0	0	0	0	56
2:00	2	0	5	10	14	12	5	2	1	1	0	0	0	52
3:00	0	0	0	2	13	10	4	1	0	1	0	0	0	31
4:00	0	1	6	12	18	34	29	10	2	1	0	0	0	113
5:00	0	1	6	29	97	122	36	4	2	0	0	0	0	297
6:00	0	11	50	185	339	184	32	2	0	0	0	0	0	803
7:00	0	6	60	346	688	201	23	3	1	1	1	0	0	1330
8:00	12	12	105	407	502	184	22	1	0	0	0	0	1	1246
9:00	1	12	58	232	386	212	30	0	0	0	0	0	0	931
10:00	2	4	44	224	326	174	38	10	0	0	0	0	1	823
11:00	1	20	103	256	395	180	20	5	0	0	0	0	1	981
12:00 PM	5	15	52	320	465	162	19	5	0	0	0	0	1	1044
1:00	1	8	64	249	405	196	32	10	1	0	0	0	0	966
2:00	1	2	38	246	424	233	25	8	0	0	0	0	2	979
3:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
4:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
5:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
6:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
7:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
8:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
9:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
10:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
11:00	*	*	*	*	*	*	*	*	*	*	*	*	*	0
Total	25	93	597	2538	4108	1941	340	73	7	4	1	0	6	9733
Grand Total	240	908	4826	23324	46651	26660	5305	731	138	44	11	4	16	108858

Percentile 15th 50th 85th 95th Speed 27.9 32.8 37.2 40.3

Mean Speed (Average) 32.7 10 MPH Pace Speed Number in Pace 30-39 73245 Percent in Pace 67.3% Number > 25 MPH 102884 Percent > 25 MPH 94.5%

Start Date: 9/10/2021

End Date: 9/17/2021

Proposed	Industrial	Develo	nment
1 1 0 0 0 3 0 0	maasma	DCVCIO	

Appendix

Cranston, Rhode Island

A

Intersection Turning Movement Count

Plainfield Pike (Route 14) at Comstock Parkway Comstock Parkway at Western Industrial Drive



Plainfield Pike (Route 14) at Comstock Parkway



N/S Street: CVS Dwy / Comstock Pkwy E/W Street: Plainfield Pike (Route 14)

City/State : Cranston, RI Weather : Clear File Name : 10052001 Site Code : 10052001 Start Date : 9/22/2021

Page No : 1

Groups Printed- Cars - Trucks

-														
			CVS Dwy		Plainfield	Pike (Rou	ite 14)	Con	nstock Pkw	y	Plainfield	Pike (Rou	te 14)	
		Fi	rom North		Fr	om East	,	Fr	rom South	•	Fr	om West		
	Start Time	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Left	Thru	Right	Int. Total
	07:00 AM	0	2	1	80	82	0	24	0	99	1	84	15	388
	07:15 AM	2	0	0	80	83	0	33	1	100	1	89	20	409
	07:30 AM	4	1	0	99	91	0	23	5	105	0	103	20	451
	07:45 AM	2	2	0	126	106	1	29	1	103	3	94	17	484
	Total	8	5	1	385	362	1	109	7	407	5	370	72	1732
	08:00 AM	0	3	3	98	90	0	37	4	121	2	103	23	484
	08:15 AM	5	3	7	102	91	1	31	5	89	0	96	22	452
	08:30 AM	2	2	2	82	87	0	27	2	99	2	96	14	415
	08:45 AM	7	2	1	69	98	0	30	7	89	1	91	25	420
	Total	14	10	13	351	366	1	125	18	398	5	386	84	1771
	Grand Total	22	15	14	736	728	2	234	25	805	10	756	156	3503
	Apprch %	43.1	29.4	27.5	50.2	49.7	0.1	22	2.3	75.7	1.1	82	16.9	
	Total %	0.6	0.4	0.4	21	20.8	0.1	6.7	0.7	23	0.3	21.6	4.5	
	Cars	22	15	14	714	661	2	223	25	774	10	704	148	3312
	% Cars	100	100	100	97	90.8	100	95.3	100	96.1	100	93.1	94.9	94.5
	Trucks	0	0	0	22	67	0	11	0	31	0	52	8	191
	% Trucks	0	0	0	3	9.2	0	4.7	0	3.9	0	6.9	5.1	5.5


		CVS	Dwy		Plai	nfield Pi	ke (Rou	te 14)		Comsto	ock Pkw	y	Plaiı	nfield Pi	ke (Rou	te 14)	
		From	North			From	n East			From	South			From	West		
Start Time	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Int. Total
Peak Hour Analy	sis From	07:00	AM to 08	8:45 AM -	Peak 1 c	of 1											
Peak Hour for E	ntire Inter	rsection	Begins	at 07:30 A	ΑM												
07:30 AM	4	1	0	5	99	91	0	190	23	5	105	133	0	103	20	123	451
07:45 AM	2	2	0	4	126	106	1	233	29	1	103	133	3	94	17	114	484
08:00 AM	0	3	3	6	98	90	0	188	37	4	121	162	2	103	23	128	484
08:15 AM	5	3	7	15	102	91	1	194	31	5	89	125	0	96	22	118	452
Total Volume	11	9	10	30	425	378	2	805	120	15	418	553	5	396	82	483	1871
% App. Total	36.7	30	33.3		52.8	47	0.2		21.7	2.7	75.6		1	82	17		
PHF	.550	.750	.357	.500	.843	.892	.500	.864	.811	.750	.864	.853	.417	.961	.891	.943	.966
Cars	11	9	10	30	411	348	2	761	114	15	398	527	5	373	77	455	1773
% Cars	100	100	100	100	96.7	92.1	100	94.5	95.0	100	95.2	95.3	100	94.2	93.9	94.2	94.8
Trucks	0	0	0	0	14	30	0	44	6	0	20	26	0	23	5	28	98
% Trucks	0	0	0	0	3.3	7.9	0	5.5	5.0	0	4.8	4.7	0	5.8	6.1	5.8	5.2

N/S Street: CVS Dwy / Comstock Pkwy E/W Street: Plainfield Pike (Route 14)

City/State : Cranston, RI Weather : Clear

File Name: 10052001 Site Code : 10052001 Start Date: 9/22/2021

Page No : 2



N/S Street: CVS Dwy / Comstock Pkwy E/W Street: Plainfield Pike (Route 14)

City/State : Cranston, RI Weather : Clear File Name : 10052001 Site Code : 10052001 Start Date : 9/22/2021

Page No : 1

Groups Printed- Cars - Trucks

	e 14)	Pike (Rout	Plainfield	/	stock Pkwy	Com	te 14)	Pike (Rou	Plainfield		CVS Dwy	C	
	, l	om West	Fro		om South	Fro	,	om East	Fr		rom North	Fr	
Int. Total	Right	Thru	Left	Right	Thru	Left	Right	Thru	Left	Right	Thru	Left	Start Time
498	14	97	3	83	2	37	0	103	137	2	9	11	04:00 PM
467	23	63	1	85	3	25	0	102	147	4	6	8	04:15 PM
543	17	88	2	135	6	40	2	99	137	4	11	2	04:30 PM
481	16	72	2	118	4	32	2	88	129	6	7	5	04:45 PM
1989	70	320	8	421	15	134	4	392	550	16	33	26	Total
534	27	102	4	113	2	39	1	95	136	3	6	6	05:00 PM
499	23	84	2	101	7	30	0	99	141	4	7	1	05:15 PM
478	18	79	1	94	6	32	1	77	146	4	12	8	05:30 PM
451_	20	61	1	87	2	23	1	80	156	9	6	5	05:45 PM
1962	88	326	8	395	17	124	3	351	579	20	31	20	Total
3951	158	646	16	816	32	258	7	743	1129	36	64	46	Grand Total
	19.3	78.8	2	73.8	2.9	23.3	0.4	39.5	60.1	24.7	43.8	31.5	Apprch %
	4	16.4	0.4	20.7	8.0	6.5	0.2	18.8	28.6	0.9	1.6	1.2	Total %
3861	152	632	16	801	32	251	7	720	1104	36	64	46	Cars
97.7	96.2	97.8	100	98.2	100	97.3	100	96.9	97.8	100	100	100	% Cars
90	6	14	0	15	0	7	0	23	25	0	0	0	Trucks
2.3	3.8	2.2	0	1.8	0	2.7	0	3.1	2.2	0	0	0	% Trucks


		CVS	Dwy		Plai	Plainfield Pike (Route 14)				Comstock Pkwy				Plainfield Pike (Route 14)			
		From	North		From East				From South			From West					
Start Time	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Left	Thru	Right	App. Total	Int. Total
Peak Hour Analysis From 04:00 PM to 05:45 PM - Peak 1 of 1																	
Peak Hour for Entire Intersection Begins at 04:30 PM																	
04:30 PM	2	11	4	17	137	99	2	238	40	6	135	181	2	88	17	107	543
04:45 PM	5	7	6	18	129	88	2	219	32	4	118	154	2	72	16	90	481
05:00 PM	6	6	3	15	136	95	1	232	39	2	113	154	4	102	27	133	534
05:15 PM	1	7	4	12	141	99	0	240	30	7	101	138	2	84	23	109	499_
Total Volume	14	31	17	62	543	381	5	929	141	19	467	627	10	346	83	439	2057
% App. Total	22.6	50	27.4		58.4	41	0.5		22.5	3	74.5		2.3	78.8	18.9		
PHF	.583	.705	.708	.861	.963	.962	.625	.968	.881	.679	.865	.866	.625	.848	.769	.825	.947
Cars	14	31	17	62	529	368	5	902	140	19	462	621	10	339	79	428	2013
% Cars	100	100	100	100	97.4	96.6	100	97.1	99.3	100	98.9	99.0	100	98.0	95.2	97.5	97.9
Trucks	0	0	0	0	14	13	0	27	1	0	5	6	0	7	4	11	44
% Trucks	0	0	0	0	2.6	3.4	0	2.9	0.7	0	1.1	1.0	0	2.0	4.8	2.5	2.1

N/S Street: CVS Dwy / Comstock Pkwy E/W Street: Plainfield Pike (Route 14)

City/State : Cranston, RI Weather : Clear

File Name: 10052001 Site Code : 10052001 Start Date: 9/22/2021

Page No : 2



Comstock Parkway at Western Industrial Drive



N/S Street: Comstock Parkway E/W Street: Western Industrial Drive

City/State : Cranston, RI Weather : Clear File Name : 10052002 Site Code : 10052002 Start Date : 9/22/2021

Page No : 1

Groups Printed- Cars - Trucks

	Comsto	ck Pkwy	Comstoo	ck Pkwy	Western In	dustrial Dr	
	From North		From	South	From '	West	
Start Time	Thru	Right	Left	Thru	Left	Right	Int. Total
07:00 AM	57	16	8	172	17	2	272
07:15 AM	54	16	3	243	7	1	324
07:30 AM	57	26	7	219	7	2	318
07:45 AM	82	28	15	210	16	3	354
Total	250	86	33	844	47	8	1268
08:00 AM	81	34	7	225	13	3	363
	_		,		_	3	
08:15 AM	96	13	8	183	14	3	317
08:30 AM	82	9	4	211	14	2	322
08:45 AM	78	15	8	168	5	3	277
Total	337	71	27	787	46	11	1279
Grand Total	587	157	60	1631	93	19	2547
Apprch %	78.9	21.1	3.5	96.5	83	17	
Total %	23	6.2	2.4	64	3.7	0.7	
Cars	576	146	59	1609	83	17	2490
% Cars	98.1	93	98.3	98.7	89.2	89.5	97.8
Trucks	11	11	1	22	10	2	57
% Trucks	1.9	7	1.7	1.3	10.8	10.5	2.2


	Comstock Pkwy				Comstock Pkwy			Western Industrial Dr			
		From North			From South			From West			
Start Time	Thru	Right	App. Total	Left	Thru	App. Total	Left	Right	App. Total	Int. Total	
Peak Hour Analysis From	07:00 AM to 0	08:45 AM - Pe	eak 1 of 1								
Peak Hour for Entire Inte	rsection Begins	at 07:15 AM	1 .								
07:15 AM	54	16	70	3	243	246	7	1	8	324	
07:30 AM	57	26	83	7	219	226	7	2	9	318	
07:45 AM	82	28	110	15	210	225	16	3	19	354	
08:00 AM	81	34	115	7	225	232	13	3	16	363	
Total Volume	274	104	378	32	897	929	43	9	52	1359	
% App. Total	72.5	27.5		3.4	96.6		82.7	17.3			
PHF	.835	.765	.822	.533	.923	.944	.672	.750	.684	.936	
Cars	269	97	366	32	885	917	38	9	47	1330	
% Cars	98.2	93.3	96.8	100	98.7	98.7	88.4	100	90.4	97.9	
Trucks	5	7	12	0	12	12	5	0	5	29	
% Trucks	1.8	6.7	3.2	0	1.3	1.3	11.6	0	9.6	2.1	

N/S Street: Comstock Parkway E/W Street: Western Industrial Drive

City/State : Cranston, RI Weather : Clear

File Name: 10052002 Site Code : 10052002 Start Date: 9/22/2021

Page No : 2



N/S Street: Comstock Parkway E/W Street: Western Industrial Drive

City/State : Cranston, RI Weather : Clear File Name: 10052002 Site Code: 10052002 Start Date: 9/22/2021

Page No : 1

Groups Printed- Cars - Trucks

	Comstock Pl		Comstoc		Western Ind		
	From North		From S	South	From W		
Start Time	Thru	Right	Left	Thru	Left	Right	Int. Total
04:00 PM	165	6	4	125	24	12	336
04:15 PM	156	6	1	121	16	6	306
04:30 PM	171	4	3	156	35	18	387
04:45 PM	132	5	3	160	23	9	332
Total	624	21	11	562	98	45	1361
05:00 PM	184	6	2	143	37	7	379
05:15 PM	171	8	2	151	12	3	347
05:30 PM	173	10	2	141	15	14	355
05:45 PM	128	9	0	130	12	2	281
Total	656	33	6	565	76	26	1362
Grand Total	1280	54	17	1127	174	71	2723
Apprch %	96	4	1.5	98.5	71	29	
Total %	47	2	0.6	41.4	6.4	2.6	
Cars	1275	39	15	1115	168	71	2683
% Cars	99.6	72.2	88.2	98.9	96.6	100	98.5
Trucks	5	15	2	12	6	0	40
% Trucks	0.4	27.8	11.8	1.1	3.4	0	1.5


	Comstock Pkwy				mstock Pkw	vy	West	al Dr		
		From North			From South			From West		
Start Time	Thru	Right	App. Total	Left	Thru	App. Total	Left	Right	App. Total	Int. Total
Peak Hour Analysis From	04:00 PM to 0	05:45 PM - Pe	eak 1 of 1							
Peak Hour for Entire Inter	section Begins	s at 04:30 PM	l .							
04:30 PM	171	4	175	3	156	159	35	18	53	387
04:45 PM	132	5	137	3	160	163	23	9	32	332
05:00 PM	184	6	190	2	143	145	37	7	44	379
05:15 PM	171	8	179	2	151	153	12	3	15	347
Total Volume	658	23	681	10	610	620	107	37	144	1445
% App. Total	96.6	3.4		1.6	98.4		74.3	25.7		
PHF	.894	.719	.896	.833	.953	.951	.723	.514	.679	.933
Cars	655	17	672	8	606	614	106	37	143	1429
% Cars	99.5	73.9	98.7	80.0	99.3	99.0	99.1	100	99.3	98.9
Trucks	3	6	9	2	4	6	1	0	1	16
% Trucks	0.5	26.1	1.3	20.0	0.7	1.0	0.9	0	0.7	1.1

N/S Street: Comstock Parkway E/W Street: Western Industrial Drive

City/State : Cranston, RI Weather : Clear

File Name: 10052002 Site Code : 10052002 Start Date: 9/22/2021

Page No : 2



Cranston, Rhode Island

APPENDIX B – Stop Sign Delay Study

Western Industrial Drive at Comstock Parkway



File Name: Unsignalized Delay

Site Code : 01005201

Project: Proposed Industrial Development

Town/City: Cranston, RI

Location: Western Industrial Drive Start Date : 9/27/2021

Weather: Sunny 60's Page No : 1

L	No.	Joined Queue	Released From	Delay
n.			Queue	
1	1	4:31:47 PM	4:31:49 PM	2
1	2	4:32:22 PM	4:32:23 PM	1 1
1	3	4:32:26 PM	4:32:28 PM	2
1	4	4:32:40 PM	4:33:01 PM	21
1	5	4:32:46 PM	4:33:06 PM	20
1	6	4:32:59 PM	4:33:51 PM	52
1	7	4:33:04 PM	4:33:55 PM	51
1	8	4:33:42 PM	4:34:24 PM	42
1	9	4:34:03 PM	4:34:59 PM	56
1	10	4:34:34 PM	4:35:54 PM	80
1	11	4:35:00 PM	4:36:00 PM	60
1	12	4:35:09 PM	4:36:21 PM	72
1				
-	13	4:35:19 PM	4:36:28 PM	69
1	14	4:35:19 PM	4:37:22 PM	123
1	15	4:36:07 PM	4:37:25 PM	78
1	16	4:36:37 PM	4:37:44 PM	67
1	17	4:38:01 PM	4:38:06 PM	5
1	18	4:38:27 PM	4:39:00 PM	33
1	19	4:38:44 PM	4:39:07 PM	23
1	20	4:38:57 PM	4:39:32 PM	35
1	21	4:39:41 PM	4:39:51 PM	10
1	22	4:39:50 PM	4:39:55 PM	5
1	23	4:40:11 PM	4:40:47 PM	36
1	24	4:40:12 PM	4:40:50 PM	38
1	25	4:40:36 PM	4:40:57 PM	21
1	26	4:40:36 PM	4:41:56 PM	80
1	27	4:41:47 PM	4:42:00 PM	13
1	28	4:42:57 PM	4:43:18 PM	21
1	29	4:44:54 PM	4:44:58 PM	4
1	30	4:46:16 PM	4:46:33 PM	17
1	31	4:46:19 PM	4:46:41 PM	22
1	32	4:46:22 PM	4:46:56 PM	34
1	33	4:48:11 PM	4:48:22 PM	11
1	34	4:49:27 PM	4:49:32 PM	5
1	35	4:50:02 PM	4:50:15 PM	13
1	36	4:52:25 PM	4:52:50 PM	25
1	37	4:53:01 PM	4:53:05 PM	4
1	38	4:53:14 PM	4:53:53 PM	39
1	39	4:53:46 PM	4:54:21 PM	35
1	40	4:54:29 PM	4:54:35 PM	6
1	41	4:55:44 PM	4:55:55 PM	11
1	42	4:56:12 PM	4:56:33 PM	21
1	43	4:58:01 PM	4:58:03 PM	2
1	44	4:58:31 PM	4:58:39 PM	8
1	45	4:59:24 PM	4:59:56 PM	32
1	1.0			
-	46	5:00:05 PM 5:00:09 PM	5:00:24 PM	19
1	47		5:00:28 PM	19
1	48	5:00:32 PM	5:00:34 PM	2
1	49	5:00:44 PM	5:00:46 PM	2
1	50	5:01:29 PM	5:01:32 PM	3
1	51	5:02:06 PM	5:02:32 PM	26
1	52	5:02:19 PM	5:03:23 PM	64
1	53	5:02:23 PM	5:03:28 PM	65
1	54	5:02:34 PM	5:03:37 PM	63
1	55	5:02:57 PM	5:04:09 PM	72

File Name: Unsignalized Delay

Site Code : 01005201

Project: Proposed Industrial Development

Town/City: Cranston, RI

Location: Western Industrial Drive Start Date : 9/27/2021

Weather: Sunny 60's Page No : 2

L	No.	Joined Queue	Released From	Delav		
n.	110.	Joined Gaode	Queue	Doiay		
1	56	5:03:01 PM	5:04:42 PM	101		
1	57	5:03:03 PM	5:04:43 PM	100		
1	58	5:03:21 PM	5:04:48 PM	87		
1		5:03:22 PM		100		
	59		5:05:02 PM 5:05:16 PM			
1	60	5:03:40 PM		96		
1	61	5:03:41 PM	5:05:49 PM	128		٦
1	62	5:03:41 PM	5:06:10 PM	149		
1	63	5:03:52 PM	5:06:34 PM	162		
1_	64	5:04:15 PM	5:06:34 PM	139		
1	65	5:04:57 PM	5:06:39 PM	102		
1	66	5:04:57 PM	5:06:43 PM	106		
1	67	5:04:57 PM	5:06:56 PM	119		
1	68	5:05:14 PM	5:07:25 PM	131		
1	69	5:05:43 PM	5:07:29 PM	106		
1	70	5:06:05 PM	5:07:33 PM	88		
1	71	5:06:27 PM	5:07:37 PM	70		
1	72	5:07:03 PM	5:07:41 PM	38		
1	73	5:07:55 PM	5:08:11 PM	16		
1	74	5:08:04 PM	5:08:18 PM	14		
1	75	5:08:14 PM	5:08:35 PM	21		
1	76	5:08:22 PM	5:08:50 PM	28		
_	77		5:09:00 PM	27		
1		5:08:33 PM				
1	78	5:09:15 PM	5:09:33 PM	18		
1	79	5:10:34 PM	5:10:56 PM	22		
1	80	5:10:37 PM	5:11:00 PM	23		
1	81	5:10:44 PM	5:11:03 PM	19		
1	82	5:11:08 PM	5:11:59 PM	51		
1	83	5:12:29 PM	5:12:32 PM	3		_
1	84	5:12:51 PM	5:15:20 PM	149		
1	85	5:12:55 PM	5:15:21 PM	146		
1	86	5:14:48 PM	5:15:22 PM	34		
1	87	5:15:37 PM	5:15:38 PM	1		
1	88	5:15:47 PM	5:15:53 PM	6		
1	89	5:16:29 PM	5:17:00 PM	31		
1	90	5:17:07 PM	5:17:51 PM	44		
1	91	5:17:47 PM	5:17:57 PM	10		
1	92	5:18:39 PM	5:18:46 PM	7		
_						
1	93	5:18:44 PM	5:18:48 PM	4		
1	94	5:19:36 PM	5:19:52 PM	16		
1	95	5:20:23 PM	5:20:30 PM	7		
1	96	5:27:23 PM	5:27:30 PM	7		
1	97	5:27:36 PM	5:27:50 PM	14		
1	98	5:27:37 PM	5:28:00 PM	23		
1	99	5:29:43 PM	5:30:33 PM	50		
2		4:31:10 PM	4:31:11 PM	1		
2	2	4:31:16 PM	4:31:22 PM	6		
2	3	4:31:53 PM	4:31:54 PM	1		
2	4	4:33:31 PM	4:33:32 PM	1		
2	5	4:33:37 PM	4:33:47 PM	10		
2	6	4:33:54 PM	4:34:07 PM	13		
2	7	4:34:23 PM	4:34:31 PM	8		
2	8	4:35:07 PM	4:35:53 PM	46		
2	9	4:35:10 PM	4:35:57 PM	47		
2	10	4:35:20 PM	4:35:59 PM	39		
2	11	4:35:28 PM	4:36:20 PM			
	1.1			52	<u> </u>	
	12	1.3E.33 DM	1 4.36.36 DM	63		
2	12 13	4:35:33 PM 4:35:44 PM	4:36:36 PM 4:36:42 PM	63 58		

BETA Group, Inc.

701 George Washington Highway Lincoln, Rhode Island, 02865 P:401.333.2382

File Name: Unsignalized Delay

Site Code : 01005201

Start Date : 9/27/2021

Page No : 3

Project: Proposed Industrial Development

Town/City: Cranston, RI

Location: Western Industrial Drive

Weather: Sunny 60's

L	No.	Joined Queue	Released From	Delay	
n.			Queue		
2	14	4:36:16 PM	4:37:01 PM	45	
2	15	4:36:35 PM	4:37:20 PM	45	
2	16	4:37:00 PM	4:37:24 PM	24	
2	17	4:38:22 PM	4:38:52 PM	30	
2	18	4:38:50 PM	4:39:01 PM	11	
2	19	4:38:57 PM	4:39:07 PM	10	
2	20	4:39:03 PM	4:39:29 PM	26	
2	21	4:39:15 PM	4:39:38 PM	23	
2	22	4:39:33 PM	4:39:42 PM	9	
2	23	4:41:06 PM	4:41:12 PM	6	
2	24	4:42:29 PM	4:42:32 PM	3	
2	25	4:44:13 PM	4:44:28 PM	15	
2	26	4:44:32 PM	4:44:41 PM	9	_
2	27	4:46:10 PM	4:46:18 PM	8	
2	28	4:52:19 PM	4:52:47 PM	28	
2	29	4:53:34 PM	4:53:53 PM	19	
2	30	4:55:37 PM	4:55:38 PM	1	
2	31	4:56:20 PM	4:56:34 PM	14	
2	32	5:01:45 PM	5:01:50 PM	5	_
2	33	5:03:59 PM	5:04:09 PM	10	
2	34	5:05:42 PM	5:05:48 PM	6	
2	35	5:06:37 PM	5:06:39 PM	2	
2	36	5:07:10 PM	5:07:24 PM	14	
2	37	5:12:06 PM	5:12:12 PM	6	_
2	38	5:12:07 PM	5:12:15 PM	8	
2	39	5:15:16 PM	5:15:24 PM	8	
_	40	5 40 40 DM	5 40 07 DM		

5:16:27 PM

5:22:27 PM

5:24:06 PM

5:28:00 PM

5:28:34 PM

5:29:02 PM

5:29:21 PM

Summary Information:

2 40

2 41 42

2 43

2 44

2 45

2 46

5:16:19 PM

5:22:26 PM

5:23:48 PM

5:27:46 PM

5:28:28 PM

5:29:01 PM

5:29:19 PM

4:30:00 PM - 5:31:00 PM	Left Turn	Right Turn
Total Vehicle Count:	99	46
Delayed Vehicle Count:	99	46
Through Vehicle Count:	0	0
Average Stopped Time:	43.97	16.957
Maximum Stopped Time:	162	63
Min. Secs. for Delay:	0	0
Average Queue:	1.23	0.223
Queue Density:	2.63	1.683
Maximum Queue:	9	6
Delay in Vehicle Hour:	1.23	0.22
Total Delay:	4353	780

8

18

14

6

1

Cranston, Rhode Island

APPENDIX C - Traffic Crash Data

January 2017 through December 2019

Comstock Parkway – Plainfield Pike (Route 14) to Western Industrial Drive



<u>Crash Data Summary</u>

		Year		Total	Average
	2017	2018	2019	Total	per Year
Intersection	ons				
Comstock Parkway at Plainfield Pike	10	7	8	25	8
Comstock Parkway at Western Industrial Drive	1	1	2	4	1
Corrido	r				
Comstock Parkway - Plaifield Pike to Western Industrial Parkway	3	2	3	8	3
Total	14	10	13	37	12



Comstock Parkway at Plainfield Pike

		2017	2018	2019	Total	Percent
Collisi	on Type					
	Rear End	8	5	2	15	60%
	Angle	2	2	4	8	32%
	Head-On	0	0	0	0	0%
	Pedestrian	0	0	0	0	0%
	Sideswipe, Same Direction	0	0	2	2	8%
	Sideswipe, Opposite Direction	0	0	0	0	0%
	Collision with Object	0	0	0	0	0%
	Other	0	0	0	0	0%
	Unknown	0	0	0	0	0%
Crash	Severity					
	Property	9	6	6	21	84%
	Injury	1	1	2	4	16%
Liaht (Condition					
	Daylight	8	5	5	18	72%
	Dawn	0	0	1	1	4%
	Dusk	0	0	0	0	0%
	Dark - Lighted	2	2	2	6	24%
	Dark - Not Lighted	0	0	0	0	0%
	Dark - Unknown Lighting	0	0	0	0	0%
Road	Condition					
	Dry	8	7	7	22	88%
	Wet	0	0	1	1	4%
	Snow	1	0	0	1	4%
	Ice/Frost	1	0	0	1	4%
	Other	0	0	0	0	0%
	Unknown	0	0	0	0	0%
Hour	of Day					
cui (6:00 AM - 9:00 AM	5	1	2	8	32%
	9:00 AM - 3:00 PM	4	2	1	7	28%
	3:00 PM - 6:00 PM	0	3	4	7	28%
	6:00 PM - 6:00 AM	1	1	1	3	12%
	Total Crashes:	10	7	8	25	



Comstock Parkway at Western Industrial Drive

	2017	2018	2019	Total	Percent
0.10.1					
Collision Type					
Rear End	1	1	2	4	100%
Angle	0	0	0	0	0%
Head-On	0	0	0	0	0%
Pedestrian	0	0	0	0	0%
Sideswipe, Same Direction	0	0	0	0	0%
Sideswipe, Opposite Direction	0	0	0	0	0%
Collision with Object	0	0	0	0	0%
Other	0	0	0	0	0%
Unknown	0	0	0	0	0%
Crash Severity					
Property	1	1	1	3	75%
Injury	0	0	1	1	25%
Light Condition					
Daylight	0	1	1	2	50%
Dawn	0	0	0	0	0%
Dusk	0	0	0	0	0%
Dark - Lighted	1	0	1	2	50%
Dark - Not Lighted	0	0	0	0	0%
Dark - Unknown Lighting	0	0	0	0	0%
Road Condition					
Dry	1	1	1	3	75%
Wet	0	0	1	1	25%
Snow	0	0	0	0	0%
Other	0	0	0	0	0%
Unknown	0	0	0	0	0%
Hour of Day					
6:00 AM - 9:00 AM	0	0	1	1	25%
9:00 AM - 3:00 PM	0	1	1	2	50%
3:00 PM - 6:00 PM	1	0	0	1	25%
6:00 PM - 6:00 AM	0	0	0	0	0%
0.00 FWI - 0.00 AIVI	0	- 0	0	- 0	076
Total Crashes:	1	1	2	4	





Comstock Parkway - Plaifield Pike to Western Industrial Parkway


		2017	2018	2019	Total	Percent
Collision Type						
Rear End		0	0	1	1	13%
Angle		2	1	2	5	63%
Head-On		0	0	0	0	0%
Pedestrian		0	0	0	0	0%
Sideswipe, Same Direction		0	0	0	0	0%
Sideswipe, Opposite Directi	on	0	0	0	0	0%
Collision with Object		1	1	0	2	25%
Other		0	0	0	0	0%
Unknown		0	0	0	0	0%
Crash Severity						
Property		2	2	3	7	88%
Injury		1	0	0	1	13%
Light Condition						
Daylight		2	1	2	5	63%
Dawn		0	0	0	0	0%
Dusk		0	0	0	0	0%
Dark - Lighted		1	1	1	3	38%
Dark - Not Lighted		0	0	0	0	0%
Dark - Unknown Lighting		0	0	0	0	0%
Road Condition						
Dry		2	1	2	5	63%
Wet		1	1	1	3	38%
Snow		0	0	0	0	0%
Other		0	0	0	0	0%
Unknown		0	0	0	0	0%
Hour of Day						
6:00 AM - 9:00 AM		1	0	0	1	13%
9:00 AM - 3:00 PM		0	1	1	2	25%
3:00 PM - 6:00 PM		1	1	1	3	38%
6:00 PM - 6:00 AM		1	0	1	2	25%
Total Crashes:		3	2	3	8	




Crash Data Summary Charts
















Cranston, Rhode Island

APPENDIX D – Trip Generation

ITE Trip Generation Summary

Site Trip Distribution

ITE Land Use Code

ITE Land Use Code 150 – Warehousing



ITE Trip Generation Summary



Trip Generation Summary

Summary;

	<u>Description</u>	<u>Enter</u>	<u>Exit</u>	<u>Total</u>
Weekday AM Peak Hour				
ITE Land Use Code 150	Warehousing	35	11	46
Weekday PM Peak Hour				
ITE Land Use Code 150	Warehousing	15	37	52



Total:

52

Calculations;


ITE Land Use C	ode 150	Warehou	using					(270,000 GFA)
	Independent Varia	able (X) = T	hous	and Gross Floor Area (GFA)	х	= 270		
	AM Peak	Direc	tiona	l Distribution:	77%	Entering	23%	Exiting
		Т	=	0.17 (X)		Enter:	35	
		Т	=	0.17 270		Exit:	11	
		Т	=	46		Total:	46	
	PM Peak	Direc	tiona	l Distribution:	27%	Entering	73%	Exiting
		Т	=	0.19 (X)		Enter:	15	
		Т	=	0.19 270		Exit:	37	


T = 52



Site Trip Distribution







ITE Land Use Code

ITE Land Use Code 150 – Warehousing



ITE Land Use Code 150 – Warehousing



Land Use: 150 Warehousing

Description

A warehouse is primarily devoted to the storage of materials, but it may also include office and maintenance areas. High-cube transload and short-term storage warehouse (Land Use 154), high-cube fulfillment center warehouse (Land Use 155), high-cube parcel hub warehouse (Land Use 156), and high-cube cold storage warehouse (Land Use 157) are related uses.

Additional Data

Time-of-day distribution data for this land use are presented in Appendix A. For the 13 general urban/suburban sites with data, the overall highest vehicle volumes during the AM and PM on a weekday were counted between 11:30 a.m. and 12:30 p.m. and 3:00 and 4:00 p.m., respectively.

The sites were surveyed in the 1980s, the 1990s, the 2000s, and the 2010s in California, Connecticut, Minnesota, New Jersey, New York, Ohio, Oregon, Pennsylvania, and Texas.

Source Numbers

184, 331, 406, 411, 443, 579, 583, 596, 598, 611, 619, 642, 752, 869, 875, 876, 914, 940



Warehousing (150)

Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 7 and 9 a.m.

Setting/Location: General Urban/Suburban


Number of Studies: 1000 Sq. Ft. GFA: 451

Directional Distribution: 77% entering, 23% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation	
0.17	0.02 - 1.93	0.20	

Data Plot and Equation





Warehousing (150)

Vehicle Trip Ends vs: 1000 Sq. Ft. GFA

On a: Weekday,

Peak Hour of Adjacent Street Traffic,

One Hour Between 4 and 6 p.m.

Setting/Location: General Urban/Suburban


Number of Studies: 47 1000 Sq. Ft. GFA: 400

Directional Distribution: 27% entering, 73% exiting

Vehicle Trip Generation per 1000 Sq. Ft. GFA

Average Rate	Range of Rates	Standard Deviation
0.19	0.01 - 1.80	0.18

Data Plot and Equation





Cranston, Rhode Island

APPENDIX E – Operational Analysis

Existing Conditions

Plainfield Pike (Route 14) at Comstock Parkway

Comstock Parkway at Western Industrial Drive

Future Build Conditions

Plainfield Pike (Route 14) at Comstock Parkway

Comstock Parkway at Western Industrial Drive/Site Driveway



Proposed	Industrial	Develo	nment
rioposeu	muusmai	DEVEIL	ווטוווטי

Appendix

Cranston, Rhode Island

E

Existing Weekday AM / PM Peak Hour

Plainfield Pike (Route 14) at Comstock Parkway Comstock Parkway at Western Industrial Drive



Plainfield Pike (Route 14) at Comstock Parkway






Major Street: Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

City/Town: Cranston, RI Day of Week: Weekday

Reference No.: 10052 Peak Period: 7:30 AM - 8:30 AM

Existing: AM Peak Hour **Future**: n/a



	۶	→	\rightarrow	•	←	•	4	†	~	-	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	*	î»		7	f)			ર્ન	7		4	
Traffic Volume (vph)	5	412	85	442	393	2	125	15	435	11	9	10
Future Volume (vph)	5	412	85	442	393	2	125	15	435	11	9	10
Satd. Flow (prot)	1805	1746	0	1752	1758	0	0	1741	1538	0	1782	0
Flt Permitted	0.517			0.216				0.725			0.855	
Satd. Flow (perm)	982	1746	0	398	1758	0	0	1319	1538	0	1551	0
Satd. Flow (RTOR)		15			1				188		11	
Lane Group Flow (vph)	5	528	0	470	420	0	0	149	463	0	33	0
Turn Type	pm+pt	NA		pm+pt	NA		Perm	NA	pm+ov	Perm	NA	
Protected Phases	5	2		1	6			3	1		3	
Permitted Phases	2			6			3		3	3		
Total Split (s)	10.0	30.0		30.0	50.0		15.0	15.0	30.0	15.0	15.0	
Total Lost Time (s)	4.5	5.5		4.5	5.5			5.0	4.5		5.0	
Act Effct Green (s)	29.1	22.7		45.9	43.2			9.8	32.6		9.8	
Actuated g/C Ratio	0.44	0.35		0.70	0.66			0.15	0.50		0.15	
v/c Ratio	0.01	0.86		0.73	0.36			0.75	0.54		0.14	
Control Delay	6.4	37.5		15.2	6.5			56.5	8.9		22.8	
Queue Delay	0.0	0.0		0.0	0.0			0.0	0.0		0.0	
Total Delay	6.4	37.5		15.2	6.5			56.5	8.9		22.8	
LOS	Α	D		В	Α			Е	Α		С	
Approach Delay		37.2			11.1			20.5			22.8	
Approach LOS		D			В			С			С	
Queue Length 50th (ft)	1	190		81	55			61	67		8	
Queue Length 95th (ft)	4	#414		178	150			#169	138		33	
Internal Link Dist (ft)		547			561			1714			196	
Turn Bay Length (ft)	75			350					150			
Base Capacity (vph)	510	677		818	1276			206	1033		251	
Starvation Cap Reductn	0	0		0	0			0	0		0	
Spillback Cap Reductn	0	0		0	0			0	0		0	
Storage Cap Reductn	0	0		0	0			0	0		0	
Reduced v/c Ratio	0.01	0.78		0.57	0.33			0.72	0.45		0.13	

Intersection Summary

Cycle Length: 75

Actuated Cycle Length: 65.5

Control Type: Actuated-Uncoordinated


Maximum v/c Ratio: 0.86


Intersection Signal Delay: 20.8 Intersection LOS: C Intersection Capacity Utilization 78.2% ICU Level of Service D

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.








Major Street: Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

City/Town: Cranston, RI Day of Week: Weekday

Reference No.: 10052 **Peak Period**: 4:30 PM - 5:30 PM

Existing: PM Peak Hour **Future**: n/a



	۶	→	\rightarrow	•	←	•	4	†	~	-	↓	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	1>		ሻ	₽			र्स	7		4	
Traffic Volume (vph)	10	360	86	565	396	5	147	20	486	15	32	18
Future Volume (vph)	10	360	86	565	396	5	147	20	486	15	32	18
Satd. Flow (prot)	1805	1798	0	1752	1842	0	0	1804	1599	0	1810	0
Flt Permitted	0.522			0.253				0.704			0.893	
Satd. Flow (perm)	992	1798	0	467	1842	0	0	1326	1599	0	1634	0
Satd. Flow (RTOR)		17			1				252		18	
Lane Group Flow (vph)	10	455	0	577	409	0	0	170	496	0	66	0
Turn Type	pm+pt	NA		pm+pt	NA		Perm	NA	pm+ov	Perm	NA	
Protected Phases	5	2		1	6			3	1		3	
Permitted Phases	2			6			3		3	3		
Total Split (s)	10.0	30.0		30.0	50.0		15.0	15.0	30.0	15.0	15.0	
Total Lost Time (s)	4.5	5.5		4.5	5.5			5.0	4.5		5.0	
Act Effct Green (s)	26.3	19.7		44.7	42.0			9.8	34.3		9.8	
Actuated g/C Ratio	0.41	0.31		0.69	0.65			0.15	0.53		0.15	
v/c Ratio	0.02	0.81		0.81	0.34			0.84	0.51		0.25	
Control Delay	6.7	33.6		19.0	6.3			67.3	6.9		24.8	
Queue Delay	0.0	0.0		0.0	0.0			0.0	0.0		0.0	
Total Delay	6.7	33.6		19.0	6.3			67.3	6.9		24.8	
LOS	Α	С		В	Α			Е	Α		С	
Approach Delay		33.0			13.7			22.3			24.8	
Approach LOS		С			В			С			С	
Queue Length 50th (ft)	1	164		112	53			71	52		18	
Queue Length 95th (ft)	5	#319		239	142			#196	127		55	
Internal Link Dist (ft)		547			561			1714			196	
Turn Bay Length (ft)	75			350					150			
Base Capacity (vph)	479	719		851	1388			213	1118		278	
Starvation Cap Reductn	0	0		0	0			0	0		0	
Spillback Cap Reductn	0	0		0	0			0	0		0	
Storage Cap Reductn	0	0		0	0			0	0		0	
Reduced v/c Ratio	0.02	0.63		0.68	0.29			0.80	0.44		0.24	

Intersection Summary

Cycle Length: 75

Actuated Cycle Length: 64.4

Control Type: Actuated-Uncoordinated


Maximum v/c Ratio: 0.84

Intersection Signal Delay: 20.8 Intersection LOS: C
Intersection Capacity Utilization 83.8% ICU Level of Service E

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.



Existing Conditions
Timing Plan: PM Peak Hour

Comstock Parkway at Western Industrial Drive





Major Street: Comstock Parkway

City/Town: Cranston, RI

Reference No.: 10052


Existing: AM Peak Hour

Minor Street: Western Industrial Drive

Day of Week: Weekday

Peak Period: 7:30 AM - 8:30 AM

Future: n/a



Intersection						
Int Delay, s/veh	2.1					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
	EDL	EDK	INDL	IND I		אמכ
Lane Configurations Traffic Vol, veh/h	1 45	- r 9	33	933	♣ 285	108
Future Vol, veh/h			33	933	285	108
-	45 0	9			285	
Conflicting Peds, #/hr			0	0		0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-		-	None
Storage Length	0	0	-	-	-	-
Veh in Median Storage		-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	12	10	0	1	2	7
Mvmt Flow	51	10	37	1048	320	121
Major/Minor	Minor2	N	Najor1		Major2	
	1503	381	441	0	viajui z -	0
Conflicting Flow All						
Stage 1	381	-	-	-	-	-
Stage 2	1122	-	-	-	-	-
Critical Hdwy	6.52	6.3	4.1	-	-	-
Critical Hdwy Stg 1	5.52	-	-	-	-	-
Critical Hdwy Stg 2	5.52	-	-	-	-	-
Follow-up Hdwy	3.608	3.39	2.2	-	-	-
Pot Cap-1 Maneuver	127	649	1130	-	-	-
Stage 1	669	-	-	-	-	-
Stage 2	297	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	117	649	1130	-	-	-
Mov Cap-2 Maneuver		-	-	-	-	-
Stage 1	617	-	-	-	-	-
Stage 2	297	-	_	-	-	_
5.ago 2						
Approach	EB		NB		SB	
HCM Control Delay, s	49.6		0.3		0	
HCM LOS	E					
Minor Lane/Major Mvr	nt	NBL	MRT	EBLn1	FRI n2	SBT
	nt					SDI
Capacity (veh/h)		1130	-		649	-
HCM Lane V/C Ratio		0.033		0.432		-
HCM Control Delay (s	5)	8.3	0	57.4	10.6	-
HCM Lane LOS		Α	Α	F	В	-
HCM 95th %tile Q(veh	1)	0.1	-	1.9	0	-

Existing Conditions
Timing Plan: AM Peak Hour



Major Street: Comstock Parkway

City/Town: Cranston, RI

Reference No.: 10052


Existing: PM Peak Hour

Minor Street: Western Industrial Drive

Day of Week: Weekday

Peak Period: 4:30 PM - 5:30 PM

Future: n/a



Intersection						
Int Delay, s/veh	10.8					
	EBL	EDD	NDI	NDT	CDT	SBR
Movement		EBR	NBL	NBT	SBT	SBK
Lane Configurations	\	7	10	4	^	0.4
Traffic Vol, veh/h	112	38	10	635	684	24
Future Vol, veh/h	112	38	10	635	684	24
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	0	-	-	-	-
Veh in Median Storage		-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	1	1	20	1	1	25
Mvmt Flow	126	43	11	713	769	27
N.A. ' /N.A.'	N.41 - C					
	Minor2		/lajor1		Major2	
Conflicting Flow All	1518	783	796	0	-	0
Stage 1	783	-	-	-	-	-
Stage 2	735	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.3	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.38	-	-	-
Pot Cap-1 Maneuver	132	395	752	_	-	-
Stage 1	452	-		_	-	-
Stage 2	476	_	_		_	_
Platoon blocked, %	770				_	
Mov Cap-1 Maneuver	129	395	752	_	-	-
· · · · · · · · · · · · · · · · · · ·			132	•	-	•
Mov Cap-2 Maneuver	129	-	-	-	-	-
Stage 1	441	-	-	-	-	-
Stage 2	476	-	-	-	-	-
Approach	EB		NB		SB	
HCM Control Delay, s	107		0.2		0	
HCM LOS	F		0.2		- 0	
HOW LOS	, i					
Minor Lane/Major Mvn	nt	NBL	NBT	EBLn1 l	EBLn2	SBT
Capacity (veh/h)		752	-		395	
HCM Lane V/C Ratio		0.015	-	0.976		
HCM Control Delay (s))	9.9		138.2	15.2	_
HCM Lane LOS		Α	A	F	C	_
HCM 95th %tile Q(veh	1)	0		6.7	0.4	
	1)	U		0.7	0.4	-

Existing Conditions
Synchro 11 Light Report
Timing Plan: PM Peak Hour
Page 1

E

Future 2024 Build Weekday AM / PM Peak Hour

Plainfield Pike (Route 14) at Comstock Parkway Comstock Parkway at Western Industrial Drive/Site Driveway



Plainfield Pike (Route 14) at Comstock Parkway






Major Street: Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

City/Town: Cranston, RI Day of Week: Weekday

Reference No.: 10052 Peak Period: AM Peak Hour

Existing: n/a **Future**: 2024 Build



	•	→	\rightarrow	•	←	•	4	†	~	-	ļ	1
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	₽		7	₽			र्स	7		4	
Traffic Volume (vph)	5	424	93	480	405	2	131	15	454	12	10	11
Future Volume (vph)	5	424	93	480	405	2	131	15	454	12	10	11
Satd. Flow (prot)	1805	1744	0	1752	1758	0	0	1740	1538	0	1782	0
Flt Permitted	0.511			0.179				0.722			0.859	
Satd. Flow (perm)	971	1744	0	330	1758	0	0	1313	1538	0	1559	0
Satd. Flow (RTOR)		15			1				151		12	
Lane Group Flow (vph)	5	550	0	511	433	0	0	155	483	0	36	0
Turn Type	pm+pt	NA		pm+pt	NA		Perm	NA	pm+ov	Perm	NA	
Protected Phases	5	2		1	6			3	1		3	
Permitted Phases	2			6			3		3	3		
Total Split (s)	10.0	28.0		30.0	48.0		17.0	17.0	30.0	17.0	17.0	
Total Lost Time (s)	4.5	5.5		4.5	5.5			5.0	4.5		5.0	
Act Effct Green (s)	29.2	22.8		47.9	45.1			10.8	35.4		10.8	
Actuated g/C Ratio	0.43	0.33		0.70	0.66			0.16	0.52		0.16	
v/c Ratio	0.01	0.93		0.80	0.37			0.75	0.56		0.14	
Control Delay	7.2	49.7		21.9	7.2			52.9	9.6		21.7	
Queue Delay	0.0	0.0		0.0	0.0			0.0	0.0		0.0	
Total Delay	7.2	49.7		21.9	7.2			52.9	9.6		21.7	
LOS	Α	D		С	Α			D	Α		С	
Approach Delay		49.4			15.2			20.1			21.7	
Approach LOS		D			В			С			С	
Queue Length 50th (ft)	1	233		128	66			65	80		9	
Queue Length 95th (ft)	4	#462		239	169			#160	154		34	
Internal Link Dist (ft)		547			561			1714			196	
Turn Bay Length (ft)	75			350					150			
Base Capacity (vph)	485	591		768	1194			233	998		287	
Starvation Cap Reductn	0	0		0	0			0	0		0	
Spillback Cap Reductn	0	0		0	0			0	0		0	
Storage Cap Reductn	0	0		0	0			0	0		0	
Reduced v/c Ratio	0.01	0.93		0.67	0.36			0.67	0.48		0.13	

Intersection Summary

Cycle Length: 75

Actuated Cycle Length: 68.4

Control Type: Actuated-Uncoordinated


Maximum v/c Ratio: 0.93


Intersection Signal Delay: 25.5 Intersection LOS: C
Intersection Capacity Utilization 81.8% ICU Level of Service D

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.







Major Street:

City/Town: Cranston, RI

10052 Reference No.:


Existing: n/a

Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

Day of Week: Weekday

Peak Period: PM Peak Hour

Future: 2024 Build



	۶	→	\rightarrow	•	←	•	4	†	~	-	↓	1
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	₽		7	₽			ન	7		↔	
Traffic Volume (vph)	10	371	92	592	408	5	153	20	530	15	33	18
Future Volume (vph)	10	371	92	592	408	5	153	20	530	15	33	18
Satd. Flow (prot)	1805	1796	0	1752	1842	0	0	1804	1599	0	1811	0
Flt Permitted	0.516			0.215				0.782			0.899	
Satd. Flow (perm)	980	1796	0	397	1842	0	0	1473	1599	0	1647	0
Satd. Flow (RTOR)		17			1				209		18	
Lane Group Flow (vph)	10	473	0	604	421	0	0	176	541	0	67	0
Turn Type	pm+pt	NA		pm+pt	NA		Perm	NA	pm+ov	Perm	NA	
Protected Phases	5	2		1	6			3	1		3	
Permitted Phases	2			6			3		3	3		
Total Split (s)	10.0	28.0		30.0	48.0		17.0	17.0	30.0	17.0	17.0	
Total Lost Time (s)	4.5	5.5		4.5	5.5			5.0	4.5		5.0	
Act Effct Green (s)	27.1	20.6		48.8	45.9			11.0	38.6		11.0	
Actuated g/C Ratio	0.39	0.30		0.70	0.66			0.16	0.56		0.16	
v/c Ratio	0.02	0.87		0.84	0.35			0.76	0.55		0.24	
Control Delay	7.3	41.9		24.2	6.9			51.9	8.3		24.0	
Queue Delay	0.0	0.0		0.0	0.0			0.0	0.0		0.0	
Total Delay	7.3	41.9		24.2	6.9			51.9	8.3		24.0	
LOS	Α	D		С	Α			D	Α		С	
Approach Delay		41.2			17.1			19.0			24.0	
Approach LOS		D			В			В			С	
Queue Length 50th (ft)	1	199		161	62			79	79		20	
Queue Length 95th (ft)	5	#365		#343	159			#174	158		54	
Internal Link Dist (ft)		547			561			1714			196	
Turn Bay Length (ft)	75			350					150			
Base Capacity (vph)	451	605		786	1282			259	1053		305	
Starvation Cap Reductn	0	0		0	0			0	0		0	
Spillback Cap Reductn	0	0		0	0			0	0		0	
Storage Cap Reductn	0	0		0	0			0	0		0	
Reduced v/c Ratio	0.02	0.78		0.77	0.33			0.68	0.51		0.22	

Intersection Summary

Cycle Length: 75

Actuated Cycle Length: 69.5

Control Type: Actuated-Uncoordinated


Maximum v/c Ratio: 0.87


Intersection Signal Delay: 23.0 Intersection LOS: C
Intersection Capacity Utilization 86.6% ICU Level of Service E

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





Future 2024 Build Conditions Timing Plan: PM Peak Hour

Comstock Parkway at Western Industrial Drive/Site Driveway






Major Street: Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

City/Town: Cranston, RI Day of Week: Weekday

Reference No.: 10052 Peak Period: AM Peak Hour

Existing: n/a **Future**: 2024 Build



Intersection												
Int Delay, s/veh	5.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ች	ĵ.			4			4			4	
Traffic Vol, veh/h	46	0	10	3	0	8	34	961	5	30	294	111
Future Vol, veh/h	46	0	10	3	0	8	34	961	5	30	294	111
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	0	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage	e,# -	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	89	89	89	89	89	89	89	89	89	89	89	89
Heavy Vehicles, %	12	0	10	0	0	2	0	1	0	2	2	7
Mvmt Flow	52	0	11	3	0	9	38	1080	6	34	330	125
Major/Minor	Minor2			Minor1			Major1		1	Major2		
Conflicting Flow All	1625	1623	393	1625	1682	1083	455	0	0	1086	0	0
Stage 1	461	461	-	1159	1159	-	-	-	-	-	-	-
Stage 2	1164	1162	_	466	523	_	_	_	_	_	_	_
Critical Hdwy	7.22	6.5	6.3	7.1	6.5	6.22	4.1	-	_	4.12	_	-
Critical Hdwy Stg 1	6.22	5.5	-	6.1	5.5	-		_	_		_	_
Critical Hdwy Stg 2	6.22	5.5	-	6.1	5.5	-	-	-	-	-	_	-
Follow-up Hdwy	3.608	4	3.39	3.5	4	3.318	2.2	-	_	2.218	_	-
Pot Cap-1 Maneuver	78	104	639	83	95	264	1116	-	-	642	-	-
Stage 1	562	569	-	241	272	-	-	-	-	-	-	-
Stage 2	226	272	-	581	534	-	-	-	-	-	-	-
Platoon blocked, %								-	-		-	-
Mov Cap-1 Maneuver	67	88	639	72	81	264	1116	-	-	642	-	-
Mov Cap-2 Maneuver	67	88	-	72	81	-	-	-	-	-	-	-
Stage 1	514	528	-	220	249	-	-	-	-	-	-	-
Stage 2	200	249	-	530	496	-	-	-	-	-	-	-
3												
Approach	EB			WB			NB			SB		
HCM Control Delay, s				30.6			0.3			0.8		
HCM LOS	127.0 F			30.0 D			0.5			0.0		
TIOWI LOJ	ı			U								
										0.5.5		
Minor Lane/Major Mvn	nt	NBL	NBT	NBR		EBLn2V		SBL	SBT	SBR		
Capacity (veh/h)		1116	-	-	67	639	153	642	-	-		
HCM Lane V/C Ratio		0.034	-	-		0.018			-	-		
HCM Control Delay (s)	8.3	0	-	153.2	10.7	30.6	10.9	0	-		
HCM Lane LOS		Α	Α	-	F	В	D	В	Α	-		
HCM 95th %tile Q(veh	1)	0.1	-	-	3.5	0.1	0.3	0.2	-	-		

Future 2024 Build Conditions Timing Plan: AM Peak Hour




Major Street: Plainfield Pike (Route 14) Minor Street: Comstock Parkway/Com. Dwy.

City/Town: Cranston, RI Day of Week: Weekday

Reference No.: 10052 **Peak Period**: PM Peak Hour

Existing: n/a **Future**: 2024 Build



Intersection													
Int Delay, s/veh	35.5												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	ች	f)			4			4			4		
Traffic Vol, veh/h	115	0	40	5	0	32	11	654	2	13	705	25	
Future Vol., veh/h	115	0	40	5	0	32	11	654	2	13	705	25	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	0	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage	e,# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	89	94	89	94	94	94	89	89	94	94	89	89	
Heavy Vehicles, %	1	2	1	0	0	2	20	1	0	2	1	25	
Mvmt Flow	129	0	45	5	0	34	12	735	2	14	792	28	
Maiau/Minau	N /! 2			M:1			110101			// diamo			
	Minor2	1505		Minor1	1/00		Major1			Major2		^	
Conflicting Flow All	1611	1595	806	1617	1608	736	820	0	0	737	0	0	
Stage 1	834	834	-	760	760	-	-	-	-	-	-	-	
Stage 2	777	761	- / 21	857	848	- / 22	4.2	-	-	110	-	-	
Critical Hdwy	7.11	6.52	6.21	7.1	6.5	6.22	4.3	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.11	5.52	-	6.1	5.5	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.11	5.52	2 200	6.1	5.5	2 210	-	-	-	-	-	-	
Follow-up Hdwy	3.509	4.018		3.5	4	3.318	2.38	-	-	2.218	-	-	
Pot Cap-1 Maneuver	~ 84	107	384	84	106	419	736	-	-	869	-	-	
Stage 1	364	383 414	-	401	417	-	-	-	-	-	-	-	
Stage 2	391	414	-	355	380	-	-	-	-	-	-	-	
Platoon blocked, %	71	101	204	71	100	419	724	-	-	869	-	-	
Mov Cap-1 Maneuver	~ 74 ~ 74	101 101	384	71 71	100 100		736	-	-		-	-	
Mov Cap-2 Maneuver	354	372	-	390	405	-	-	-	-	-	-	-	
Stage 1	349	402	-	304	369	-	-	-	-	-	-	-	
Stage 2	349	402	-	304	309	-	-	-	-	-	-	-	
Approach	EB			WB			NB			SB			
HCM Control Delay, s				21.9			0.2			0.2			
HCM LOS	F			С									
Minor Lane/Major Mvr	nt	NBL	NBT	NBR I	EBLn1	EBLn2V	VBLn1	SBL	SBT	SBR			
Capacity (veh/h)		736	_	_	74	384	252	869	_	_			
HCM Lane V/C Ratio		0.017	_	_					_	_			
HCM Control Delay (s)	10	0		479.2	15.6	21.9	9.2	0	-			
HCM Lane LOS	,	A	A	-	F	С	С	A	A	-			
HCM 95th %tile Q(veh	1)	0.1	-	-	11.2	0.4	0.5	0	-	_			
Notes					20		, .,			,,,			
~: Volume exceeds ca	pacity	\$: Delay exceeds 300s					nputatio	n Not E	Defined	*: All major volume in platoon			

Future 2024 Build Conditions Timing Plan: PM Peak Hour