



Historic District Commission

Cranston City Hall
869 Park Avenue, Cranston, Rhode Island 02910

APPLICATION FOR REVIEW OF PROPOSED WORK

Attach to Completed Building Department Application

1. LOCAL DISTRICT NAME: _____

2. PROPERTY ADDRESS: _____

3. PLAT # _____ LOT # _____

4. OWNER/APPLICANT NAME: _____

ADDRESS: _____

PHONE #: (____) _____ - _____

5. A. DESIGNER'S NAME (*if any*): _____

ADDRESS: _____

PHONE #: (____) _____ - _____

B. CONTRACTOR'S NAME (*if any*): _____

ADDRESS: _____

PHONE #: (____) _____ - _____

6. WORK CATEGORY (*Please check all that apply*):

_____ New Structure(s)

_____ Partial Demolition of Structure(s)

_____ Addition to Structure(s)

_____ Total Demolition of Structure(s)

_____ Remodeling of Structure(s)

_____ Sign(s) or Landscaping Features

7. DESCRIPTION OF PROPOSED WORK:

8. INCLUDED WITH THE APPLICATION (*Check all that apply*):

A. *PHOTOGRAPHS:*

_____ Overall view of the property from street(s)

_____ Overall views of building(s)

_____ Existing details to be altered by work

B. *DRAWINGS / RENDERINGS:*

_____ Site Plan (Drawn to Scale)

_____ Floor Plan(s) (Drawn to Scale)

_____ Overall views of building(s)

_____ Details

C. *OTHER:*

_____ Additional Renderings

_____ Catalog Cuts

_____ Other Specifications

_____ Other (*Identify Below*)

Other: _____

9. SIGNATURES



Applicant's Name (printed)

Applicant's Signature

Date: _____

Contact Person if other than Applicant:

Kevin Doherty

Name (printed)

(__ 617)820-3853
Phone #

FOR USE BY THE BUILDING OFFICIAL'S OFFICE ONLY

Received By (printed)

Received by Signature

Date: _____

FOR USE BY THE HISTORIC DISTRICT COMMISSION ONLY

Received By (printed)


Received by Signature

Date: _____

Proposal for Window Installation
Property: 1363 Narragansett Blvd. Providence, RI 02905

Front Facade

Rear Facade



MBR (2 Total)

Living Room-
Small Left,
Middle &
Right (3 total)

Nursery (3 Total)

Closet 1 & 2 (2 Total)

G Bedroom (5 Total)

Living Room
(Large): 1(1
Total)

Dining Room
Left, Middle
and Center (3
Total)

M Bath, Right, Middle
and Left (3 Total)

Left Facade

Right Facade





Technical Measure

Project Number: 70-93912

Quote Number: #448486


Project Manager: Kevin Doherty

Customer Name: Kevin B McDonald


Customer Address: 1363 Narragansett Blvd
Providence, RI 02905

Install Length: 3 Days

Requested Installer (if applicable): W2, Beaver,



Exterior Visualization Drawing



Interior Visualization Drawing

DR left

Quantity 1

Options

Product Details		
Description:	<i>Infinity Insert Double Hung</i>	
Number Wide:	1	
Existing Sill Angle:	8+	
Configuration / Venting:	<i>Double Hung</i>	
Sash Split:	<i>Standard</i>	
Exterior Color:	<i>Stone White</i>	
Interior Color:	<i>Stone White</i>	
Hardware Color:	<i>White</i>	
Lift Options:	<i>Sash Lift</i>	
Top Sash Lift Options:	<i>No Top Sash Lift</i>	
Interior Weatherstrip Package:	<i>White</i>	
Glazing Type:	<i>IG</i>	
Glass Surface:	<i>Low E2</i>	
Grille Type:	<i>7/8" SDL</i>	
Grille Pattern:	<i>Rectangular</i>	
A1 Top Sash Grille Division Type:	<i>Standard</i>	
A1 Bottom Sash Grille Division Type:	<i>None</i>	
A1 Top Sash Number Wide:	2	
A1 Top Sash Number High:	2	
Screen Type:	<i>Extruded Full Screen</i>	
Screen Mesh Type:	<i>Bright View Mesh</i>	
Exterior Screen Surround:	<i>Stone White</i>	
Glazing Configuration:	<i>STC/OITC Upgrade</i>	
Gas Fill:	<i>Argon Gas</i>	
Spacer Bar:	<i>Yes</i>	
Screen/Combo Ship Loose:	<i>Yes</i>	
U-Factor:	0.29	
SHGC:	0.29	
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>	
Line Item Adders	Original	New
NE-Insulating Weight Pockets		
Quantity:	1	1
Change Details	Original	New
Inside Opening Width:	24	23.5
Inside Opening Height:	62	60.75

Overall Frame Width:	23.625	23.125
Overall Frame Height:	62.25	61
Frame Width:	23.625	23.125
Assembly Rough Opening:	<i>Rough Opening 24 5/8" x 62 3/4"</i>	<i>Rough Opening 24 1/8" x 61 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 24" x 62"</i>	<i>Inside Opening 23 1/2" x 60 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 24 1/8" x 62 1/2"</i>	<i>Masonry Opening 23 5/8" x 61 1/4"</i>
Egress Width:	20 15/16"	20 7/16"
Egress Height:	25 13/32"	24 25/32"
Net Clear Opening Square Ft:	3.692432	3.515551
DLO Width:	18.4269981	17.9269981
DLO Height:	27.3165016	26.6915
Fields to Validate	Original	New
Inside Opening Width:	24	23.5
Inside Opening Height:	62	60.75
Overall Frame Width:	23.625	23.125
Overall Frame Height:	62.25	61
Frame Width:	23.625	23.125
Egress Width:	20 15/16"	20 7/16"
Egress Height:	25 13/32"	24 25/32"
DLO Width:	18.4269981	17.9269981
DLO Height:	27.3165016	26.6915

DR right

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	<i>1</i>
Existing Sill Angle:	<i>8+</i>
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>



Exterior Visualization Drawing



Interior Visualization Drawing

Interior Weatherstrip Package:	White
Glazing Type:	IG
Glass Surface:	Low E2
Grille Type:	7/8" SDL
Grille Pattern:	Rectangular
A1 Top Sash Grille Division Type:	Standard
A1 Bottom Sash Grille Division Type:	None
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Stone White
Glazing Configuration:	STC/OITC Upgrade
Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	In old wood windows where weight pockets should be insulated.

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	24	23.5
-----------------------	----	------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	23.625	23.125
----------------------	--------	--------

Overall Frame Height:	62.25	61
-----------------------	-------	----

Frame Width:	23.625	23.125
--------------	--------	--------

Assembly Rough Opening:	Rough Opening 24 5/8" x 62 3/4"	Rough Opening 24 1/8" x 61 1/2"
-------------------------	---------------------------------	---------------------------------

Assembly Inside Opening:	Inside Opening 24" x 62"	Inside Opening 23 1/2" x 60 3/4"
--------------------------	--------------------------	----------------------------------

Assembly Masonry Opening:	Masonry Opening 24 1/8" x 62 1/2"	Masonry Opening 23 5/8" x 61 1/4"
---------------------------	-----------------------------------	-----------------------------------

Egress Width:	20 15/16"	20 7/16"
---------------	-----------	----------


Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	3.692432	3.515551
------------------------------	----------	----------


DLO Width:	18.4269981	17.9269981
------------	------------	------------

DLO Height:	27.3165016	26.6915
-------------	------------	---------

Fields to Validate	Original	New
Inside Opening Width:	24	23.5
Inside Opening Height:	62	60.75
Overall Frame Width:	23.625	23.125
Overall Frame Height:	62.25	61
Frame Width:	23.625	23.125
Egress Width:	20 15/16"	20 7/16"
Egress Height:	25 13/32"	24 25/32"
DLO Width:	18.4269981	17.9269981
DLO Height:	27.3165016	26.6915



Exterior Visualization Drawing



Interior Visualization Drawing

DR center

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	4
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>

Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	42	39.625
-----------------------	----	--------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	41.625	39.25
----------------------	--------	-------

Overall Frame Height:	62.25	61
-----------------------	-------	----

Frame Width:	41.625	39.25
--------------	--------	-------

Assembly Rough Opening:	<i>Rough Opening 42 5/8" x 62 3/4"</i>	<i>Rough Opening 40 1/4" x 61 1/2"</i>
-------------------------	--	--

Assembly Inside Opening:	<i>Inside Opening 42" x 62"</i>	<i>Inside Opening 39 5/8" x 60 3/4"</i>
--------------------------	---------------------------------	---

Assembly Masonry Opening:	<i>Masonry Opening 42 1/8" x 62 1/2"</i>	<i>Masonry Opening 39 3/4" x 61 1/4"</i>
---------------------------	--	--

Egress Width:	38 15/16"	36 9/16"
---------------	-----------	----------

Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	6.867807	6.290171
------------------------------	----------	----------

DLO Width:	36.427002	34.052002
------------	-----------	-----------

DLO Height:	27.3165016	26.6915
-------------	------------	---------

Fields to Validate	Original	New
--------------------	----------	-----

Inside Opening Width:	42	39.625
-----------------------	----	--------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	41.625	39.25
----------------------	--------	-------

Overall Frame Height:	62.25	61
-----------------------	-------	----


Frame Width:	41.625	39.25
--------------	--------	-------

Egress Width:	38 15/16"	36 9/16"
---------------	-----------	----------


Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

DLO Width:	36.427002	34.052002
------------	-----------	-----------

DLO Height:	27.3165016	26.6915
-------------	------------	---------



Exterior Visualization Drawing



Interior Visualization Drawing

Closet 1

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>
Gas Fill:	<i>Argon Gas</i>
Spacer Bar:	<i>Yes</i>
Screen/Combo Ship Loose:	<i>Yes</i>
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	20	18.625
Inside Opening Height:	40	38.75

Overall Frame Width:	19.625	18.25
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.25
Assembly Rough Opening:	<i>Rough Opening 20 5/8" x 40 3/4"</i>	<i>Rough Opening 19 1/4" x 39 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 20" x 40"</i>	<i>Inside Opening 18 5/8" x 38 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 20 1/8" x 40 1/2"</i>	<i>Masonry Opening 18 3/4" x 39 1/4"</i>
Egress Width:	16 15/16"	15 9/16"
Egress Height:	14 13/32"	13 25/32"
Net Clear Opening Square Ft:	1.693453	1.488407
DLO Width:	14.4269991	13.0519991
DLO Height:	16.3165	15.6915
Fields to Validate	Original	New
Inside Opening Width:	20	18.625
Inside Opening Height:	40	38.75
Overall Frame Width:	19.625	18.25
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.25
Egress Width:	16 15/16"	15 9/16"
Egress Height:	14 13/32"	13 25/32"
DLO Width:	14.4269991	13.0519991
DLO Height:	16.3165	15.6915


Closet 2

Quantity 1


Options

Product Details

Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>



Exterior Visualization Drawing



Interior Visualization Drawing

Interior Weatherstrip Package:	White
Glazing Type:	IG
Glass Surface:	Low E2
Grille Type:	7/8" SDL
Grille Pattern:	Rectangular
A1 Top Sash Grille Division Type:	Standard
A1 Bottom Sash Grille Division Type:	None
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Stone White
Glazing Configuration:	STC/OITC Upgrade
Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	In old wood windows where weight pockets should be insulated.

Line Item Adders	Original	New
------------------	----------	-----


NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	20	18.625
Inside Opening Height:	40	38.75
Overall Frame Width:	19.625	18.25
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.25
Assembly Rough Opening:	Rough Opening 20 5/8" x 40 3/4"	Rough Opening 19 1/4" x 39 1/2"
Assembly Inside Opening:	Inside Opening 20" x 40"	Inside Opening 18 5/8" x 38 3/4"
Assembly Masonry Opening:	Masonry Opening 20 1/8" x 40 1/2"	Masonry Opening 18 3/4" x 39 1/4"
Egress Width:	16 15/16"	15 9/16"
Egress Height:	14 13/32"	13 25/32"
Net Clear Opening Square Ft:	1.693453	1.488407
DLO Width:	14.4269991	13.0519991
DLO Height:	16.3165	15.6915

Fields to Validate	Original	New
Inside Opening Width:	20	18.625
Inside Opening Height:	40	38.75
Overall Frame Width:	19.625	18.25
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.25
Egress Width:	16 15/16"	15 9/16"
Egress Height:	14 13/32"	13 25/32"
DLO Width:	14.4269991	13.0519991
DLO Height:	16.3165	15.6915



Exterior Visualization Drawing

LR small

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>



Interior Visualization Drawing

Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	24	23.5
-----------------------	----	------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	23.625	23.125
----------------------	--------	--------

Overall Frame Height:	62.25	61
-----------------------	-------	----

Frame Width:	23.625	23.125
--------------	--------	--------

Assembly Rough Opening:	<i>Rough Opening 24 5/8" x 62 3/4"</i>	<i>Rough Opening 24 1/8" x 61 1/2"</i>
-------------------------	--	--

Assembly Inside Opening:	<i>Inside Opening 24" x 62"</i>	<i>Inside Opening 23 1/2" x 60 3/4"</i>
--------------------------	---------------------------------	---

Assembly Masonry Opening:	<i>Masonry Opening 24 1/8" x 62 1/2"</i>	<i>Masonry Opening 23 5/8" x 61 1/4"</i>
---------------------------	--	--

Egress Width:	20 15/16"	20 7/16"
---------------	-----------	----------

Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	3.692432	3.515551
------------------------------	----------	----------

DLO Width:	18.4269981	17.9269981
------------	------------	------------

DLO Height:	27.3165016	26.6915
-------------	------------	---------

Fields to Validate	Original	New
--------------------	----------	-----

Inside Opening Width:	24	23.5
-----------------------	----	------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	23.625	23.125
----------------------	--------	--------

Overall Frame Height:	62.25	61
-----------------------	-------	----

Frame Width:	23.625	23.125
--------------	--------	--------

Egress Width:	20 15/16"	20 7/16"
---------------	-----------	----------

Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

DLO Width:	18.4269981	17.9269981
------------	------------	------------

DLO Height:	27.3165016	26.6915
-------------	------------	---------



Exterior Visualization Drawing



Interior Visualization Drawing

LR small 2

Quantity 1

Options


Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>
Gas Fill:	<i>Argon Gas</i>
Spacer Bar:	<i>Yes</i>
Screen/Combo Ship Loose:	<i>Yes</i>
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
Change Details	Original	New
Inside Opening Width:	24	23.5
Inside Opening Height:	62	60.75

Overall Frame Width:	23.625	23.125
Overall Frame Height:	62.25	61
Frame Width:	23.625	23.125
Assembly Rough Opening:	<i>Rough Opening 24 5/8" x 62 3/4"</i>	<i>Rough Opening 24 1/8" x 61 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 24" x 62"</i>	<i>Inside Opening 23 1/2" x 60 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 24 1/8" x 62 1/2"</i>	<i>Masonry Opening 23 5/8" x 61 1/4"</i>
Egress Width:	20 15/16"	20 7/16"
Egress Height:	25 13/32"	24 25/32"
Net Clear Opening Square Ft:	3.692432	3.515551
DLO Width:	18.4269981	17.9269981
DLO Height:	27.3165016	26.6915
Fields to Validate	Original	New
Inside Opening Width:	24	23.5
Inside Opening Height:	62	60.75
Overall Frame Width:	23.625	23.125
Overall Frame Height:	62.25	61
Frame Width:	23.625	23.125
Egress Width:	20 15/16"	20 7/16"
Egress Height:	25 13/32"	24 25/32"
DLO Width:	18.4269981	17.9269981
DLO Height:	27.3165016	26.6915




Exterior Visualization Drawing

LR large

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>



Interior Visualization Drawing

Interior Weatherstrip Package:	White
Glazing Type:	IG
Glass Surface:	Low E2
Grille Type:	7/8" SDL
Grille Pattern:	Rectangular
A1 Top Sash Grille Division Type:	Standard
A1 Bottom Sash Grille Division Type:	None
A1 Top Sash Number Wide:	4
A1 Top Sash Number High:	2
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Stone White
Glazing Configuration:	STC/OITC Upgrade
Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	In old wood windows where weight pockets should be insulated.

Line Item Adders	Original	New
------------------	----------	-----


NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---


Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	42	39.625
Inside Opening Height:	62	60.75
Overall Frame Width:	41.625	39.25
Overall Frame Height:	62.25	61
Frame Width:	41.625	39.25
Assembly Rough Opening:	Rough Opening 42 5/8" x 62 3/4"	Rough Opening 40 1/4" x 61 1/2"
Assembly Inside Opening:	Inside Opening 42" x 62"	Inside Opening 39 5/8" x 60 3/4"
Assembly Masonry Opening:	Masonry Opening 42 1/8" x 62 1/2"	Masonry Opening 39 3/4" x 61 1/4"
Egress Width:	38 15/16"	36 9/16"
Egress Height:	25 13/32"	24 25/32"
Net Clear Opening Square Ft:	6.867807	6.290171
DLO Width:	36.427002	34.052002
DLO Height:	27.3165016	26.6915

Fields to Validate	Original	New
Inside Opening Width:	42	39.625
Inside Opening Height:	62	60.75
Overall Frame Width:	41.625	39.25
Overall Frame Height:	62.25	61
Frame Width:	41.625	39.25
Egress Width:	38 15/16"	36 9/16"
Egress Height:	25 13/32"	24 25/32"
DLO Width:	36.427002	34.052002
DLO Height:	27.3165016	26.6915



Exterior Visualization Drawing



Interior Visualization Drawing

LR large 2

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	4
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>

Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	42	39.625
-----------------------	----	--------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	41.625	39.25
----------------------	--------	-------

Overall Frame Height:	62.25	61
-----------------------	-------	----

Frame Width:	41.625	39.25
--------------	--------	-------

Assembly Rough Opening:	<i>Rough Opening 42 5/8" x 62 3/4"</i>	<i>Rough Opening 40 1/4" x 61 1/2"</i>
-------------------------	--	--

Assembly Inside Opening:	<i>Inside Opening 42" x 62"</i>	<i>Inside Opening 39 5/8" x 60 3/4"</i>
--------------------------	---------------------------------	---

Assembly Masonry Opening:	<i>Masonry Opening 42 1/8" x 62 1/2"</i>	<i>Masonry Opening 39 3/4" x 61 1/4"</i>
---------------------------	--	--

Egress Width:	38 15/16"	36 9/16"
---------------	-----------	----------

Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	6.867807	6.290171
------------------------------	----------	----------

DLO Width:	36.427002	34.052002
------------	-----------	-----------

DLO Height:	27.3165016	26.6915
-------------	------------	---------

Fields to Validate	Original	New
--------------------	----------	-----

Inside Opening Width:	42	39.625
-----------------------	----	--------

Inside Opening Height:	62	60.75
------------------------	----	-------

Overall Frame Width:	41.625	39.25
----------------------	--------	-------

Overall Frame Height:	62.25	61
-----------------------	-------	----


Frame Width:	41.625	39.25
--------------	--------	-------

Egress Width:	38 15/16"	36 9/16"
---------------	-----------	----------


Egress Height:	25 13/32"	24 25/32"
----------------	-----------	-----------

DLO Width:	36.427002	34.052002
------------	-----------	-----------

DLO Height:	27.3165016	26.6915
-------------	------------	---------



Exterior Visualization Drawing



Interior Visualization Drawing

MBR

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	3
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>
Gas Fill:	<i>Argon Gas</i>
Spacer Bar:	<i>Yes</i>
Screen/Combo Ship Loose:	<i>Yes</i>
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----


NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75

Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Assembly Rough Opening:	<i>Rough Opening 34 5/8" x 54 3/4"</i>	<i>Rough Opening 33 1/4" x 53 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 34" x 54"</i>	<i>Inside Opening 32 5/8" x 52 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 34 1/8" x 54 1/2"</i>	<i>Masonry Opening 32 3/4" x 53 1/4"</i>
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
Net Clear Opening Square Ft:	4.597335	4.264685
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915
Fields to Validate	Original	New
Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915




Exterior Visualization Drawing

MBR 2

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>



Interior Visualization Drawing

Interior Weatherstrip Package:	White
Glazing Type:	IG
Glass Surface:	Low E2
Grille Type:	7/8" SDL
Grille Pattern:	Rectangular
A1 Top Sash Grille Division Type:	Standard
A1 Bottom Sash Grille Division Type:	None
A1 Top Sash Number Wide:	3
A1 Top Sash Number High:	2
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Stone White
Glazing Configuration:	STC/OITC Upgrade
Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	In old wood windows where weight pockets should be insulated.

Line Item Adders	Original	New
------------------	----------	-----


NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---


Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Assembly Rough Opening:	Rough Opening 34 5/8" x 54 3/4"	Rough Opening 33 1/4" x 53 1/2"
Assembly Inside Opening:	Inside Opening 34" x 54"	Inside Opening 32 5/8" x 52 3/4"
Assembly Masonry Opening:	Masonry Opening 34 1/8" x 54 1/2"	Masonry Opening 32 3/4" x 53 1/4"
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
Net Clear Opening Square Ft:	4.597335	4.264685
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915

Fields to Validate	Original	New
Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915



Exterior Visualization Drawing



M Bath

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	2
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>

Interior Visualization Drawing

Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	20	18.75
-----------------------	----	-------

Inside Opening Height:	40	38.75
------------------------	----	-------

Overall Frame Width:	19.625	18.375
----------------------	--------	--------

Overall Frame Height:	40.25	39
-----------------------	-------	----

Frame Width:	19.625	18.375
--------------	--------	--------

Assembly Rough Opening:	<i>Rough Opening 20 5/8" x 40 3/4"</i>	<i>Rough Opening 19 3/8" x 39 1/2"</i>
-------------------------	--	--

Assembly Inside Opening:	<i>Inside Opening 20" x 40"</i>	<i>Inside Opening 18 3/4" x 38 3/4"</i>
--------------------------	---------------------------------	---

Assembly Masonry Opening:	<i>Masonry Opening 20 1/8" x 40 1/2"</i>	<i>Masonry Opening 18 7/8" x 39 1/4"</i>
---------------------------	--	--

Egress Width:	16 15/16"	15 11/16"
---------------	-----------	-----------

Egress Height:	14 13/32"	13 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	1.693453	1.500367
------------------------------	----------	----------

DLO Width:	14.4269991	13.1769991
------------	------------	------------

DLO Height:	16.3165	15.6915
-------------	---------	---------

Fields to Validate	Original	New
--------------------	----------	-----

Inside Opening Width:	20	18.75
-----------------------	----	-------

Inside Opening Height:	40	38.75
------------------------	----	-------

Overall Frame Width:	19.625	18.375
----------------------	--------	--------

Overall Frame Height:	40.25	39
-----------------------	-------	----

Frame Width:	19.625	18.375
--------------	--------	--------

Egress Width:	16 15/16"	15 11/16"
---------------	-----------	-----------


Egress Height:	14 13/32"	13 25/32"
----------------	-----------	-----------

DLO Width:	14.4269991	13.1769991
------------	------------	------------


DLO Height:	16.3165	15.6915
-------------	---------	---------

M Bath 2

Quantity 1



Exterior Visualization Drawing




Interior Visualization Drawing

Options

Product Details		
Description:	<i>Infinity Insert Double Hung</i>	
Number Wide:	1	
Existing Sill Angle:	8+	
Configuration / Venting:	<i>Double Hung</i>	
Sash Split:	<i>Standard</i>	
Exterior Color:	<i>Stone White</i>	
Interior Color:	<i>Stone White</i>	
Hardware Color:	<i>White</i>	
Lift Options:	<i>Sash Lift</i>	
Top Sash Lift Options:	<i>No Top Sash Lift</i>	
Interior Weatherstrip Package:	<i>White</i>	
Glazing Type:	<i>IG</i>	
Glass Surface:	<i>Low E2</i>	
Grille Type:	<i>7/8" SDL</i>	
Grille Pattern:	<i>Rectangular</i>	
A1 Top Sash Grille Division Type:	<i>Standard</i>	
A1 Bottom Sash Grille Division Type:	<i>None</i>	
A1 Top Sash Number Wide:	2	
A1 Top Sash Number High:	2	
Screen Type:	<i>Extruded Full Screen</i>	
Screen Mesh Type:	<i>Bright View Mesh</i>	
Exterior Screen Surround:	<i>Stone White</i>	
Glazing Configuration:	<i>STC/OITC Upgrade</i>	
Gas Fill:	<i>Argon Gas</i>	
Spacer Bar:	<i>Yes</i>	
Screen/Combo Ship Loose:	<i>Yes</i>	
U-Factor:	0.29	
SHGC:	0.29	
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>	
Line Item Adders	Original	New
NE-Insulating Weight Pockets		
Quantity:	1	1
Change Details	Original	New
Inside Opening Width:	20	18.75
Inside Opening Height:	40	38.75

Overall Frame Width:	19.625	18.375
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.375
Assembly Rough Opening:	<i>Rough Opening 20 5/8" x 40 3/4"</i>	<i>Rough Opening 19 3/8" x 39 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 20" x 40"</i>	<i>Inside Opening 18 3/4" x 38 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 20 1/8" x 40 1/2"</i>	<i>Masonry Opening 18 7/8" x 39 1/4"</i>
Egress Width:	16 15/16"	15 11/16"
Egress Height:	14 13/32"	13 25/32"
Net Clear Opening Square Ft:	1.693453	1.500367
DLO Width:	14.4269991	13.1769991
DLO Height:	16.3165	15.6915
Fields to Validate	Original	New
Inside Opening Width:	20	18.75
Inside Opening Height:	40	38.75
Overall Frame Width:	19.625	18.375
Overall Frame Height:	40.25	39
Frame Width:	19.625	18.375
Egress Width:	16 15/16"	15 11/16"
Egress Height:	14 13/32"	13 25/32"
DLO Width:	14.4269991	13.1769991
DLO Height:	16.3165	15.6915




Exterior Visualization Drawing

M bath large

Quantity 1

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>



Interior Visualization Drawing

Interior Weatherstrip Package:	White
Glazing Type:	IG
Glass Surface:	Low E2
Grille Type:	7/8" SDL
Grille Pattern:	Rectangular
A1 Top Sash Grille Division Type:	Standard
A1 Bottom Sash Grille Division Type:	None
A1 Top Sash Number Wide:	3
A1 Top Sash Number High:	2
Screen Type:	Extruded Full Screen
Screen Mesh Type:	Bright View Mesh
Exterior Screen Surround:	Stone White
Glazing Configuration:	STC/OITC Upgrade
Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	In old wood windows where weight pockets should be insulated.

Line Item Adders	Original	New
------------------	----------	-----


NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---


Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Assembly Rough Opening:	Rough Opening 34 5/8" x 54 3/4"	Rough Opening 33 1/4" x 53 1/2"
Assembly Inside Opening:	Inside Opening 34" x 54"	Inside Opening 32 5/8" x 52 3/4"
Assembly Masonry Opening:	Masonry Opening 34 1/8" x 54 1/2"	Masonry Opening 32 3/4" x 53 1/4"
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
Net Clear Opening Square Ft:	4.597335	4.264685
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915

Fields to Validate	Original	New
Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915



Exterior Visualization Drawing



Interior Visualization Drawing

Nursery

Quantity 3

Options

Product Details	
Description:	<i>Infinity Insert Double Hung</i>
Number Wide:	1
Existing Sill Angle:	8+
Configuration / Venting:	<i>Double Hung</i>
Sash Split:	<i>Standard</i>
Exterior Color:	<i>Stone White</i>
Interior Color:	<i>Stone White</i>
Hardware Color:	<i>White</i>
Lift Options:	<i>Sash Lift</i>
Top Sash Lift Options:	<i>No Top Sash Lift</i>
Interior Weatherstrip Package:	<i>White</i>
Glazing Type:	<i>IG</i>
Glass Surface:	<i>Low E2</i>
Grille Type:	<i>7/8" SDL</i>
Grille Pattern:	<i>Rectangular</i>
A1 Top Sash Grille Division Type:	<i>Standard</i>
A1 Bottom Sash Grille Division Type:	<i>None</i>
A1 Top Sash Number Wide:	3
A1 Top Sash Number High:	2
Screen Type:	<i>Extruded Full Screen</i>
Screen Mesh Type:	<i>Bright View Mesh</i>
Exterior Screen Surround:	<i>Stone White</i>
Glazing Configuration:	<i>STC/OITC Upgrade</i>

Gas Fill:	Argon Gas
Spacer Bar:	Yes
Screen/Combo Ship Loose:	Yes
U-Factor:	0.29
SHGC:	0.29
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>

Line Item Adders	Original	New
------------------	----------	-----

NE-Insulating Weight Pockets

Quantity:	1	1
-----------	---	---

Change Details	Original	New
----------------	----------	-----

Inside Opening Width:	34	32.625
-----------------------	----	--------

Inside Opening Height:	54	52.75
------------------------	----	-------

Overall Frame Width:	33.625	32.25
----------------------	--------	-------

Overall Frame Height:	54.25	53
-----------------------	-------	----

Frame Width:	33.625	32.25
--------------	--------	-------

Assembly Rough Opening:	<i>Rough Opening 34 5/8" x 54 3/4"</i>	<i>Rough Opening 33 1/4" x 53 1/2"</i>
-------------------------	--	--

Assembly Inside Opening:	<i>Inside Opening 34" x 54"</i>	<i>Inside Opening 32 5/8" x 52 3/4"</i>
--------------------------	---------------------------------	---

Assembly Masonry Opening:	<i>Masonry Opening 34 1/8" x 54 1/2"</i>	<i>Masonry Opening 32 3/4" x 53 1/4"</i>
---------------------------	--	--

Egress Width:	30 15/16"	29 9/16"
---------------	-----------	----------

Egress Height:	21 13/32"	20 25/32"
----------------	-----------	-----------

Net Clear Opening Square Ft:	4.597335	4.264685
------------------------------	----------	----------

DLO Width:	28.4269981	27.0519981
------------	------------	------------

DLO Height:	23.3165	22.6915
-------------	---------	---------

Fields to Validate	Original	New
--------------------	----------	-----

Inside Opening Width:	34	32.625
-----------------------	----	--------

Inside Opening Height:	54	52.75
------------------------	----	-------

Overall Frame Width:	33.625	32.25
----------------------	--------	-------

Overall Frame Height:	54.25	53
-----------------------	-------	----


Frame Width:	33.625	32.25
--------------	--------	-------

Egress Width:	30 15/16"	29 9/16"
---------------	-----------	----------


Egress Height:	21 13/32"	20 25/32"
----------------	-----------	-----------

DLO Width:	28.4269981	27.0519981
------------	------------	------------

DLO Height:	23.3165	22.6915
-------------	---------	---------



Exterior Visualization Drawing



Interior Visualization Drawing

G BR

Quantity 5

Options

Product Details		
Description:	<i>Infinity Insert Double Hung</i>	
Number Wide:	1	
Existing Sill Angle:	8+	
Configuration / Venting:	<i>Double Hung</i>	
Sash Split:	<i>Standard</i>	
Exterior Color:	<i>Stone White</i>	
Interior Color:	<i>Stone White</i>	
Hardware Color:	<i>White</i>	
Lift Options:	<i>Sash Lift</i>	
Top Sash Lift Options:	<i>No Top Sash Lift</i>	
Interior Weatherstrip Package:	<i>White</i>	
Glazing Type:	<i>IG</i>	
Glass Surface:	<i>Low E2</i>	
Grille Type:	<i>7/8" SDL</i>	
Grille Pattern:	<i>Rectangular</i>	
A1 Top Sash Grille Division Type:	<i>Standard</i>	
A1 Bottom Sash Grille Division Type:	<i>None</i>	
A1 Top Sash Number Wide:	3	
A1 Top Sash Number High:	2	
Screen Type:	<i>Extruded Full Screen</i>	
Screen Mesh Type:	<i>Bright View Mesh</i>	
Exterior Screen Surround:	<i>Stone White</i>	
Glazing Configuration:	<i>STC/OITC Upgrade</i>	
Gas Fill:	<i>Argon Gas</i>	
Spacer Bar:	<i>Yes</i>	
Screen/Combo Ship Loose:	<i>Yes</i>	
U-Factor:	0.29	
SHGC:	0.29	
NE-Insulating Weight Pockets:	<i>In old wood windows where weight pockets should be insulated.</i>	
Line Item Adders	Original	New
NE-Insulating Weight Pockets		
Quantity:	1	1
Change Details	Original	New
Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75

Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Assembly Rough Opening:	<i>Rough Opening 34 5/8" x 54 3/4"</i>	<i>Rough Opening 33 1/4" x 53 1/2"</i>
Assembly Inside Opening:	<i>Inside Opening 34" x 54"</i>	<i>Inside Opening 32 5/8" x 52 3/4"</i>
Assembly Masonry Opening:	<i>Masonry Opening 34 1/8" x 54 1/2"</i>	<i>Masonry Opening 32 3/4" x 53 1/4"</i>
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
Net Clear Opening Square Ft:	4.597335	4.264685
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915
Fields to Validate	Original	New
Inside Opening Width:	34	32.625
Inside Opening Height:	54	52.75
Overall Frame Width:	33.625	32.25
Overall Frame Height:	54.25	53
Frame Width:	33.625	32.25
Egress Width:	30 15/16"	29 9/16"
Egress Height:	21 13/32"	20 25/32"
DLO Width:	28.4269981	27.0519981
DLO Height:	23.3165	22.6915

Package Price: \$84,121.61

Updated Package Price: \$83,479.49

March promo Savings: -\$32,335.61

You Save:	\$32,335.61
------------------	--------------------

Subtotal: \$51,143.88

Estimated Payment: \$4,261.99



DR left:
Dining Room



DR left:
Dining Room



Closet 1:

Closet 1



Closet 1:

Closet 1



Closet 2:

Closet 2



LR small:

Living Room Left



LR small:

Living Room Left



LR large 2:


Living Room Rear



LR large 2:
Living Room Rear



MBR:
MBR Left



MBR:
MBR Left



MBR 2:
MBR Right



M Bath:
M Bath Left



M Bath:
M Bath Left



M Bath 2:
M Bath Right



M bath large:
M Bath Large



Nursery:

Nursery




Nursery:

Nursery



Nursery:

Nursery



Nursery:

Nursery



G BR:

G Bedroom



G BR:

G Bedroom



G BR:

G Bedroom




G BR:

G Bedroom



G BR:

G Bedroom



G BR:

G Bedroom



G BR:

G Bedroom



G BR:

G Bedroom



Notice of Public Hearing

Cranston Historic District Commission (HDC)

At a Public Hearing to be held on Monday, June 15th, 2026 at 6:00PM, in the 3rd Floor Conference Room of City Hall, 869 Park Ave, the HDC will review an application for a Certificate of Appropriateness, as follows:

Property: **1363 Narragansett Blvd – AP 2, Lot 916**
Evangeliste Turgeon House (Priority Structure)
Owner/Applicant: Kevin McDonald
District: Evangeliste Turgeon House Local Historic District

Project Description: To contract Infinity Replacement LLC for the replacement of twenty-two (22) existing windows with like-for-like replacement windows. There will be no structural changes to the home.


Individuals requesting interpreter services for the hearing impaired must notify the City Clerk (401-780-3136) 72 hours in advance of the hearing.



STATE OF RHODE ISLAND CONTRACTORS' REGISTRATION AND LICENSING BOARD



560 Jefferson Blvd. Warwick, RI 02886



BE IT KNOWN THAT

Christopher Antonellis

of Infinity Replacement, LLC

has met the requirements of the law and has been granted this certificate of registration as a

Residential/Commercial Contractor

IN THE STATE OF RHODE ISLAND

Registration Number

GC-51819

Issue Date

September 18, 2025

Expiration Date

April 13, 2026

James Gallo, Chief
Contractors' Registration and Licensing Board

Thomas E. Furey, Chair
Contractors' Registration and Licensing Board

INFINITY REPLACEMENT

— BY **MARVIN** 

Angela Robinson
Operations Admin.
Infinity Replacement LLC
53 Knox Trail
Acton, MA 01720

5/12/2026

Historic District Commission
Cranston City Hall
869 Park Avenue
Cranston, Rhode Island 02910

Dear City of Cranston Historic District Commission:

Please accept this application for a Certificate of Appropriateness for the property address at:
1363 Narragasset Blvd

The property owner, Kevin McDonald, has contracted with Infinity Replacement LLC to replace existing windows with like-for-like replacement windows. There will be no structural changes to the home.

For your review, in addition to the application, you will find:

- *Copy of signed contract between the Homeowner and Infinity Replacement LLC
- *Scope of Work including photographs of the home, interior and exterior
- *Specifications for each window to be installed
- *Copy of Infinity Replacement LLC's Rhode Island Contractor's License
- *Certificate of Insurance

The contact for technical questions and the project manager is Kevin Doherty, Field Operations Project Manager with Infinity Replacement. You can reach him at 617.820.3853.

On behalf of the Homeowner and Infinity Replacement, I thank you for your time and consideration.



Angela Robinson
Infinity Replacement LLC



53 Knox Trl Unit 101, Acton, MA 01720
Acton, MA 01720

www.Infinityreplacement.com

**Contract for Construction Work
Window/Door Replacement**

Quote # #448486

Contract Date: 04/01/2026

Design Consultant: Frank LoSchiavo

Prepared for:

Kevin B McDonald
1363 Narragansett Blvd
Providence, RI 02905

(The person identified above and all other owners of the subject property are collectively referred to in this Agreement as the "Homeowner")

Payment Terms:

List Price: \$84,121.61

Total Discounts: \$32,335.61

Total Project Price: \$51,786.00

Tax:

Project Deposit (Advance Payment): \$0.00

Balance Due (upon installation): \$51,786.00

Payment Method: Financing

Scope of Work:

Infinity Replacement will provide the Infinity® brand fiberglass window and/or door products and any special order materials specified on **Schedule A** (the "Project Products") and will arrange for installation of the Project Products subject to the Terms and Conditions of Sale (the "Scope of Work").

I have read, understand, and agree to be bound by this contract, which includes the attached **Terms and Conditions of Sale**, the Infinity Replacement by Marvin® Limited Lifetime Product

Notice of Cancellation Form

Transaction Date: 04/01/2026

You may CANCEL this transaction, without any Penalty or Obligation, within THREE BUSINESS DAYS from the above date.

If you cancel, any property traded in, any payments made by you under the contract or sale, and any negotiable instrument executed by you will be returned within TEN BUSINESS DAYS following receipt by the seller of your cancellation notice, and any security interest arising out of the transaction will be cancelled.

If you cancel, you must make available to the seller at your residence, in substantially as good condition as when received, any goods delivered to you under this contract or sale, or you may, if you wish, comply with the instructions of the seller regarding the return shipment of the goods at the seller's expense and risk.

If you do make the goods available to the seller and the seller does not pick them up within 20 days of the date of your Notice of Cancellation, you may retain or dispose of the goods without any further obligation. If you fail to make the goods available to the seller, or if you agree to return the goods to the seller and fail to do so, then you remain liable for performance of all obligations under the contract.

To cancel this transaction, mail or deliver a signed and dated copy of this Cancellation Notice or any other written notice, or send an email to Infinity Replacement, Attn: Notice of Cancellation; 2020 Silver Bell Road, Suite 15; Eagan, MN 55122, or
MIDNIGHT OF 04/04/2026 (Date three days after the Transaction Date). NOT LATER THAN

I HEREBY CANCEL THIS TRANSACTION.

_____ (Date)

_____ (Buyer's signature)

Terms and Conditions of Sale

The following Terms and Conditions of Sale are agreed to and incorporated into the Contract for Construction Work between Infinity Replacement, LLC, Infinity Replacement – New York, LLC, or Infinity Replacement – Northeast, LLC as applicable (each referred to herein as “Infinity Replacement”) and the Homeowner(s) (individually and collectively, “Homeowner” or “you”). You hereby jointly and severally agree to purchase the goods and/or services referenced in the Scope of Work in accordance with the contract, specifications and these terms and conditions. You agree and understand that this Agreement constitutes the entire understanding between the parties, and that there are no verbal understandings changing any of the terms of this Agreement.

Delay:

Infinity Replacement’s failure or inability to perform any term of this Agreement as a result of conditions beyond its control such as, but not limited to, acts of God, material shortages, your inability to qualify for or obtain financing, delays by local government authorities in issuing or otherwise approving inspections, permitting, or other required authorizations do not constitute abandonment and are not included in calculating time frames for performance by Infinity Replacement. Infinity Replacement and Homeowner have determined that a definite completion date is not of the essence.

Late Cancellation/Late Payment/Default:

If you attempt to cancel this Agreement after midnight of the third business day after the Transaction Date of this Agreement, and Infinity Replacement accepts such cancellation, all work will be stopped as promptly as is reasonably possible and you agree to pay Infinity Replacement a cancellation fee equal to 20% of the total price of this Agreement, as liquidated damages and not as a penalty, to offset Infinity Replacement’s incurred labor, administrative, and material costs. Infinity Replacement will not accept cancellation requests after midnight of the third business day after the Transaction Date if the production of any of the products or any special order materials ordered pursuant to the Agreement has commenced.

You agree to pay a late fee of 1.5% per month on all amounts due and owing to Infinity Replacement accruing from the date due and running to the date the payment is made. To the fullest extent permitted by applicable law, you also agree to pay any and all costs or expenses, including attorneys’ fees, incurred by Infinity Replacement that relate to or result from any default under this Agreement, such as, but not limited to, costs of repossession of materials or collection.

Unforeseen Conditions/Cancellation/Modification:

If Infinity Replacement determines this Agreement cannot be performed as intended by the parties due, for example, to unforeseen structural defects, pre-existing conditions of your property, or incorrect pricing, Infinity Replacement may (a) submit a change order to address the additional work, costs, and schedule changes that would be incurred to remedy such conditions, if possible, or (b) cancel this Agreement, notify you of such cancellation in writing, and return all money paid by you to Infinity Replacement, less the costs of materials, labor, and services provided through the date of cancellation. You acknowledge the discovery of pre-existing conditions during the installation process may result in an increase in Total Project Price and you agree to address and resolve any such

pre-existing conditions at your cost and/or to pay any additional amounts associated with addressing such pre-existing conditions.

Installation Access:

Infinity Replacement will notify you when your product is ready for installation and will schedule the date to commence product installation within 30 days of such notice. If you do not permit product installation within six months of being notified your product is ready for installation, then you agree (a) Infinity Replacement may dispose of your product without further notice to you; (b) you will pay Infinity Replacement fifty percent (50%) of the Total Project Price, as liquidated damages and not as a penalty, (c) Infinity Replacement may retain your deposit in full or partial satisfaction of such payment obligation; and (d) Infinity Replacement will have no further obligation to perform the Scope of Work contemplated by the Agreement. You agree to provide no less than 24 hours' notice of cancellation of any measure, install, or other in-home appointment.

Set-Offs or Retentions:

Upon substantial completion of Infinity Replacement's work under this Agreement, you will pay all outstanding amounts due under this Agreement. Substantial completion means the window and door units associated with a given order are installed and operational, and, only if required by applicable law, a permit or occupancy certificate has been obtained. You agree not to withhold any amounts related for minor post-installation service.

Purchased Goods & Services:

All Project Products are listed in this Agreement. You acknowledge you have reviewed the Project Products list and this Agreement and approve of all listed items. To the extent any goods or material are not specifically listed in this Agreement, but are necessary to complete the work, Infinity Replacement will select, in its discretion, goods and materials of comparable grade (i.e., of the grade, type, or condition, ordinarily or customarily used for such work). You acknowledge the installation services will be provided by independent authorized installation contractors.

Homeowner's Representations:

You represent that (a) You own the premises where the work is being performed and (b) you will provide Infinity Replacement with reasonable access to the premises, including access to working electrical outlets as needed to perform the services.

Disclaimers and Limitations:

Infinity Replacement accepts no responsibility for any damage resulting from pre-existing structural or other defects in your property. Infinity Replacement is not responsible for remedying structural defects in your property. You acknowledge that Infinity Replacement's products do not correct or cure structural problems.

Homeowner acknowledges that the Project Products may be installed within existing window or door frames and that in such cases, (a) Infinity Replacement has not been contracted to modify the flashing or installation of the existing frame and (b) Infinity Replacement is not responsible for ensuring that the existing frame or window/door opening is flashed or weatherproof.

Infinity Replacement shall not be responsible for any damages arising in whole or in part

from (a) fires, accidents, floods, governmental actions, or any other causes beyond control of Infinity Replacement; (b) damage to carpet, tile, window treatments, landscaping, driveways, sidewalks, service lines, collateral or incidental damage to interior walls and personal property.

Infinity Replacement will not be responsible or liable for any incidental, indirect, or consequential damages, including without limitation, lost profits, loss of use, or reduction in value of your property arising from a delay in performing under this Agreement, a breach of the Agreement, or any other cause howsoever arising.

Hazardous Conditions:

You agree to inform Infinity Replacement in writing of the presence and location of any potentially hazardous conditions at the project location prior to the start of work. If Infinity Replacement suspects existing or developing spore or mold growth, asbestos-containing materials, or other potentially hazardous conditions at the project location, Infinity Replacement will stop work and will not attempt to test, repair, or remediate such conditions. At your sole expense, you must arrange to have the hazardous condition tested, repaired, and remediated by a third party in compliance with applicable laws within a reasonable period of time, or Infinity Replacement may cancel this Agreement. If the Agreement is cancelled for this reason, you agree to pay Infinity Replacement the costs of material, labor, and services provided through the date of cancellation.

Lead Paint:

The U.S. EPA requires that contractors use specific lead-safe work practices to perform certain work on houses built before 1978 where lead paint is present. If the work does not qualify for an exemption, the area where the work will be performed must be tested for lead paint. You agree to pay Infinity Replacement or a third party certified renovators an additional fee to perform the test. This fee will be agreed upon prior to the test being conducted. If the test indicates the presence of lead paint, a certified renovator is required to use special lead-safe work practices to remove the lead (the "Renovation"). If you wish to proceed with the Renovation, you agree to pay Infinity Replacement or a third party certified renovator a lead paint remediation fee, which will be calculated based on the size and scope of the Renovation. If you do not proceed with the Renovation, Infinity Replacement will cancel the Agreement. If the Agreement is cancelled for this reason, you agree to pay Infinity Replacement the costs of material, labor, and services provided through the date of cancellation.

Exclusive Limited Warranty Provisions:

THE SCOPE OF WORK, INCLUDING, THE PROJECT PRODUCTS ARE PURCHASED WITH AND PROVIDED SUBJECT TO (A) THE INFINITY REPLACEMENT LIMITED LIFETIME WARRANTY AND (B) INFINITY REPLACEMENT FIVE-YEAR INSTALLATION WARRANTY, COPIES OF WHICH ARE ATTACHED HERETO AND INCORPORATED INTO THE AGREEMENT (THE "EXCLUSIVE WARRANTIES"). THE EXCLUSIVE WARRANTIES ARE THE ONLY WARRANTIES APPLICABLE TO THE PROJECT PRODUCTS AND SERVICES INCLUDED IN THE SCOPE OF WORK AND THEY PROVIDE EXCLUSIVE LIMITED RIGHTS AND REMEDIES TO THE HOMEOWNER. YOU ACKNOWLEDGE THAT YOU REVIEWED EXCLUSIVE WARRANTIES PRIOR TO THE TRANSACTION DATE AND AGREE TO THEIR TERMS.

YOU ACKNOWLEDGE THAT THE LIMITATIONS IN THE INFINITY REPLACEMENT LIMITED LIFETIME WARRANTY ARE EFFECTIVE AS OF THE TRANSACTION DATE, BUT THAT INFINITY REPLACEMENT SHALL NOT HAVE AN OBLIGATION TO PROVIDE A REMEDY UNDER THE LIMITED WARRANTY WHILE A BALANCE DUE REMAINS ON THIS AGREEMENT.

Security Interest:

YOU UNDERSTAND AND AGREE THAT IF YOU DO NOT PAY INFINITY REPLACEMENT ANY AMOUNT OWED WHEN IT IS DUE, INFINITY REPLACEMENT MAY HAVE A CLAIM AGAINST YOU, WHICH MAY BE ENFORCED AGAINST YOUR PROPERTY IN ACCORDANCE WITH THE APPLICABLE LIEN LAWS. YOU ALSO UNDERSTAND THAT IF YOU FINANCE THE WORK WITH INFINITY REPLACEMENT OR A THIRD PARTY, ANY SEPARATELY PROVIDED FINANCING DOCUMENTS MAY INCLUDE A SECURITY INTEREST. YOU UNDERSTAND THAT YOU SHOULD READ THOSE DOCUMENTS CLOSELY.

Miscellaneous:

A waiver of any breach of this Agreement shall not be construed as a waiver of any prior, concurrent, or subsequent breach hereof. This Agreement shall be governed by and construed in accordance with the laws of the state in which it is performed, except as may be preempted by federal law. Any part of this Agreement contrary to applicable state law shall not invalidate other parts of this Agreement. If a provision of this Agreement is held to be invalid or unenforceable, this Agreement shall continue in full force and effect and shall be construed as if the invalid or unenforceable provision was omitted. By signing this Agreement, you agree that Infinity Replacement can assign any of its rights or obligations under this Agreement and that the person to whom Infinity Replacement assigns this Agreement shall be entitled to all of its rights and responsible for all of its obligations under this Agreement.

Arbitration of Disputes:

The parties agree that any and all disputes and controversies ("Claim") arising under or relating to this Agreement shall be subject to binding arbitration. Any dispute involving a Claim of less than \$250,000.00 shall be conducted by Arbitration Resolutions Services, Inc. (ARS), and the parties shall be bound by any and all rules of ARS and any award / decision rendered. ARS rules can be found at www.arbresolutions.com. Any dispute involving a claim of \$250,000.00 or more shall be conducted by the American Arbitration Association under the Construction Rules, by a single arbitrator experienced in the construction industry, with the arbitration to be held virtually, via Zoom or a similar platform, in the English language.

Except as set forth in this Agreement, each party shall be responsible for its own fees and costs. The party demanding arbitration shall pay the applicable filing fee. This agreement to arbitrate, and any award, finding or verdict of or from the arbitration, will be specifically enforceable under the prevailing law of any court having jurisdiction. Any arbitration proceeding brought under this Agreement, and any award, finding or verdict of or from such proceeding shall remain confidential between the parties and shall not be made public.

Homeowner agrees not to assert a Claim on behalf of, or as a member of, any group or class in either an arbitration proceeding, a private attorney general action, or in any other forum or action; however, this limitation does not apply to any lawsuit or administrative proceeding filed against Infinity Replacement

by a state or federal government agency.

State-Specific Terms:

Additional terms, conditions, schedules, or disclosures that may be required by your state of residence are provided in a separate document and are incorporated by reference in this Agreement.

(Terms and Conditions of Sale Final Page)

Additional Information and Acknowledgements

Permits and Fees:

Permits: Permit fees will be passed through to you. Fabrication of the Project Products will not begin until required permits have been obtained.

If your project permits require inspection, you understand these inspections are performed by third parties and agree to provide access to the work area, as required. You will immediately notify Infinity Replacement of any inspection failure. You are solely responsible for any remediation of any issues outside the Scope of Work.

HOAs: Does your project require review by an HOA or similar association? No

If yes, Infinity Replacement will provide you with information and reasonable assistance to help facilitate your review. Fabrication of the Project Products will not begin until HOA approval has been obtained in writing.

Project Disclosures:

Insert Window:

- An insert window replacement is when new windows are installed within the existing window frame. The existing sash, operating hardware and covers are removed, and the new window unit is inserted into the old frame where it is anchored, insulated and sealed.
- The interior and exterior window trim will not be replaced, unless stated in the Scope of Work.

Full Frame Window & Patio Door:

- A full frame unit replacement is when an existing window frame, sash, and trim are completely removed down to the studs and the new window or door is installed in the opening.
- A full frame installation is used when the project requires modifications to an existing opening, or creation of a new structural opening.

Drywall, Siding and Stucco Work:

- I agree to discuss the options available with Infinity Replacement. I understand the cost of any finish work (i.e. texturing, painting, siding, stucco, etc.) not specifically identified in the Scope of Work is my sole responsibility.
- If the Scope of Work includes drywall, the work will include tape and only one coat of drywall mud/compound to the affected area. Any additional mud/compound or other finish work is my sole responsibility.
- If the Scope of Work includes minor siding work (patching of siding, wood, stucco, brick, etc.), then the work is limited to the affected area only. There are no guarantees that the updated stucco or siding material will match the material, color or texture of the existing siding, due to product availability, installation method, and fading of the existing product. If exact matching is desired or the standard siding materials offered by Infinity Replacement do not meet my expectations, it is my responsibility to contract directly with a third party.
 - If I elect to purchase my own siding materials and contract directly with a third party (or install independently) for the siding work, I understand it is my responsibility to complete siding work within a reasonable timeframe to seal the home from weather. Infinity Replacement will not warrant any product or installation that has been determined to be caused by damage resulting from improper siding installation by a third party.
 - If the Scope of Work includes minor siding work using materials provided by me, I agree to provide all siding materials to the installer by the first day of installation.

Homeowner Initials: LM

Trim and Finish Work:

- I have discussed the options available to me with the Design Consultant and understand the cost of any non-contracted finish work (i.e. trim, painting, staining, etc.) is my sole responsibility.
- If the Scope of Work includes the installation of interior or exterior window trim, there are no guarantees that the future trim will cover all unfinished areas or exposed paint lines from the removal of existing trim.
 - If trim is removed and reinstalled, the installer will exercise care, but breakage, scuffing, scratches or nicks may occur. I understand that it is my sole responsibility to replace broken or damaged trim material and provide touch-ups as required.

Exclusions:

Unless specified in the Scope of Work the following items are not included in the Contract Price:

- a. Modification or replacement of security alarms, flooring, electrical, gas lines, water supply lines, drain lines, heating, venting, and/or air conditioning components.
- b. Installation of homeowner-provided video doorbells, door handles, or hardware.
- c. Painting, patching, plastering, texturing, stucco repair or other finish work to interior/exterior trim, walls, or doors.
- d. Roofing, siding, framing, drywall, insulation, or other damaged material repair that is not directly related to this project.

Change Orders:

Any additional work requested or required which is not covered in the Scope of Work will be quoted separately with a Change Order. Any changes will be discussed and agreed upon prior to the commencement of work. I understand that changes to product selection, style, color and/or features after the cancellation period expires will result in additional costs to me.

Preparation:

I agree to prepare the work area prior to the start of any work. The items below must be completed by the scheduled installation start date. If not, additional costs may be incurred if the Dealer must reschedule the start of the work. The preparation required includes:

- a. Removing security system magnets or other accessories from windows and disable or inactivate any alarm or monitoring system that may be triggered during installation. Infinity Replacement will not perform work on units still connected to a security system.
- b. Remove window treatments (blinds, shades, shutters, drapery, awnings and/or patio covers) or in-window air conditioning units. I understand these items may no longer fit following replacement of my windows.
- c. Remove any pictures, wall hangings, and other personal items from the area.
- d. Remove any furniture and items that may interfere with access to the inside work area(s).
- e. Maintain proper landscaping (cut grass, trim trees and shrubs, etc.) and remove any items or outdoor furniture that may interfere with access to the outside work area(s).

f. For their safety, pets, children, and others should not be present in rooms in which work is being performed.

Homeowner Initials: RM

Sign me up! I would like to receive marketing emails and/or text messages and product information. Text messages may use automated dialing technology. Opting in is not a condition for purchase. Message and data rates may apply. You may opt out of receiving marketing emails and/or texts at any time. You will still continue to receive emails and/or texts relating to your project.

Homeowner's Initials: RM

PROPERTY IMAGE & TESTIMONIAL RELEASE

Property Description and Address:

1363 Narragansett Blvd

Providence, RI 02905

1. I affirm that I am the owner of the property at the address set forth above (the "Property").
2. I hereby authorize Infinity Replacement, and its affiliates, licensees, and assigns, the irrevocable, unrestricted and perpetual right to capture, use, and publish photographs, video, and other images and/or derivative works of such images taken of the Property, and/ or the description of the Property (collectively, the "Images") for any purpose (commercial or non-commercial) worldwide, in whole or in part, individually or in conjunction with other photographs, video, images, text, or sounds, in any and all media now or hereafter known. I waive any right that I may have to examine or approve the products or advertising material, if any, in connection with which the Images may be used. I acknowledge that this release is given without the expectation of any monetary compensation, and the opportunity to have the Images appear in any work incorporating the Images constitutes reasonable and sufficient consideration for this release; I acknowledge, however, that Infinity has no obligation to create a work incorporating the Image. I hereby release and discharge Infinity from any and all claims and liability arising out of or in connection with the use of the Images.
3. I have offered to provide testimonial statements to Infinity Replacement, LLC and/or its affiliates, agents, or service providers (collectively, "Infinity") regarding my experiences with and opinions about Infinity's products and services (my "Testimonial"). I affirm all my Testimonial statements are true to the best of my knowledge and reflect my honest opinion. I acknowledge I have not and will not be paid for my Testimonial. Infinity may make minor, non- substantive edits to the Testimonial. I hereby grant and assign to Infinity, the irrevocable, unrestricted and perpetual right to use and publish my Testimonial, in whole or in part, for any purpose (commercial or non-commercial) worldwide, without monetary compensation, and I hereby release and discharge Infinity from any and all claims and liability arising out of or in connection with the use of the Testimonial.
4. This agreement and release shall be binding upon me and my heirs and legal representatives. I am of majority age, have read the foregoing, and fully understand and agree to its contents:

Name (print): Kevin B McDonald

Phone: 631-512-0211 Email: kbmcdonald25@gmail.com

Signature: 

Date: Signed at 04/01/2026 07:44 PM